

MSDS - Material Safety Data Sheet

Product Name: Hi-Fi Latent Print Powder, Safecracker Silver/Red = 128 Oz.

MSDS No.: BPP301128

I. Basic Information:

Manufacturer: Sirchie Finger Print Laboratories

Address: 100 Hunter Place

City, ST Zip: Youngsville, NC 27596

Emergency Contact: ChemTrec

Emergency Telephone Number: 800-424-9300

Contact: Tech Support

Information Telephone Number: 919-554-2244

Last Update: 06/21/2010

Expiration Date:

Chemical State: Liquid Gas Solid

Chemical Type: Pure Mixture



1	Health
2	Flammability
1	Reactivity
F	Pers. Protection

II. Ingredients:

Trade Secret (N/D = Not Disclosed)

CAS No.	Chemical Name	% Range	EHS		IARC		SARA 313		OSHA PEL	ACGIH TLV	Other Limits
			NTP		SUB Z						
7429905	Aluminum	>19							5 mg/m3	5 mg/m3	1,094 F
0	Lycopodium	20							NE	NE	
7585413	Pigment red 48:1	60							5 mg/m3	10 mg/m3	

III. Hazardous Identification:

Hazard Category:

Acute Chronic Fire Pressure Reactive

Hazardous Identification Information:

May be dangerous if ingested. Respiratory tract irritant. Skin irritant. Severe eye irritant.

This material is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

IV. First Aid Measures:

Route(s) of Entry:

Inhalation, ingestion, skin, eyes

Health Hazards (Acute and Chronic):

Signs and Symptoms:

Eyes: Inflammation, redness, watering, itching

Medical Conditions Generally Aggravated by Exposure:

Skin, eye, respiratory

MSDS - Material Safety Data Sheet

Product Name: Hi-Fi Latent Print Powder, Safecracker Silver/Red = 128 Oz.

MSDS No.: BPP301128

Emergency and First Aid Procedures:

Inhalation: Remove to fresh air. If breathing becomes difficult, give oxygen (To be administered by qualified medical personnel only!) If breathing stops, perform artificial respiration. Keep victim warm and at rest. Seek medical attention.

Ingestion: If victim is conscious and alert, give large quantities of water or milk. (Never give anything by mouth to an unconscious person!) DO NOT induce vomiting. If vomiting occurs, lower the head so that the vomit will not re-enter the mouth and throat. Seek medical attention.

Skin: Wash with soap and water. If irritation occurs, seek medical attention.

Eyes: Rinse with plenty of water for 15 minutes. Seek medical attention. DO NOT use an eye ointment.

Convulsions: Do not restrain the victim, but do remove objects with which they might injure themselves; or, orient the victim to prevent them from striking fixed heavy objects. If the convulsions cease, turn the victim on their side or face down, so that any fluid in the mouth can drain.

Other Health Warnings:

V. Fire Fighting Measures:

Flash Point: NE

Lower Explosive Limit: 0.035

Upper Explosive Limit: NE

F.P. Method:

Fire Extinguishing Media: Carbon dioxide, dry chemical, foam--DO NOT use water

Special Fire Fighting Procedures:

Wear self-contained breathing apparatus and protective clothing. Water may be used to cool fire-exposed containers.

Unusual Fire and Explosion:

Can pose dust explosion hazard if dispersed in air. May react with water to form combustible hydrogen gas.

"Empty" containers may contain product residue and may be dangerous. Empty containers should be completely drained and bunged and then disposed of according to local, state, and federal regulations.

VI. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

Wear dust respirator, safety goggles, and rubber gloves. Sweep up and place in bag or vacuum up with proper filter equipped instrument. Avoid creating dust. Ventilate and wash spill site after collecting solid. Dispose according to local, state, and federal regulations.

VII. Handling and Storage:

Precautions to be Taken:

Keep in tightly closed container. Keep cool and dry. Avoid all ignition sources (heat, open flame, spark). Avoid incompatible materials, especially water. Ground all equipment containing material. Use only in well-ventilated areas. Avoid dust generation and accumulation. Avoid ingestion and inhalation of dust. Avoid contact with eyes. Wash thoroughly after handling.

Other Precautions:

DO NOT wear contact lenses while using this material.

"Empty" containers may contain product residue and may be dangerous. Empty containers should be completely drained and bunged and then disposed of according to local, state, and federal regulations.

MSDS - Material Safety Data Sheet

Product Name: Hi-Fi Latent Print Powder, Safecracker Silver/Red = 128 Oz.

MSDS No.: BPP301128

VIII. Exposure Controls/Personal Protection:

Ventilation Requirements:

Use only in well-ventilated areas.

Personal Protective Equipment:

Safety goggles, gloves, dust respirator, protective clothing

IX. Physical and Chemical Properties:

Boiling Point: 3,733 F

Melting Point: 1,220 F

Evaporation Rate (Butyl Acetate = 1): N/A

Vapor Pressure (mm Hg.): 1

Specific Gravity (H₂O = 1):

Vapor Density (AIR = 1): N/A

Solubility In Water: Insoluble

Appearance and Odor: Silver/red powder

Other Information:

X. Stability and Reactivity:

Stability:

Stable

Incompatibility (Materials to Avoid):

Acids, strong alkalies, strong bases, strong oxidizers, iodates, chlorinated hydrocarbons, oxides, nitrites, nitrates, carbon disulfide, chlorides, sodium peroxide + carbon dioxide, sulfur dichloride, palladium, manganese, magnesium + potassium chlorate, sodium carbonate, sulfates, diborane, water, ignition sources (heat, open flame, spark)

Decomposition/By Products:

Combustible hydrogen gas, carbon monoxide and dioxide, nitrous oxides, hydrogen chloride

Hazardous Polymerization:

Will not occur

XI. Toxicological Information:

May be dangerous if ingested. Respiratory tract irritant. Skin irritant. Severe eye irritant.

XII. Ecological Information:

Prevent from entering sewers or waterways. May be toxic to some aquatic life.

XIII. Disposal Considerations:

Dispose according to local, state, and federal regulations.

Pigment red 48:1

This product contains barium and may be a characteristic waste under 40 CFR 261. Prior to disposal, a representative sample of this material should be tested using TCLP guidelines.

Hazardous waste no. (if applicable): D005

MSDS - Material Safety Data Sheet

Product Name: Hi-Fi Latent Print Powder, Safecracker Silver/Red = 128 Oz.

MSDS No.: BPP301128

XIV. Transport Information:

Keep in tightly closed container. Keep cool and dry. Avoid all ignition sources (heat, open flame, spark). Avoid incompatible materials, especially water. Ground all equipment containing material. Avoid dust generation and accumulation. Avoid ingestion and inhalation of dust. Avoid contact with eyes. Wash thoroughly after handling.

XV. Regulatory Information:

Pigment red 48:1 is listed on the TSCA inventory.

Lycopodium is hazardous by definition of OSHA Hazard Communication Standard (29 CFR 1910.1200).

This material is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

XVI. Other Information:

Using this product under normal, properly instructed procedures should not be hazardous.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.