



Porelon Ink Roller

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 01/05/2015

Supersedes:01/27/2011

Version:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name. : Porelon Ink Roller
Product code : AP200

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation : Fingerprint Ink Pad

1.3. Details of the supplier of the safety data sheet

SIRCHIE Finger Print Laboratories
100 Hunter Place
27596 Youngsville, NC - USA
T 919-554-2244; 800-356-7311 - F 919-554-2266; 800-899-8181
<http://www.sirchie.com>

1.4. Emergency telephone number

Emergency number : 1.800.424.9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

| | |
|---------------|------|
| Flam. Liq. 4 | H227 |
| Eye Irrit. 2A | H319 |
| Carc. 2 | H351 |
| STOT SE 1 | H370 |
| STOT RE 2 | H373 |

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) :

Warning

Hazard statements (GHS-US) :

H227 - Combustible liquid
H319 - Causes serious eye irritation
H351 - Suspected of causing cancer
H373 - May cause damage to organs through prolonged or repeated exposure
Manufacturer states all other ingredient information is proprietary or non-hazardous as defined by the Hazard Communications Standard (29 CFR 1910.1200)

If this product is used as indicated it is unlikely that any adverse health issues will occur .
Inhalation or ingestion of significant amounts may cause respiratory irritation and/or gastric disturbances.

Precautionary statements (GHS-US) :

P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking.
P260 - Do not breathe vapors.
P264 - Wash all exposed skin thoroughly after handling.
P270 - Do no eat, drink or smoke when using this product
P280 - Wear eye protection, protective gloves.
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 - IF exposed or concerned: Get medical advice/attention
P314 - Get medical advice and attention if you feel unwell.
P337+P313 - If eye irritation persists: Get medical advice/attention
P370+P378 - In case of fire: Use CO2, dry chemical, foam, water spray for extinction.
P403+P235 - Store in a well-ventilated place. Keep cool
P405 - Store locked up
P501 - Dispose of contents/container to local/regional/national/international regulations.

Porelon Ink Roller

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards

Other hazards not contributing to the classification : None under normal conditions. Carbon black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The International Agency for Research on Cancer (IARC) has recently reviewed carbon black and published a monograph changing its classification from insufficient evidence to make a determination to possible carcinogen.

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification (GHS-US) |
|--|--------------------|------|---|
| ortho-tricresyl phosphates, isomer mixture | (CAS No.)1330-78-5 | 32.4 | STOT SE 1, H370 |
| carbon black | (CAS No.)1333-86-4 | 2.6 | Carc. 2, H351 |
| diethanolamine | (CAS No.)111-42-2 | 1.3 | Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT RE 2, H373 |
| aniline | (CAS No.)62-53-3 | 0.1 | Flam. Liq. 4, H227 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 |

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Reactivity : No reactivity hazard other than the effects described in sub-sections below.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Porelon Ink Roller

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.

Incompatible products : Strong bases. strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| diethanolamine (111-42-2) | | |
|---------------------------|--------------------------------|---------------------|
| USA ACGIH | ACGIH TWA (mg/m ³) | 1 mg/m ³ |

| ortho-tricresyl phosphates, isomer mixture (1330-78-5) | | |
|--|--------------------------------|-----------------------|
| USA ACGIH | ACGIH TWA (mg/m ³) | 0.1 mg/m ³ |

8.2. Exposure controls

Personal protective equipment : Gloves. Safety glasses. Avoid all unnecessary exposure.



Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.

Respiratory protection : Wear approved mask.

Other information : When using, do not eat, drink or smoke.

Porelon Ink Roller

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|--------------------------|
| Physical state | : Liquid |
| Appearance | : Liquid paste. |
| Color | : black. |
| Odor | : hydrocarbon-like odor. |
| Odor threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Self ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapor pressure | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Relative density | : No data available |
| Solubility | : Insoluble in water. |
| Log Pow | : No data available |
| Log Kow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No reactivity hazard other than the effects described in sub-sections below.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| diethanolamine (111-42-2) | |
|---------------------------|---------------------|
| LD50 oral rat | 620 mg/kg (Rat) |
| LD50 dermal rabbit | 7640 mg/kg (Rabbit) |

| | |
|-----------------------------------|----------------------------------|
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified |

Based on available data, the classification criteria are not met

Porelon Ink Roller

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Carcinogenicity : Suspected of causing cancer.

| diethanolamine (111-42-2) | |
|---|--|
| IARC group | 3 |
| Reproductive toxicity | : Not classifiedBased on available data, the classification criteria are not met |
| Specific target organ toxicity (single exposure) | : Causes damage to organs. |
| Specific target organ toxicity (repeated exposure) | : May cause damage to organs through prolonged or repeated exposure.Based on available data, the classification criteria are not met |
| Aspiration hazard | : Not classifiedBased on available data, the classification criteria are not met |
| Potential Adverse human health effects and symptoms | : Based on available data, the classification criteria are not met. |

SECTION 12: Ecological information

12.1. Toxicity

| diethanolamine (111-42-2) | |
|----------------------------------|--|
| LC50 fish 1 | 1664 mg/l (96 h; Pimephales promelas; Static system) |
| EC50 Daphnia 1 | 180 mg/l (24 h; Daphnia magna) |
| LC50 fish 2 | 14000 mg/l (96 h; Gambusia affinis; Static system) |
| EC50 Daphnia 2 | 55 mg/l (48 h; Daphnia magna) |
| Threshold limit algae 1 | 10 mg/l (192 h; Scenedesmus quadricauda; INHIBITORY) |

| ortho-tricresyl phosphates, isomer mixture (1330-78-5) | |
|---|---|
| LC50 fish 1 | 0.15 mg/l (96 h; Lepomis macrochirus) |
| LC50 other aquatic organisms 1 | 10 - 11 mg/l |
| LC50 fish 2 | 0.26 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss) |
| TLM fish 1 | 1 - 10,96 h; Pisces |
| TLM other aquatic organisms 1 | 1 - 10,96 h |
| Threshold limit other aquatic organisms 1 | 10 - 11 |

12.2. Persistence and degradability

| Porelon Ink Roller | |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |

| diethanolamine (111-42-2) | |
|----------------------------------|---|
| Persistence and degradability | Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air. |
| Biochemical oxygen demand (BOD) | 0.22 g O ₂ /g substance |
| Chemical oxygen demand (COD) | 1.52 g O ₂ /g substance |
| ThOD | 2.13 g O ₂ /g substance |
| BOD (% of ThOD) | 10 % ThOD |

12.3. Bioaccumulative potential

| Porelon Ink Roller | |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |

| diethanolamine (111-42-2) | |
|----------------------------------|------------------------------------|
| Log Pow | -2.18 - -1.43 (Experimental value) |
| Bioaccumulative potential | Bioaccumulation: not applicable. |

| ortho-tricresyl phosphates, isomer mixture (1330-78-5) | |
|---|-------------|
| BCF fish 1 | 166 |
| Log Pow | 3.42 - 5.11 |

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid release to the environment.

Porelon Ink Roller

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Additional information

Other information : No supplementary information available.

Overland transport

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

Porelon Ink Roller

Listed on the United States TSCA (Toxic Substances Control Act) inventory
Listed on SARA Section 313 (Specific toxic chemical listings)

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

15.2.2. National regulations

Porelon Ink Roller

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

Porelon Ink Roller()

| | |
|---|-----|
| U.S. - California - Proposition 65 - Carcinogens List | Yes |
|---|-----|

Porelon Ink Roller

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations


SECTION 16: Other information

- Indication of changes : Revision - See : *
- Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
- Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging. Keep in tightly closed container. Keep cool and dry. Avoid all ignition sources - heat, open flame, sparks. Avoid incompatible materials. Avoid dust creation and accumulation. Avoid inhalation and ingestion. Avoid contact with eyes. Wash thoroughly after handling.
- Other information : This Safety Data Sheet has been established in accordance with the applicable European Union legislation. None.

Full text of H-phrases: see section 16:

| | |
|---------------------|---|
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4 |
| Carc. 2 | Carcinogenicity Category 2 |
| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| Flam. Liq. 4 | Flammable liquids Category 4 |
| Skin Irrit. 2 | skin corrosion/irritation Category 2 |
| STOT RE 2 | Specific target organ toxicity (repeated exposure) Category 2 |
| STOT SE 1 | Specific target organ toxicity (single exposure) Category 1 |
| H302 | Harmful if swallowed |
| H315 | Causes skin irritation |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H351 | Suspected of causing cancer |
| H370 | Causes damage to organs |
| H373 | May cause damage to organs through prolonged or repeated exposure |

- NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
- NFPA fire hazard : 1 - Must be preheated before ignition can occur.
- NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating

- Health : 2 Moderate Hazard - Temporary or minor injury may occur
- Flammability : 1 Slight Hazard
- Physical : 0 Minimal Hazard
- Personal Protection : G

SDS US (GHS HazCom 2012)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.