

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

*** DRAFT ***

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : BIF100 BIO-Foam Impression Foam

Product code : BIF100

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Crime Scene Investigation

1.3. Details of the supplier of the safety data sheet

SIRCHIE Finger Print Laboratories

100 Hunter Place

Youngsville, NC 27596 - USA

T 919-554-2244; 800-356-7311 - F 919-554-2266; 800-899-8181

http://www.sirchie.com

1.4. Emergency telephone number

Emergency number : 1.800.424.9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Skin Irrit. 2 H315 Eye Irrit. 2A H319 Skin Sens. 1 H317 Carc. 1A H350

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)





GHS07

7 GHS

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation

H350 - May cause cancer

Precautionary statements (GHS-US) : P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P261 - Avoid breathing fume, vapors

P264 - Wash all esposed skin thoroughly after handling

P272 - Contaminated work clothing must not be allowed out of the workplace

P280 - Wear eye protection, protective gloves P302+P352 - If on skin: Wash with plenty of water/...

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P308+P313 - If exposed or concerned: Get medical advice/attention

P321 - Specific treatment (see information on this label)

P332+P313 - If skin irritation occurs: Get medical advice/attention

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse

P362+P364 - Take off contaminated clothing and wash it before reuse

P405 - Store locked up

P501 - Dispose of contents/container to local/regional/national/international regulations

08/27/2015 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product identifier | % | Classification (GHS-US) |
|-------------------------|--------------------|---------|--|
| Proprietary Formulation | | 10 - 14 | Not classified |
| barium sulfate | (CAS No) 7727-43-7 | 3 - 4 | Not classified |
| formaldehyde% | (CAS No) 50-00-0 | 0 - 1 | Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Corr. 1B, H314 Skin Sens. 1, H317 Carc. 1A, H350 |

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persist.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Reactivity : None.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

08/27/2015 EN (English US) 2/1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

""" DRAFI """

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away

from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container

closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| BIF100 BIO-Foam Impression Foam | | |
|---------------------------------|-------------------|---------|
| ACGIH | Not applicable | |
| OSHA | Not applicable | |
| barium sulfate (7727-43-7) | | |
| ACGIH | ACGIH TWA (mg/m³) | 5 mg/m³ |
| OSHA | Not applicable | |
| | | |
| formaldehyde% (50-00-0) | | |

| | formaldehyde% (50-00-0) | | |
|---------------------|-------------------------|---------------------|---------|
| | ACGIH | ACGIH Ceiling (ppm) | 0.3 ppm |
| OSHA Not applicable | | | |

| Proprietary Formulation | |
|-------------------------|----------------|
| ACGIH | Not applicable |
| OSHA | Not applicable |

8.2. Exposure controls

Personal protective equipment : Dust/aerosol mask. Gloves. Safety glasses. Avoid all unnecessary exposure.



Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.

Respiratory protection : Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Solid blue.
Color : blue Colorless
Odor : odorless
Odor threshold : No data available

08/27/2015 EN (English US) 3/1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

рΗ : No data available Melting point : No data available Freezing point No data available Boiling point : No data available No data available Flash point Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) : No data available **Explosion limits** No data available Explosive properties : No data available Oxidizing properties No data available : No data available Vapor pressure Relative density : No data available

Water: Solubility in water of component(s) of the mixture :

: No data available

: Insoluble in water.

: No data available

O.0003 g/100ml

Log Pow
 No data available

Log Kow
 No data available

Auto-ignition temperature
 No data available

Decomposition temperature
 No data available

Viscosity
 No data available

Viscosity, kinematic
 No data available

9.2. Other information

Relative vapor density at 20 °C

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Viscosity, dynamic

None.

Solubility

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| barium sulfate (7727-43-7) | |
|----------------------------|---|
| LD50 oral rat | > 5000 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value) |
| formaldehyde% (50-00-0) | |
| LD50 oral rat | 100 mg/kg (Rat) |
| LD50 dermal rabbit | 270 mg/kg (Rabbit) |
| ATE US (oral) | 100.000 mg/kg body weight |
| ATE US (dermal) | 270.000 mg/kg body weight |
| ATE US (gases) | 700.000 ppmV/4h |

08/27/2015 EN (English US) 4/1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

*** DRAFT ***

| formaldehyde% (50-00-0) | |
|-----------------------------------|--|
| ATE US (vapors) | 3.000 mg/l/4h |
| ATE US (dust, mist) | 0.500 mg/l/4h |
| Skin corrosion/irritation | : Causes skin irritation. |
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Respiratory or skin sensitization | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| | Based on available data, the classification criteria are not met |
| Carcinogenicity | : May cause cancer. |

| formaldehyde% (50-00-0) | |
|-------------------------|----------------------------|
| IARC group | 1 - Carcinogenic to humans |
| | N. J. W. J. |

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard : Not classified

Potential Adverse human health effects and : Based on available data, the classification criteria are not met.

symptoms

SECTION 12: Ecological information

12.1. Toxicity

| barium sulfate (7727-43-7) | |
|---|---|
| LC50 fish 1 | > 1000 mg/l (96 h; Pisces; Nominal concentration) |
| LC50 other aquatic organisms 1 | > 1000 mg/l (96 h) |
| EC50 Daphnia 1 | 32 mg/l (48 h; Daphnia magna; Barium ion) |
| LC50 fish 2 | 76000 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Nominal concentration) |
| EC50 Daphnia 2 | 52.8 mg/l (24 h; Daphnia magna; Barium ion) |
| Threshold limit other aquatic organisms 1 | > 1000 mg/l (96 h) |
| Threshold limit algae 1 | ≥1.92,72 h; Pseudokirchneriella subcapitata |

12.2. Persistence and degradability

| BIF100 BIO-Foam Impression Foam | F100 BIO-Foam Impression Foam | |
|---------------------------------|---|--|
| Persistence and degradability | Not established. | |
| barium sulfate (7727-43-7) | | |
| Persistence and degradability | Biodegradability: not applicable. No (test)data on mobility of the substance available. | |
| Biochemical oxygen demand (BOD) | Not applicable | |
| Chemical oxygen demand (COD) | Not applicable | |
| ThOD | Not applicable | |
| BOD (% of ThOD) | Not applicable | |

12.3. Bioaccumulative potential

| BIF100 BIO-Foam Impression Foam | |
|---------------------------------|--|
| Bioaccumulative potential | Not established. |
| barium sulfate (7727-43-7) | |
| BCF fish 1 | 68.4 (Lepomis macrochirus) |
| Bioaccumulative potential | Low potential for bioaccumulation (BCF < 500). |

12.4. Mobility in soil

No additional information available

08/27/2015 EN (English US) 5/1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

*** DRAFT ***

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT
Not regulated for transport
Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

BIF100 BIO-Foam Impression Foam

Listed on United States SARA Section 313

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

No additional information available

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.3; R40

R43

Full text of R-phrases: see section 16

National regulations

BIF100 BIO-Foam Impression Foam

Listed on IARC (International Agency for Research on Cancer)

08/27/2015 EN (English US) 6/1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

*** DRAFT ***

| olor oo olato rogalationo | |
|--|-----|
| BIF100 BIO-Foam Impression Foam() | |
| U.S California - Proposition 65 - Carcinogens List | Yes |
| U.S California - Proposition 65 - Developmental Toxicity | No |
| U.S California - Proposition 65 - Reproductive Toxicity - Female | No |
| U.S California - Proposition 65 - Reproductive Toxicity - Male | No |

SECTION 16: Other information

Indication of changes : Revision - See : *.

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Keep in tightly closed container. Keep cool and dry. Avoid all ignition sources - heat, open flame, sparks. Avoid incompatible materials. Avoid dust creation and accumulation. Avoid inhalation and ingestion. Avoid contact with eyes. Wash thoroughly after handling.

Other information : This Safety Data Sheet has been established in accordance with the applicable European

Union legislation.

Full text of H-phrases:

| Acute toxicity (dermal) Category 3 |
|---|
| Acute toxicity (definal) Category 5 |
| Acute toxicity (inhalation) Category 3 |
| Acute toxicity (oral) Category 3 |
| Carcinogenicity Category 1A |
| Serious eye damage/eye irritation Category 2A |
| Skin corrosion/irritation Category 1B |
| Skin corrosion/irritation Category 2 |
| Skin sensitization Category 1 |
| Toxic if swallowed |
| Toxic in contact with skin |
| Causes severe skin burns and eye damage |
| Causes skin irritation |
| May cause an allergic skin reaction |
| Causes serious eye irritation |
| Toxic if inhaled |
| May cause cancer |
| |


NFPA health hazard : 1 - Exposure could cause irritation but only minor residual

injury even if no treatment is given.: 1 - Must be preheated before ignition can occur.

NFPA fire hazard : 1 - Must be preheated before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids,

solids and semi solids having a flash point above 200 F. (Class IIIB)

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal Protection : I

B - Safety glasses, Gloves

08/27/2015 EN (English US) 7/1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS US (GHS HazCom 2012)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular

08/27/2015 EN (English US) 8/1