

CNA4000C Cyano-Shot Ultra Activator Crystals -Calcium Oxide Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: CNA4000C Cyano-Shot Ultra Activator Crystals - Calcium Oxide
Product code	: CNA4000C
1.2. Recommended use and restriction	ons on use
Jse of the substance/mixture	: Latent fingerprint developer
1.3. Supplier	
SIRCHIE 100 Hunter Place Youngsville, NC 27596 - USA T 919-554-2244; 800-356-7311 - F 919-554-2 <u>http://www.sirchie.com</u>	2266; 800-899-8181
1.4. Emergency telephone number	
Emergency number	: 1.800.424.9300 (USA) +1-703-527-3887 (INTL) CHEMTREC: 1.800.424.9300
SECTION 2: Hazard(s) identification	on .
2.1. Classification of the substance o	r mixture
GHS US classification	
Skin corrosion/irritation H315	Causes skin irritation
Category 2 Serious eye damage/eye H318	Causes serious eye damage
rritation Category 1	
Specific target organ H335 oxicity (single exposure) Category 3	May cause respiratory irritation
Full text of H statements : see section 16	
2.2. GHS Label elements, including p	recautionary statements
GHS US labeling	
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	 H315 - Causes skin irritation H318 - Causes serious eye damage H335 - May cause respiratory irritation
Precautionary statements (GHS US)	 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - If on skin: Wash with plenty of water. P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a poison center or doctor. P312 - Call a poison center or doctor if you feel unwell. P321 - Specific treatment (see supplemental first aid instruction on this label). P332+P313 - If skin irritation occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
05/05/2020	EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3.	Other hazards which do not result	in classification			
lo additi	ional information available				
2.4.	Unknown acute toxicity (GHS US)				
lot appli	icable				
SECTI	ON 3: Composition/Informati	on on ingredients			
.1.	Substances				
lame		: CNA4000C Cyano-Shot UI	tra Activator Crystals - C	alcium Ox	ide
Name			Product identifier	%	GHS US classification
calcium	oxide		(CAS-No.) 1305-78-8	100	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
ull text	of hazard classes and H-statements :	see section 16			
.2.	Mixtures				
lot appli	icable				
SECTI	ON 4: First-aid measures				
I.1.	Description of first aid measures				
	measures general	: Never give anything by mo advice (show the label whe	ere possible).	-	
	measures after inhalation	: Allow affected person to br			
	measures after skin contact	by warm water rinse.			h mild soap and water, followed
	measures after eye contact	persists.	,		on if pain, blinking or redness
irst-aid	measures after ingestion	: Rinse mouth. Do NOT indu	ice vomiting. Obtain eme	rgency me	edical attention.
.2.	Most important symptoms and effe				
otential ymptom	l Adverse human health effects and ns	: Based on available data, th			
Sympton	ns/effects	: Not expected to present a	significant hazard under	anticipated	d conditions of normal use.
1.3.	Immediate medical attention and s	special treatment, if necessary			
No additi	ional information available				
SECTI	ON 5: Fire-fighting measures	3			
i.1.	Suitable (and unsuitable) extinguis	shing media			
	extinguishing media	: Foam. Dry powder. Carbor		and.	
Jnsuitab	ble extinguishing media	: Do not use a heavy water s	stream.		
5.2.	Specific hazards arising from the o	chemical			
Reactivit	У	: No reactivity hazard other t	han the effects describe	d in sub-se	ections below.
5.3.	Special protective equipment and	precautions for fire-fighters			
Firefighti	ing instructions	: Use water spray or fog for chemical fire. Prevent fire-f			
Protectio	on during firefighting	: Do not enter fire area witho	out proper protective equ	ipment, ind	cluding respiratory protection.
SECTI	ON 6: Accidental release mea	asures			
6.1.	Personal precautions, protective e	equipment and emergency proc	cedures		
6.1.1.	For non-emergency personnel				
	ncy procedures	: Evacuate unnecessary per	sonnel.		
6.1.2.	For emergency responders				
Protectiv	e equipment	: Equip cleanup crew with pr	oper protection.		
Emerger	ncy procedures	: Ventilate area.			
6.2.	Environmental precautions				
	entry to sewers and public waters. Not	the second second second from the second second	ana an multila unatana		

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

0	0	
6.3.	Methods and materia	for containment and cleaning up
Methods	s for cleaning up	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.
6.4.	Reference to other se	ctions
See Hea	ading 8. Exposure contro	s and personal protection.
SECT	ION 7: Handling ar	d storage
7.1.	Precautions for safe	andling
Precaut	ions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
7.2.	Conditions for safe s	orage, including any incompatibilities
Storage	conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompa	atible products	: Strong bases. Strong acids.
Incompa	atible materials	: Sources of ignition. Direct sunlight.
SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
calciu	m oxide (1305-78-8)	
ACGI	1	ACGIH TWA (mg/m ³) 2 mg/m ³

8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Dust/aerosol mask. Gloves. Safety glasses.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

Wear appropriate mask

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state	: Solid		
Appearance	: White powder or lumps.		
Color	: white		
Odor	: odorless		
Odor threshold	: No data available		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Soluble in water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reacti	ivity		
10.1. Reactivity	10.1. Reactivity		
No reactivity hazard other than the effects described in sub-sections below.			
10.2. Chemical stability			
Stable under recommended handling and storage conditions (see section 7).			
10.3. Possibility of hazardous reaction	ons		
Not established.			
10.4. Conditions to avoid			
Direct sunlight. Extremely high or low temp	eratures.		
10.5. Incompatible materials			
Strong acids. Strong bases.			
10.6. Hazardous decomposition proc	ducts		
fume. Carbon monoxide. Carbon dioxide.			
SECTION 11: Toxicological infor	mation		
11.1. Information on toxicological ef	fects		
Acute toxicity (oral)	: Not classified		
Acute toxicity (dermal)	: Not classified		
Acute toxicity (inhalation)	: Not classified		
calcium oxide (1305-78-8)			
LD50 oral rat	> 2000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral)		
LD50 dermal rabbit	> 2500 mg/kg body weight (EU Method B.3: Acute toxicity (dermal), 24 h, Rabbit, Male / female, Experimental value, Dermal)		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye damage.		
Respiratory or skin sensitization	: Not classified		

Carcinogenicity

Germ cell mutagenicity

: Not classified

: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive toxicity STOT-single exposure	: Not classified : May cause respiratory irritation.
calcium oxide (1305-78-8)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

calcium oxide (1305-78-8)	
LC50 fish 1	>= 1070 mg/l (Equivalent or similar to OECD 203, 96 h, Cyprinus carpio, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 Daphnia 1	>= 159.6 mg/l (EPA OPP 72-2, 24 h, Crustacea, Static system, Fresh water, Experimental value, Lethal)

CNA4000C Cyano-Shot Ultra Activator Crystals - Calcium Oxide		
Persistence and degradability	Not established.	
calcium oxide (1305-78-8)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
12.3. Bioaccumulative potential		
12.3. Bioaccumulative potential		
12.3. Bioaccumulative potential CNA4000C Cyano-Shot Ultra Activator Cry	ystals - Calcium Oxide	
•	ystals - Calcium Oxide Not established.	
CNA4000C Cyano-Shot Ultra Activator Cr		
CNA4000C Cyano-Shot Ultra Activator Cry Bioaccumulative potential		

calcium oxide (1305-78-8)		
Ecology - soil		No (test)data on mobility of the substance available.
12.5.	Other adverse effects	

Other information

: Avoid release to the environment.

SECTION 13: Disposal consideration	IS
13.1. Disposal methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT	
Transport document description	: UN3316 Chemical kit (MISCELLANEOUS), 9, II
UN-No.(DOT)	: UN3316
Proper Shipping Name (DOT)	: Chemical kit
	MISCELLANEOUS

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Class (DOT)	: 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140
Packing group (DOT)	: II - Medium Danger
Hazard labels (DOT)	: 9 - Class 9 (Miscellaneous dangerous materials)
Other information	: No supplementary information available.

Transportation of Dangerous Goods

Transport by sea

Air transport

SECTION 15: Regulatory information
15.1. US Federal regulations
CNA4000C Cyano-Shot Ultra Activator Crystals - Calcium Oxide
Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA No additional information available

EU-Regulations No additional information available

National regulations No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging. Keep in tightly closed container. Keep cool and dry. Avoid all ignition sources - heat, open flame, sparks. Avoid incompatible materials. Avoid dust creation and accumulation. Avoid inhalation and ingestion. Avoid contact with eyes. Wash thoroughly after handling.
Other information	: This Safety Data Sheet has been established in accordance with the applicable European Union legislation.

Full text of H-phrases:

H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 1 - Materials that, under emergency conditions, can cause significant irritation.
NFPA fire hazard	 O - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
NFPA reactivity	: 1 - Materials that in themselves are normally stable but can become unstable at elevated temperatures and pressures.
Hazard Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.
Personal protection	: E
	E - Safety glasses, Gloves, Dust respirator

SDS US (GHS HazCom 2012)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.