

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification

Identification

Product form

: EZID701 Pocket Ceramic Fingerprint Pad, Stain-Free Product name

Product code : EZID701

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Fingerprint Ink Pad

1.3. Details of the supplier of the safety data sheet

SIRCHIE

100 Hunter Place

Youngsville, NC 27596 - USA

T 919-554-2244; 800-356-7311 - F 919-554-2266; 800-899-8181

http://www.sirchie.com

Emergency telephone number

Emergency number : 1.800.424.9300

CHEMTREC: 1.800.424.9300

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

GHS-US classification

Carcinogenicity Category 1B H350 Full text of H statements : see section 16

Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



Signal word (GHS-US)

Contains : distillates (petroleum), hydrotreated heavy naphthenic

Hazard statements (GHS-US) : H350 - May cause cancer

Precautionary statements (GHS-US) P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P280 - Wear gloves, safety glasses

P308+P313 - If exposed or concerned: Get medical advice/attention

P405 - Store locked up

P501 - Dispose of contents/container to local/regional/national/international regulations

Other hazards

Other hazards not contributing to the

classification

: None under normal conditions.

Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

Substance 3.1.

Not applicable

Mixture

08/08/2016 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
distillates (petroleum), hydrotreated heavy naphthenic	(CAS No) 64742-52-5	69	Carc. 1B, H350
distillates (petroleum), hydrotreated middle	(CAS No) 64742-46-7	> 2	Carc. 1B, H350
Distillates (petroleum), hydrotreated light naphthenic	(CAS No) 64742-53-6	> 2	Carc. 1B, H350

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation

occurs: Get medical advice/attention. Specific treatment (see ... on this label).

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persist.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Causes skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry chemical powder. Foam. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Heating increases the fire hazard.

Explosion hazard : No data available on direct explosion hazard.

Reactivity : No data available.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire.

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable.

08/08/2016 EN (English US) 2/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting/... equipment.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep in fireproof

place. Keep container tightly closed.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

distillates (petroleum), hydrotreated heavy naphthenic (64742-52-5)			
ACGIH	ACGIH TWA (mg/m³)	5 mg/m³	
ACGIH	ACGIH STEL (mg/m³)	10 mg/m³	
OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³	

distillates (petroleum), hydrotreated middle (64742-46-7)

Not applicable

Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)

Not applicable

8.2. Exposure controls

Personal protective equipment : Safety glasses.



Eye protection : Safety glasses.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : colloidal gel.
Color : Black

: Petroleum-like odour Odor Odor threshold No data available No data available рΗ Melting point No data available Freezing point No data available : No data available Boiling point Flash point No data available Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available Explosion limits : No data available : No data available Explosive properties Oxidizing properties : No data available Vapor pressure : No data available Relative density : No data available

08/08/2016 EN (English US) 3/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative vapor density at 20 °C : No data available Solubility : Insoluble in water. Log Pow : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No reactivity hazard other than the effects described in sub-sections below.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Sparks. Heat. Overheating. Open flame.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Thermal decomposition generates: Carbon dioxide. Carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

EZID701 Pocket Ceramic Fingerprint Pad, Stain-Free		
LD50 oral rat	64000 mg/kg	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
	Based on available data, the classification criteria are not met	
Carcinogenicity	: May cause cancer.	
	(Inconclusive data)	
EZID701 Pocket Ceramic Fingerprint Pad, Stain-Free		
Additional information	The classification as a carcinogen need not apply as it can be shown that the substance	

(Inconclusive data)			
EZID701 Pocket Ceramic Fingerprint Pad, Stain-Free			
Additional information	The classification as a carcinogen need not apply as it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346		
distillates (petroleum), hydrotreated heavy n	aphthenic (64742-52-5)		
Additional information	The classification as a carcinogen need not apply as it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346		
Reproductive toxicity	: Not classified		
	Based on available data, the classification criteria are not met		
Specific target organ toxicity (single exposure)	: Not classified		
Specific target organ toxicity (repeated exposure)	: Not classified		

08/08/2016 EN (English US) 4/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspiration hazard : Not classified

(Inconclusive data)

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/injuries after skin contact : Causes skin irritation.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

EZID701 Pocket Ceramic Fingerprint Pad, Stain-Free	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

EZID701 Pocket Ceramic Fingerprint Pad, Stain-Free	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to in accordance with local/regional/national/international regulations.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated for transport

140t regulated for train

No additional information available

Transport by sea

No additional information available

Air transport

TDG

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

EZID701 Pocket Ceramic Fingerprint Pad, Stain-Free

Subject to reporting requirements of United States SARA Section 313

15.2. International regulations

CANADA

No additional information available

08/08/2016 EN (English US) 5/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EU-Regulations

No additional information available

National regulations

EZID701 Pocket Ceramic Fingerprint Pad, Stain-Free

Listed as carcinogen on NTP (National Toxicology Program)

15.3. US State regulations

No additional information available

SECTION 16: Other information

Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE
	COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and
	mixtures, amending and repealing Directives 67/548/FEC and 1999/45/FC, and amending

Regulation (EC) No 1907/2006.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Keep in tightly closed container. Keep cool and dry. Avoid all ignition sources - heat, open flame, sparks. Avoid incompatible materials. Avoid dust creation and accumulation. Avoid inhalation and ingestion. Avoid contact with eyes. Wash thoroughly after handling.

: This Safety Data Sheet has been established in accordance with the applicable European

Union legislation.

Full text of H-phrases:

Other information

H350			May cause cancer
------	--	--	------------------


NFPA health hazard : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

NFPA fire hazard : 1 - Must be preheated before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.

and are not reactive with water.



HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids,

solids and semi solids having a flash point above 200 F. (Class IIIB)

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal Protection : B

B - Safety glasses, Gloves

SDS US (GHS HazCom 2012)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.

08/08/2016 EN (English US) 6/6