

#### **SECTION 1: Identification**

Identification

Product form : Mixtures

Product name : FAC103 FACII, Indestructible White

Product code FAC103

Recommended use and restrictions on use

Use of the substance/mixture : Latent fingerprint powder

**Supplier** 

SIRCHIE

100 Hunter Place

Youngsville, NC 27596 - USA

T 919-554-2244; 800-356-7311 - F 919-554-2266; 800-899-8181

http://www.sirchie.com

1.4. **Emergency telephone number** 

Emergency number 1.800.424.9300

CHEMTREC: 1.800.424.9300

#### SECTION 2: Hazard(s) identification

#### Classification of the substance or mixture

**GHS-US** classification

Carcinogenicity Category 2 H351 Suspected of causing cancer

Full text of H statements: see section 16

#### **GHS** Label elements, including precautionary statements

#### **GHS-US labeling**

Hazard pictograms (GHS-US)



Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H351 - Suspected of causing cancer

Precautionary statements (GHS-US) : P201 - Obtain special instructions before use.

> P202 - Do not handle until all safety precautions have been read and understood. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

#### Other hazards which do not result in classification

Other hazards not contributing to the : None under normal conditions.

classification

Unknown acute toxicity (GHS US)

Not applicable

#### **SECTION 3: Composition/Information on ingredients**

#### **Substances** 3.1.

Not applicable

#### **Mixtures** 3.2.

Name	Product identifier	%	GHS-US classification
titanium(IV) oxide	(CAS-No.) 13463-67-7	<= 90	Not classified
zinc distearate	(CAS-No.) 557-05-1	<= 10	Not classified

12/28/2017 EN (English US) Page 1

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements : see section 16

#### **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical  $\frac{1}{2}$ 

advice (show the label where possible). Suspected of causing cancer.

First-aid measures after inhalation

: Allow victim to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact

: Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this

label).

First-aid measures after eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Immediately call a poison center or doctor/physician.

First-aid measures after ingestion

Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Immediately call a poison center or doctor/physician. Specific treatment (see supplemental first aid instruction on this label).

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact

: Causes skin irritation.

Symptoms/effects after eye contact

Causes serious eye damage.

Symptoms/effects after ingestion

Toxic if swallowed. Swallowing a small quantity of this material will result in serious health

hazard.

#### 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

#### **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Sand. Unsuitable extinguishing media : Do not use a heavy water stream. Water.

#### 5.2. Specific hazards arising from the chemical

Fire hazard : Flammable solid.

Explosion hazard : May form flammable/explosive vapor-air mixture.

Reactivity : No data available.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No

smoking.

#### 6.1.1. For non-emergency personnel

**Emergency procedures** 

: Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment

: Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

12/28/2017 EN (English US) 2/8

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapors are flammable. Keep away from any possible contact with water, because of violent reaction and possible flash fire.

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Protect from moisture. Handle under inert gas. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Hygiene measures : Wash hands, forearms and face thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. Heat sources. Direct sunlight. Keep in fireproof place. Store in a dry place. Protect from moisture.

Incompatible products

: Strong bases. Strong acids.

Incompatible materials

: Sources of ignition. Direct sunlight. Keep away from any possible contact with water, because

of violent reaction and possible flash fire.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

FAC103 FACII, Indestructible White			
OSHA	OSHA PEL (TWA) (mg/m³)	0 µg/m³	
OSHA	OSHA PEL (Ceiling) (mg/m³)	15 mg/m³	
titanium(IV) oxide (13463-67-7)			
Not applicable			
zinc distearate (557-05-1)			

#### 8.2. Appropriate engineering controls

No additional information available

#### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Gloves. Safety glasses. Dust formation: dust mask. Avoid all unnecessary exposure.

#### Hand protection:

Not applicable

Wear protective gloves.

#### Eye protection:

Chemical goggles or safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

Wear appropriate mask







12/28/2017 EN (English US) 3/8

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Other information:

Do not eat, drink or smoke during use.

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Powders.
Color : White

Odor odorless characteristic : No data available Odor threshold : No data available рΗ Melting point No data available Freezing point : No data available **Boiling point** : No data available : No data available Flash point : No data available Relative evaporation rate (butyl acetate=1)

Flammability (solid, gas) : In contact with water releases flammable gases which may ignite spontaneously.

Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : No data available Solubility : No data available Log Pow No data available Auto-ignition temperature : No data available Decomposition temperature : No data available : No data available Viscosity, kinematic Viscosity, dynamic : No data available **Explosion limits** No data available Explosive properties : No data available : No data available Oxidizing properties

#### 9.2. Other information

No additional information available

#### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

Stable under normal conditions. Not established. Flammable solid. May form flammable/explosive vapor-air mixture.

#### 10.3. Possibility of hazardous reactions

In contact with water releases flammable gases which may ignite spontaneously.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

#### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

12/28/2017 EN (English US) 4/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

titanium(IV) oxide (13463-67-7)	
LD50 oral rat	> 5000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value)
LC50 inhalation rat (mg/l)	> 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value)
zinc distearate (557-05-1)	
LD50 oral rat	5000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat Female, Experimental value)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit, Experimental value)
LC50 inhalation rat (mg/l)	> 200 mg/l (1 h, Rat, QSAR)
ATE US (oral)	5000.000 mg/kg body weight
Skin corrosion/irritation	: Not classified
	(Lack of data)
Serious eye damage/irritation	: Not classified
, -	(Lack of data)
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
,	Based on available data, the classification criteria are not met
Carcinogenicity	: Suspected of causing cancer.
,	(Lack of data)
FAC103 FACII, Indestructible White	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	: Not classified
	(Lack of data)Based on available data, the classification criteria are not met
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Toxic if swallowed.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Toxic if swallowed. Swallowing a small quantity of this material will result in serious health

#### 12.1. **Toxicity**

Ecology - general : Dangerous for the environment.

FAC103 FACII, Indestructible White		
LC50 fish 2	1 mg/l	
titanium(IV) oxide (13463-67-7)		
LC50 fish 1	> 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Experimental value)	
zinc distearate (557-05-1)		
LC50 fish 1	0.78 mg/l (96 h, Pimephales promelas, Static system, Fresh water, Read-across)	
EC50 Daphnia 1	0.413 mg/l (US EPA, 48 h, Ceriodaphnia dubia, Static system, Fresh water, Read-across)	

#### 12.2. Persistence and degradability

FAC103 FACII, Indestructible White	
Persistence and degradability	Not established.
titanium(IV) oxide (13463-67-7)	
Persistence and degradability	Biodegradability: not applicable. Not established.
Biochemical oxygen demand (BOD)	Not applicable

12/28/2017 EN (English US) 5/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

titanium(IV) oxide (13463-67-7)	
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
zinc distearate (557-05-1)	
Persistence and degradability	Not readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.02 g O₂/g substance
Chemical oxygen demand (COD)	0.145 g O₂/g substance

#### 12.3. Bioaccumulative potential

FAC103 FACII, Indestructible White	
Bioaccumulative potential	Not established.
titanium(IV) oxide (13463-67-7)	
Bioaccumulative potential	No bioaccumulation data available. Not established.
zinc distearate (557-05-1)	
Log Pow	0.2695 (Experimental value, Equivalent or similar to OECD 107, 37 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

#### 12.4. Mobility in soil

titanium(IV) oxide (13463-67-7)	
Ecology - soil	Low potential for mobility in soil.
zinc distearate (557-05-1)	
Ecology - soil	Low potential for mobility in soil.

#### 12.5. Other adverse effects

Effect on the global warming : No known effects from this product.

GWPmix comment : No known effects from this product.

Other information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to Dispose in a safe manner in accordance with local/national regulations.

Additional information : Clean up even minor leaks or spills if possible without unnecessary risk. Handle empty

containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

# **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT

Class (DOT)

Transport document description : UN1309 Aluminum powder, coated (Aluminum powder, coated), 4.1, II

UN-No.(DOT) : UN1309

Proper Shipping Name (DOT) : Aluminum powder, coated Aluminum powder, coated

: 4.1 - Class 4.1 - Flammable Solid 49 CFR 173.124

Packing group (DOT) : II - Medium Danger

12/28/2017 EN (English US) 6/8

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard labels (DOT) : 4.1 - Flammable solid



DOT Packaging Non Bulk (49 CFR 173.xxx) : 212 DOT Packaging Bulk (49 CFR 173.xxx) : 240

DOT Special Provisions (49 CFR 172.102)

: IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).

IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle.

IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with a sift-proof and water-resistant liner.

T3 - 2.65 178.274(d)(2) Normal...... 178.275(d)(2)

TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail : 15 kg

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 50 kg

CFR 175.75)

**DOT Vessel Stowage Location** : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

**DOT Vessel Stowage Other** 13 - Keep as dry as reasonably practicable, 39 - Stow "away from" liquid halogenated

hydrocarbons,52 - Stow "separated from" acids,53 - Stow "separated from" alkaline compounds,74 - Stow "separated from" oxidizers,101 - Stow "separated from" iron oxide

: No supplementary information available. Other information

**Transportation of Dangerous Goods** 

Transport by sea

Air transport

#### **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

No additional information available

#### 15.2. International regulations

#### **CANADA**

No additional information available

### **EU-Regulations**

No additional information available

12/28/2017 EN (English US) 7/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **National regulations**

No additional information available

#### 15.3. US State regulations

No additional information available

<b>SECTION 16: Other information</b>	
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.
Other information	: None.
Full text of H-phrases:	
H351	Suspected of causing cancer
NFPA health hazard	: 1 - Materials that, under emergency conditions, can cause significant irritation.
NFPA fire hazard	: 1 - Materials that must be preheated before ignition can occur.
NFPA reactivity	: 1 - Materials that in themselves are normally stable but can become unstable at elevated temperatures and pressures.
NFPA specific hazard	: W - Materials that react violently or explosively with water.
Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	<ul> <li>1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)</li> </ul>
Physical	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.
Personal protection	: E E - Safety glasses, Gloves, Dust respirator

SDS US (GHS HazCom 2012)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.

12/28/2017 EN (English US) 8/8