

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 12/27/2012 Revision date: 01/03/2015 Supersedes: 02/02/2011

SECTION 1: Identification of the subs	stance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: MSWSBM9 Magnetic Latent Print Powder, Silver/Black
Product code	: MSWSBM9
1.2. Relevant identified uses of the subst	ance or mixture and uses advised against
Use of the substance/mixture	: Latent fingerprint powder
1.3. Details of the supplier of the safety d	ata sheet
SIRCHIE Finger Print Laboratories 100 Hunter Place Youngsville, NC 27596 - USA T 919-554-2244; 800-356-7311 - F 919-554-2266 http://www.sirchie.com	; 800-899-8181
1.4. Emergency telephone number	
Emergency number	: 1.800.424.9300
SECTION 2: Hazards identification 2.1. Classification of the substance or mi Classification (GHS-US) Not classified	xture
2.2. Label elements	
GHS-US labeling	
No labeling applicable	
2.3. Other hazards	
Other hazards not contributing to the classification	: None under normal conditions.
2.4. Unknown acute toxicity (GHS-US)	
No data available	
<b>SECTION 3: Composition/information</b>	on ingredients
3.1. Substance	
Not applicable	
3.2. Mixture	

Name	Product identifier	%	Classification (GHS-US)
iron(II,III)oxide	(CAS No) 1317-61-9	98	Not classified
aluminium,powder,coated,less dangerous	(CAS No) 7429-90-5	2	Not classified

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Assure fresh air breathing. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and effects, both acute and delayed					
Symptoms/injuries	: Not expected to present	a significant hazard under anticipated conditions of normal use.			
4.3. Indication of any immediate medical attention and special treatment needed					
No additional information availab	ble				
<b>SECTION 5: Firefighting</b>	measures				
5.1. Extinguishing media					
Suitable extinguishing media	: Foam. Dry powder. Carb	on dioxide. Water spray. Sand.			
Unsuitable extinguishing media	: Do not use a heavy wate	r stream.			
5.2. Special hazards arisi	ng from the substance or mixture				
Reactivity	: No reactivity hazard othe	r than the effects described in sub-sections below.			
5.3. Advice for firefighter	S				
Firefighting instructions		or cooling exposed containers. Exercise caution when fighting any			
	chemical fire. Prevent fire	e-fighting water from entering environment.			
Protection during firefighting	: Do not enter fire area wit	hout proper protective equipment, including respiratory protection.			
<b>SECTION 6: Accidental </b>	elease measures				
6.1. Personal precautions	s, protective equipment and emergency pr	ocedures			
6.1.1. For non-emergency p	personnel				
Emergency procedures	: Evacuate unnecessary p	ersonnel.			
6.1.2. For emergency respo					
Protective equipment Emergency procedures	: Equip cleanup crew with : Ventilate area.	proper protection.			
0 7 1					
6.2. Environmental preca		were er publie wetere			
	lic waters. Notify authorities if liquid enters se	wers of public waters.			
	Il for containment and cleaning up				
Methods for cleaning up	: On land, sweep or shove other materials.	I into suitable containers. Minimize generation of dust. Store away from			
6.4. Reference to other se	ections				
See Heading 8. Exposure contro	Is and personal protection.				
<b>SECTION 7: Handling an</b>	d storage				
7.1. Precautions for safe	handling				
Precautions for safe handling		xposed areas with mild soap and water before eating, drinking or ng work. Provide good ventilation in process area to prevent formation of			
7.2. Conditions for safe s	torage, including any incompatibilities				
Storage conditions	closed when not in use.	container in a cool, well ventilated place away from : Keep container			
Incompatible products		Strong bases. Strong acids.			
Incompatible materials	: Sources of ignition. Direc	t sunlight.			
7.3. Specific end use(s)					
No additional information availab	le				
<b>SECTION 8: Exposure co</b>	ontrols/personal protection				
8.1. Control parameters					
iron(II,III)oxide (1317-61-9)					
USA OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m <sup>3</sup>			
aluminium,powder,coated,les	ss dangerous (7429-90-5)				
USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>			
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup>			
	· · · / ···· · /				

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2.	Exposure controls	
Persona	I protective equipment	: Dust formation: dust mask. Gloves. Safety glasses. Avoid all unnecessary exposure.
Hand pr	otection	: Wear protective gloves.
Eye prot	tection	: Chemical goggles or safety glasses.
Respirat	tory protection	: Wear appropriate mask.
Other in	formation	: Do not eat, drink or smoke during use.
SECTI	ON 9: Physical and che	mical properties
9.1.	Information on basic physic	al and chemical properties
Physical	l state	: Solid
Appeara	ance	: Powders.
Color		: Black
<u></u>		

: odorless
: No data available
<ul> <li>Insoluble in water.</li> <li>Water: Solubility in water of component(s) of the mixture :</li> <li>.</li> </ul>
: No data available

#### 9.2. Other information

No additional information available

SECT	ON 10: Stability and reactivity			
10.1.	Reactivity			
No reac	tivity hazard other than the effects described in sub-sections below.			
10.2.	Chemical stability			
Stable under recommended handling and storage conditions (see section 7). Not established.				
10.3.	Possibility of hazardous reactions			

No reactivity hazard other than the effects described in sub-sections below. Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.5.	Incompatible materials				
Strong acids. Strong bases.					
10.6.	Hazardous decomposition products				
fume. Carbon monoxide. Carbon dioxide.					
SECT	ION 11: Toxicological information				
11.1.	Information on toxicological effects				

Acute toxicity	: Not classified
iron(II,III)oxide (1317-61-9)	
LD50 oral rat	> 10000 mg/kg (Rat)
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated	: Not classified
exposure)	Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
	Based on available data, the classification criteria are not met
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

Toxicity 12.1.

iron(II,III)oxide (1317-61-9)			
LC50 fish 1	> 1000 mg/l (48 h; Leuciscus idus)		
12.2. Persistence and degradability			
MSWSBM9 Magnetic Latent Print Powde	r, Silver/Black		
Persistence and degradability	Not established.		
iron(II,III)oxide (1317-61-9)			
Persistence and degradability	Biodegradability in water: no data available. Adsorbs into the soil.		
aluminium,powder,coated,less dangerou	ıs (7429-90-5)		
Persistence and degradability	Biodegradability in soil: not applicable. Adsorbs into the soil. Not established.		
Biochemical oxygen demand (BOD)	Not applicable		
Chemical oxygen demand (COD)	Not applicable		
ThOD	Not applicable		
BOD (% of ThOD)	Not applicable		
12.3. Bioaccumulative potential			
MSWSBM9 Magnetic Latent Print Powde	r, Silver/Black		
Bioaccumulative potential	Not established.		
iron(II,III)oxide (1317-61-9)			
Bioaccumulative potential	No bioaccumulation data available.		
aluminium,powder,coated,less dangerou	us (7429-90-5)		
Bioaccumulative potential	No bioaccumulation data available. Not established.		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil				
No additional information available				
12.5. Other adverse effects Effect on ozone layer	: No additional information available			
,				
Effect on the global warming	: No known ecological damage caused by this product.			
Other information	: Avoid release to the environment.			
SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.			
Ecology - waste materials	: Avoid release to the environment.			
SECTION 14: Transport information				
In accordance with DOT				
Not regulated for transport				
Additional information				
Other information	: No supplementary information available.			
ADR				
Transport document description				
Transport by sea				
No additional information available				
Air transport				
No additional information available				
SECTION 15: Regulatory information				
15.1. US Federal regulations				
MSWSBM9 Magnetic Latent Print Powder, Silv	ver/Black			
Listed on the United States TSCA (Toxic Substar				
aluminium,powder,coated,less dangerous (74	29-90-5)			
Listed on the United States TSCA (Toxic Substan				
Listed on United States SARA Section 313				
SARA Section 313 - Emission Reporting	100 % Aluminum Powder			
15.2. International regulations				
No additional information available				
EU-Regulations No additional information available				
Classification according to Regulation (EC) No. 1272/2008 [CLP]				
Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]				
Not classified				
15.2.2. National regulations				
No additional information available				
45.2 LIC State regulations				
15.3. US State regulations				

SECTION 16: Other information		
	: Revision - See : *. : 01/03/2015	
10/23/2014	EN (English US)	5/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Training advice	: Keep in tightly closed container. Keep cool and dry. Avoid all ignition sources - heat, open flame sparks. Avoid incompatible materials. Avoid dust creation and accumulation. Avoid inhalation and ingestion. Avoid contact with eyes. Wash thoroughly after handling. Normal use of this product shall imply use in accordance with the instructions on the packaging.
Other information	: This Safety Data Sheet has been established in accordance with the applicable European Union legislation. None.
NFPA health hazard	: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.
NFPA fire hazard	: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.
NFPA reactivity	: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.
HMIS III Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 2 Moderate Hazard
Physical	: 1 Slight Hazard
Personal Protection	: E

#### SDS US (GHS HazCom 2012)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.