

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulation

*** **DRAFT** ***

	according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: PIP100, H, R PrintMatic Porelon Fingerprint Ink Roller System
Product code	: PIP100, H, R
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Use of the substance/mixture	: Fingerprint Ink Pad
1.3. Details of the supplier of the	e safety data sheet
SIRCHIE Finger Print Laboratories 100 Hunter Place Youngsville, NC 27596 - USA T 919-554-2244; 800-356-7311 - F 919 http://www.sirchie.com	-554-2266; 800-899-8181
1.4. Emergency telephone num	ber
Emergency number	: 1.800.424.9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Flam. Liq. 4 H227 Eye Irrit. 2A H319 Carc. 2 H351 STOT SE 1 H370 STOT RE 2 H373

Full text of H-phrases: see section 16

2.2. Label elements	
GHS-US labeling Hazard pictograms (GHS-US)	
Signal word (GHS-US)	GHS07 GHS08 : Danger
Hazard statements (GHS-US)	 H227 - Combustible liquid H319 - Causes serious eye irritation H351 - Suspected of causing cancer H370 - Causes damage to organs H373 - May cause damage to organs through prolonged or repeated exposure
Precautionary statements (GHS-US)	 P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking P260 - Do not breathe vapors P264 - Wash all exposed skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product P280 - Wear eye protection, protective gloves P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P307+P311 - If exposed: Call a poison center/doctor P308+P313 - If exposed or concerned: Get medical advice/attention P314 - Get medical advice/attention if you feel unwell P321 - Specific treatment (see on this label) P337+P313 - If eye irritation persists: Get medical advice/attention P370+P378 - In case of fire: Use CO2, dry chemical, foam, water spray to extinguish P403+P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P501 - Dispose of contents/container to local/regional/national/international regulations

2.3.	Other hazards	
Other h classific	azards not contributing to the ation	: None under normal conditions. Carbon black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The International Agency for Research on Cancer (IARC) has recently reviewed carbon black and published a monograph changing its classification from insufficient evidence to make a determination to possible carcinogen.

2.4. Unknown acute toxicity (GHS-US)

Not applicable

SECTION 3: Composition/information on ingredients

Substance 3.1.

Not applicable

3.2. **Mixture**

Name	Product identifier	%	Classification (GHS-US)
ortho-tricresyl phosphates, isomer mixture	(CAS No) 1330-78-5	32.4	STOT SE 1, H370
carbon black	(CAS No) 1333-86-4	2.6	Carc. 2, H351
diethanolamine	(CAS No) 111-42-2	1.3	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT RE 2, H373
aniline	(CAS No) 62-53-3	0.1	Flam. Liq. 4, H227 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Indication of any immediate medica	al attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the su	bstance or mixture
Reactivity	: No reactivity hazard other than the effects described in sub-sections below.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release mea	sures
	uipment and emergency procedures
6.1.1. For non-emergency personnel	
of the sourcemengency personner	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Protective equipment Equip cleanup crew with proper protection. Emergency procedures : Ventilate area. 5.2. Environmental precautions Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. 5.3. Methods and material for containment and cleaning up Wethods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. 6.4. Reference to other sections See Heading 8. Exposure controls and personal protection. SECTION 7: Handling and Storage 7.1. Precautions for safe handling Precautions for safe storage, including any incompatibilities Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. ncompatible products : Strong bases. Strong acids. ncompatible materials : Sources of ignition. Direct sunlight. 7.3. Specific end use(s) No additional information available : Strong bases. Strong acids. Storage Strong suitable : Strong bases. Strong acids. No additional information available : Sources of ignition. Direct sunlight. 7.3. Specific end us	ccording to Federal Register / Vol. 77	7, No. 58 / Monday, Ma	arch 26, 2012 / Rules and Regulations	
Emergency procedures : Ventilate area. 5.2. Environmental procautions Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. 5.3. Methods and material for containment and cleaning up Wethods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. 5.4. Reference to other sections Bee Heading 8. Exposure controls and personal protection. SEETION 7: Handling and storage 7.1. Procautions for safe handling Precautions for safe handling : Wash hands and other exposed areas with mild scap and water before eating, drinking or smoking and when not in use. Procautions for safe storage, including any incompatibilities	6.1.2. For emergency resp	onders		
5.2. Environmental precautions Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. 5.3. Methods and material for containment and cleaning up Wethods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. 5.4. Reference to other sections See Heading 8. Exposure controls and personal protection. SEECTION 7: Handling and Storage K.1. Precautions for safe handling Precautions for safe handling : Wash hands and other exposed areas with mild scap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions Storage conditions : Keep only in the original container in a col, well ventilated place away from : Keep container closed when not in use. n.compatible products : Storag bases. Strong acids. n.compatible materials : Storage base. Starge conditional information available Sterestore input the Role Storage origination. Direct sunlight. 7.3. Specific end use(6) Storage conditions available Storage conditions. Starge conditional information available Sterestore input the Role Storage input the restore storage. Starge conditional i	Protective equipment : Equip cleanup crew with proper protection.			ction.
Prevent entry to severs and public waters. Notify authorities if liquid enters severs or public waters. 3.3. Methods and material for containment and cleaning up 48:hods for cleaning up : Soak up spills with inert solids, such as cley or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. 5.4. Reference to other sections See Heading 8. Exposure controls and personal protection. SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions : Strong bases. Strong acids. ncompatible products : Strong bases. Strong acids. r.3. Specific end use() Storade products : Strong bases. Strong acids. r.6. : Strong bases. Strong acids. r.7. Specific end use() Sterosoure on trols and personal protection Strong bases. St.1 Control parameters Sterosoure on trols perform Ink Roller System Storade seconting StA Not applicable	Emergency procedures	:	Ventilate area.	
3.3. Methods and material for containment and cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. 5.4. Reference to other sections See Heading 8. Exposure controls and personal protection. SEETION 7: Handling and storage Conditions for safe handling Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. 7.2. Conditions for safe storage, including any incompatibilities : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. noompatible products : Storing bases. Strong acids. : Storing bases. Storing acids. noompatible products : Storing bases. Storing acids. : Storing bases. Storing acids. noompatible products : Storing bases. Storing acids. : Storing bases. Storing acids. 10. Control parameters PP100, H, R PrintMatic PoreIon Fingerprint Ink Roller System ACGIH Not applicable OSHA Not applicable OSHA Not applicable OSHA Not applicable <	6.2. Environmental preca	autions		
We thods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. 6.4. Reference to other sections Bee Heading 8. Exposure controls and personal protection. SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling If wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. noompatible products : Strong bases. Strong acids. noompatible materials : Sources of ignition. Direct sunlight. 7.3. Specific end use(s) 8.1. Control parameters PIP100, H, R PrintMatic Porelon Fingerprint Ink Roller System ACGIH Not applicable OSHA <td>Prevent entry to sewers and pul</td> <td>blic waters. Notify a</td> <td>uthorities if liquid enters sewers or publ</td> <td>ic waters.</td>	Prevent entry to sewers and pul	blic waters. Notify a	uthorities if liquid enters sewers or publ	ic waters.
spillage. Store away from other materials. Sea Reference to other sections See Heading 8. Exposure controls and personal protection. SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling Precautions for safe storage, including and when leaving work. Provide good ventilation in process area to prevent formation of vapor. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions	6.3. Methods and materia	al for containment	and cleaning up	
Bee Heading 8. Exposure controls and personal protection. SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling Precautions for safe handling Precautions for safe handling Storage conditions Storage conditions <td>Methods for cleaning up</td> <td>:</td> <td></td> <td></td>	Methods for cleaning up	:		
SECTION 7: Handling and storage 7:1. Precautions for safe handling 7: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. 7:2. Conditions for safe storage, including any incompatibilities Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. ncompatible products : Storag bases. Strong acids. ncompatible materials : Sources of ignition. Direct sunlight. 7:3. Specific end use(s) Va additional information available SECTION 8: Exposure controls/personal protection 3:1. Control parameters PIP100, H, R PrintMatic PoreIon Fingerprint Ink Roller System ACGIH Not applicable OSHA Not applicable ortho-tricresyl phosphates, isomer mixture (1330-78-5) ACGIH ACGIH TWA (mg/m ³) 0.1 mg/m ³ OSHA Not applicable carbon black (1333-86-4)	6.4. Reference to other s	ections		
Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or snoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. neompatible products : Strong bases. Strong acids. neompatible materials : Sources of ignition. Direct sunlight. 7.3. Specific end use(s) Storage conditional information available Sources of ignition. Direct sunlight. Storage controls/personal protection Storage controls/personal protection 8.1. Control parameters Storage controls/personal protection 8.2. Control parameters Storage controls/personal protection 9.3. Contro	See Heading 8. Exposure control	ols and personal pro	otection.	
Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. ncompatible products : Strong bases. Strong acids. ncompatible products : Strong bases. Strong acids. r.3. Specific end use(s) No additional information available : Sources of ignition. Direct sunlight. Storage controls/personal protection Storage controls/personal protection St.1. Control parameters PIP100, H, R PrintMatic Porelon Fingerprint Ink Roller System ACGIH ACGIH Not applicable OSHA Not applicable<	SECTION 7: Handling an	nd storage		
smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. ncompatible products : Strong bases. Strong acids. ncompatible materials : Strong bases. Strong acids. ncompatible materials : Sources of ignition. Direct sunlight. 7.3. Specific end use(s) SECTION 8: Exposure controls/personal protection Storage conditions in or applicable Sectific end use(s) SECTION 8: Exposure controls/personal protection Storage controls/personal protection ACGIH ACGIH ACGIH ACGIH ACGIH TWA (mg/m³) 1 mg	7.1. Precautions for safe	handling		
Storage conditions : : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. ncompatible products : : Strong bases. Strong acids. ncompatible materials : : Sources of ignition. Direct sunlight. 7.3. Specific end use(s) No additional information available SECTION 8: Exposure controls/personal protection 8.1. Control parameters PIP100, H, R PrintMatic PoreIon Fingerprint Ink Roller System ACGIH Not applicable OSHA Not applicable OSHA Not applicable ortho-tricresyl phosphates, isomer mixture (1330-78-5) ACGIH ACGIH ACGIH ACGIH Not applicable osHA Not applicable cortho-tricresyl phosphates, isomer mixture (1330-78-5) ACGIH	Precautions for safe handling	:	smoking and when leaving work. Prov	· · · ·
closed when not in use. ncompatible products : Strong bases. Strong acids. ncompatible materials : Sources of ignition. Direct sunlight. 7.3. Specific end use(s) No additional information available SECTION 8: Exposure controls/personal protection Storng bases. Strong bases. BIP100, H, R PrintMatic PoreIon Fingerprint Ink Roller System ACGIH ACG Not applicable OSHA Not applicable ACGIH ACGIH TWA (mg/m³) 1 mg/m³ OSHA Not applicable ortho-tricresyl phosphates, isomer mixture (1330-78-5) ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ OSHA Not applicable 0.1 mg/m³ ortho-tricresyl phosphates, isomer mixture (1330-78-5) ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ OSHA Not applicable 0.1 mg/m³ Osha	7.2. Conditions for safe s	storage, including	any incompatibilities	
ncompatible materials : Sources of ignition. Direct sunlight. 7.3. Specific end use(s) No additional information available SECTION 8: Exposure controls/personal protection 8.1. Control parameters PIP100, H, R PrintMatic PoreInt Ink Roller System ACGIH Not applicable OSHA Not applicable diethanolamine (111-42-2) ACGIH ACGIH TWA (mg/m³) 1 mg/m³ OSHA Not applicable ortho-tricresyl phosphates, isomer mixture (1330-78-5) ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ OSHA Not applicable carbon black (1333-86-4)	Storage conditions	:		a cool, well ventilated place away from : Keep container
7.3. Specific end use(s) No additional information available SECTION 8: Exposure controls/personal protection 8.1. Control parameters PIP100, H, R PrintMatic Porelon Fingerprint Ink Roller System ACGIH Not applicable OSHA Not applicable diethanolamine (111-42-2) ACGIH ACGIH TWA (mg/m³) 1 mg/m³ OSHA Not applicable ortho-tricresyl phosphates, isomer mixture (1330-78-5) ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ OSHA Not applicable 0.1 mg/m³ ortho-tricresyl phosphates, isomer mixture (1330-78-5) ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ OSHA Not applicable 0.1 mg/m³	Incompatible products	:	Strong bases. Strong acids.	
No additional information available SECTION 8: Exposure controls/personal protection 3.1. Control parameters PIP100, H, R PrintMatic PoreIon Fingerprint Ink Roller System ACGIH Not applicable OSHA Not applicable diethanolamine (111-42-2) ACGIH ACGIH TWA (mg/m³) 1 mg/m³ OSHA Not applicable ortho-tricresyl phosphates, isomer mixture (1330-78-5) ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ OSHA Not applicable carbon black (1333-86-4)	Incompatible materials	:	Sources of ignition. Direct sunlight.	
SECTION 8: Exposure controls/personal protection 8.1. Control parameters PIP100, H, R PrintMatic PoreIn Fingerprint Ink Roller System ACGIH Not applicable OSHA Not applicable diethanolamine (111-42-2) ACGIH ACGIH TWA (mg/m ³) 1 mg/m ³ OSHA Not applicable ortho-tricresyl phosphates, isomer mixture (1330-78-5) ACGIH ACGIH TWA (mg/m ³) 0.1 mg/m ³ OSHA Not applicable carbon black (1333-86-4)	7.3. Specific end use(s)			
8.1. Control parameters PIP100, H, R PrintMatic PoreBerrint Ink Roller System ACGIH Not applicable OSHA Not applicable diethanolamine (111-42-2) ACGIH TWA (mg/m³) ACGIH ACGIH TWA (mg/m³) OSHA Not applicable ortho-tricresyl phosphates, isomer mixture (1330-78-5) ACGIH ACGIH TWA (mg/m³) OSHA Not applicable ortho-tricresyl phosphates, isomer mixture (1330-78-5) ACGIH ACGIH TWA (mg/m³) OSHA Not applicable carbon black (1333-86-4)	No additional information availa	ble		
PIP100, H, R PrintMatic Pore-Fingerprint Ink Roller System ACGIH Not applicable OSHA Not applicable diethanolamine (111-42-2) ACGIH TWA (mg/m³) 1 mg/m³ ACGIH ACGIH TWA (mg/m³) 1 mg/m³ OSHA Not applicable ortho-tricresyl phosphates	SECTION 8: Exposure c	ontrols/persor	nal protection	
ACGIHNot applicableOSHANot applicablediethanolamine (111-42-2)ACGIHACGIH TWA (mg/m³)1 mg/m³OSHANot applicableortho-tricresyl phosphates.ortho-tricresyl phosphates.ACGIHACGIH TWA (mg/m³)0.1 mg/m³OSHANot applicableortho-tricresyl phosphates.carbon black (1333-86-4)	8.1. Control parameters			
OSHA Not applicable diethanolamine (111-42-2) ACGIH TWA (mg/m³) 1 mg/m³ ACGIH ACGIH TWA (mg/m³) 1 mg/m³ OSHA Not applicable ortho-tricresyl phosphates, iomer mixture (1330-78-5) ACGIH ACGIH TWA (mg/m³) OSHA Not applicable ortho-tricresyl phosphates, iomer mixture (1330-78-5) ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ OSHA Not applicable carbon black (1333-86-4)	PIP100, H, R PrintMatic Pore	lon Fingerprint In	k Roller System	
diethanolamine (111-42-2) ACGIH ACGIH TWA (mg/m³) 1 mg/m³ OSHA Not applicable ortho-tricresyl phosphates, isomer mixture (1330-78-5) ACGIH ACGIH TWA (mg/m³) OSHA 0.1 mg/m³ OSHA Not applicable	ACGIH	Not applicable		
ACGIH ACGIH TWA (mg/m³) 1 mg/m³ OSHA Not applicable ortho-tricresyl phosphates, isomer mixture (1330-78-5) 0.1 mg/m³ ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ OSHA Not applicable Img/m³ OSHA Not applicable Img/m³ OSHA Not applicable Img/m³	OSHA	Not applicable		
OSHA Not applicable ortho-tricresyl phosphates, isomer mixture (1330-78-5) ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ OSHA Not applicable	diethanolamine (111-42-2)			
ortho-tricresyl phosphates, isomer mixture (1330-78-5) ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ OSHA Not applicable	ACGIH	ACGIH TWA (mg	/m³)	1 mg/m ³
ACGIH ACGIH TWA (mg/m³) 0.1 mg/m³ OSHA Not applicable carbon black (1333-86-4)	OSHA	Not applicable		
OSHA Not applicable carbon black (1333-86-4)	ortho-tricresyl phosphates,	isomer mixture (13	330-78-5)	
carbon black (1333-86-4)	ACGIH	ACGIH TWA (mg	/m³)	0.1 mg/m ³
	OSHA Not applicable			
ACGIH ACGIH TWA (mg/m ³) 3 mg/m ³	carbon black (1333-86-4)			
	ACGIH	ACGIH TWA (mg	/m³)	3 mg/m ³

ACGIN		S mg/ms
OSHA	OSHA PEL (TWA) (mg/m³)	3.5 mg/m³
aniline (62-53-3)		
ACGIH	ACGIH TWA (ppm)	2 ppm
ACGIH	ACGIH STEL (ppm)	2 ppm
OSHA	Not applicable	

8.2. **Exposure controls**

Personal protective equipment

: Gloves. Safety glasses. Avoid all unnecessary exposure.



: Wear protective gloves.

Hand protection

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

*** DRAFT ***

Eye protection	: Chemical goggles or safety glasses.
Respiratory protection	: Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid paste.
Color	: Black
Odor	: hydrocarbon-like odor
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Solubility	 Insoluble in water. Water: Solubility in water of component(s) of the mixture : •: •: < 0.1 g/100ml •: < 0.01 g/100ml •: 3.5 g/100ml
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECTION	ON 10: Stability and reactivity
10.1.	Reactivity
No reacti	vity hazard other than the effects described in sub-sections below.
10.2.	Chemical stability
Stable ur	nder recommended handling and storage conditions (see section 7).
10.3.	Possibility of hazardous reactions
Not estat	blished.
10.4.	Conditions to avoid
Direct su	nlight. Extremely high or low temperatures.
10.5.	Incompatible materials
Strong a	cids. Strong bases.
10.6.	Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

PIP100, H, R PrintMatic Porelon Fingerprint Ink Roller System Safety Data Sheet *** DRAFT ***

ECTION 11: Toxicological informati 1.1. Information on toxicological effects		
	on	
1.1 Information on toxicological effects		
cute toxicity	: Not classified	
diethanolamine (111-42-2)		
LD50 oral rat	620 mg/kg (Rat)	
LD50 dermal rabbit	7640 mg/kg (Rabbit)	
ATE US (oral)	620.000 mg/kg body weight	
ATE US (dermal)	7640.000 mg/kg body weight	
carbon black (1333-86-4)		
LD50 oral rat	> 8000 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value)	
LD50 dermal rabbit	> 3000 mg/kg (Rabbit)	
aniline (62-53-3)		
LD50 oral rat	250 mg/kg (Rat)	
LD50 dermal rabbit	840 mg/kg (Rabbit)	
ATE US (oral)	250.000 mg/kg body weight	
ATE US (dermal)	840.000 mg/kg body weight	
kin corrosion/irritation	: Not classified	
erious eye damage/irritation	: Causes serious eye irritation.	
espiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
	Based on available data, the classification criteria are not met	
arcinogenicity	: Suspected of causing cancer.	
	· · · · · · · · · · · · · · · · · · ·	
diethanolamine (111-42-2)	3 - Not classifiable	
IARC group	3 - Not classifiable	
carbon black (1333-86-4)		
IARC group	2B - Possibly carcinogenic to humans	
aniline (62-53-3)		
IARC group	3 - Not classifiable	
eproductive toxicity	: Not classified	
	Based on available data, the classification criteria are not met	
pecific target organ toxicity (single exposure)	: Causes damage to organs.	
pecific target organ toxicity (repeated	: May cause damage to organs through prolonged or repeated exposure.	
xposure)		
spiration hazard	: Not classified	
	: Based on available data, the classification criteria are not met.	
otential Adverse human health effects and		

12.1. Toxicity

diethanolamine (111-42-2)		
LC50 fish 1	1664 mg/l (96 h; Pimephales promelas; Static system)	
EC50 Daphnia 1	180 mg/l (24 h; Daphnia magna)	
LC50 fish 2	14000 mg/l (96 h; Gambusia affinis; Static system)	
EC50 Daphnia 2	55 mg/l (48 h; Daphnia magna)	
Threshold limit algae 1	10 mg/l (192 h; Scenedesmus quadricauda; Inhibitory)	
ortho-tricresyl phosphates, isomer m	ixture (1330-78-5)	
LC50 fish 1	0.15 mg/l (96 h; Lepomis macrochirus)	
LC50 other aquatic organisms 1	10 - 11 mg/l	
LC50 fish 2	0.26 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)	
08/27/2015	EN (English US)	5/1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

*** DRAFT ***

- 10,96 h; Pisces - 10,96 h D - 11
·
) - 11
/ ···
1000 mg/l (96 h; Brachydanio rerio)
5600 mg/l (24 h; Daphnia magna)
2 - 53 mg/l (96 h; Brachydanio rerio)
17 mg/l (48 h; Daphnia magna; Static system)
100 mg/l (Activated sludge; Inhibitory)
0.6 - 41 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)
3 mg/l (168 h; Scenedesmus quadricauda; Toxicity test)
0 mg/l (96 h; Selenastrum capricornutum; Growth)
2

PIP100, H, R PrintMatic Porelon Fingerprint Ink Roller System		
Persistence and degradability	Not established.	
diethanolamine (111-42-2)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.	
Biochemical oxygen demand (BOD)	0.22 g O ₂ /g substance	
Chemical oxygen demand (COD)	1.52 g O₂/g substance	
ThOD	2.13 g O ₂ /g substance	
BOD (% of ThOD)	0.10 % ThOD	
carbon black (1333-86-4)		
Persistence and degradability	Biodegradability: not applicable. Biodegradability in soil: not applicable. Adsorbs into the soil.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
aniline (62-53-3)		
Persistence and degradability	Readily biodegradable in water. Photodegradation in water. Biodegradable in the soil.	
BOD (% of ThOD)	0.62 % ThOD	

12.3. Bioaccumulative potential

PIP100, H, R PrintMatic Porelon Fingerprint Ink Roller System		
Bioaccumulative potential	Not established.	
diethanolamine (111-42-2)		
Log Pow	-2.181.43 (Experimental value)	
Bioaccumulative potential	Bioaccumulation: not applicable.	
ortho-tricresyl phosphates, isomer mixture (1330-78-5)		
BCF fish 1	166	
Log Pow	3.42 - 5.11	
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).	
carbon black (1333-86-4)		
Bioaccumulative potential	Not bioaccumulative.	
aniline (62-53-3)		
BCF fish 1	2.6 (Brachydanio rerio)	
BCF fish 2	< 10 (72 h; Leuciscus idus)	
BCF other aquatic organisms 1	4 (24 h; Chlorella sp.; Fresh weight)	
BCF other aquatic organisms 2	91 (24 h; Selenastrum capricornutum)	
Log Pow	0.9 - 0.98 (Experimental value)	
00/07/004 5		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

*** DRAFT ***

cording to Federal Register / Vol. 77, No. 58 / Monda	y, March 26, 2012 / Rules and Regulations
aniline (62-53-3)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
2.4. Mobility in soil	
earth an Alask (4222,00,4)	
carbon black (1333-86-4) Ecology - soil	Not toxic to plants. Not toxic to animals.
aniline (62-53-3) Surface tension	0.043 N/m (20 °C)
	0.040 N/III (20 C)
12.5. Other adverse effects	
Effect on the global warming	: No known ecological damage caused by this product.
0 0	
Other information	: Avoid release to the environment.
SECTION 13: Disposal consideration	ons
I3.1. Waste treatment methods	
Naste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
Department of Transportation (DOT)	
n accordance with DOT	
Not regulated for transport	
Additional information	
Other information	: No supplementary information available.
ADR	
No additional information available	
Fransport by sea	
No additional information available	
Air transport	
No additional information available	
SECTION 15: Regulatory information	on de la constante de la const
15.1. US Federal regulations	
PIP100, H, R PrintMatic Porelon Fingerprin	t Ink Roller System
Listed on the United States TSCA (Toxic Sub	stances Control Act) inventory
Listed on United States SARA Section 313	
IF Q Internetional negatives	
15.2. International regulations	
No additional information available	
EU-Regulations	
No additional information available	
No additional information available	No. 1272/2008 [CL P]
	No. 1272/2008 [CLP]
No additional information available Classification according to Regulation (EC)	No. 1272/2008 [CLP]
No additional information available Classification according to Regulation (EC) No additional information available Classification according to Directive 67/548	
No additional information available Classification according to Regulation (EC) No additional information available Classification according to Directive 67/548 F; R39/23/24/25	
No additional information available Classification according to Regulation (EC) No additional information available Classification according to Directive 67/548	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



	National regulations	
PIP100, H, R PrintMatic Porelon Fingerprint Ink Roller System		
	Listed on IARC (International Agency for Research on Cancer)	

15.3. US State regulations

PIP100, H, R PrintMatic Porelon Fingerprint Ink Roller System()	
U.S California - Proposition 65 - Carcinogens List	Yes
U.S California - Proposition 65 - Developmental Toxicity	No
U.S California - Proposition 65 - Reproductive Toxicity - Female	No
U.S California - Proposition 65 - Reproductive Toxicity - Male	No

SECTION 16: Other information	
Indication of changes	: Revision - See : *.
Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Training advice	Normal use of this product shall imply use in accordance with the instructions on the packaging. Keep in tightly closed container. Keep cool and dry. Avoid all ignition sources - heat, open flame, sparks. Avoid incompatible materials. Avoid dust creation and accumulation. Avoid inhalation and ingestion. Avoid contact with eyes. Wash thoroughly after handling.
Other information	: This Safety Data Sheet has been established in accordance with the applicable European Union legislation. None.

Full text of H-phrases:

Acute toxicity (dermal) Category 3
Acute toxicity (oral) Category 3
Acute toxicity (oral) Category 4
Carcinogenicity Category 2
Serious eye damage/eye irritation Category 1
Serious eye damage/eye irritation Category 2A
Flammable liquids Category 4
Skin corrosion/irritation Category 2
Specific target organ toxicity (repeated exposure) Category 2
Specific target organ toxicity (single exposure) Category 1
Combustible liquid
Toxic if swallowed
Harmful if swallowed
Toxic in contact with skin
Causes skin irritation
Causes serious eye damage
Causes serious eye irritation
Suspected of causing cancer
Causes damage to organs
May cause damage to organs through prolonged or repeated
exposure

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal Protection	: G
	G - Safety glasses, Gloves, Vapor respirator

SDS US (GHS HazCom 2012)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.