

SB201L HI-FI Latent Print Powder, Silver/Black Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification			
1.1. Identification			
Product form	: Mixture		
Product name	: SB201L HI-FI Latent Print Powder,	Silver/Black	
Product code	: SB201L, BPP2018, BPP20116, BPF	P20128	
1.2. Recommended use and restr	ictions on use		
Use of the substance/mixture	: Latent fingerprint powder		
1.3. Supplier			
1.3. Supplier SIRCHIE			
100 Hunter Place			
Youngsville, NC 27596 - USA			
T 919-554-2244; 800-356-7311 - F 919-5 http://www.sirchie.com	154-2266; 800-899-8181		
·			
1.4. Emergency telephone number	۶r		
Emorgonov number	· 1 800 404 0000 (USA) · 4 700 507		
Emergency number	: 1.800.424.9300 (USA) +1-703-527 CHEMTREC: 1.800.424.9300	-3007 (INTL)	
SECTION 2: Hazard(s) identific	ation		
2.1. Classification of the substan	ce or mixture		
GHS US classification			
Not classified			
2.2. GHS Label elements, includir	ng precautionary statements		
GHS US labeling	ng precautionary statements		
 	ng precautionary statements		
GHS US labeling	ng precautionary statements		
GHS US labeling No labeling applicable			
GHS US labeling No labeling applicable 2.3. Other hazards which do not r	result in classification	in the Carbon Black r	piament producing industries of North
GHS US labeling No labeling applicable 2.3. Other hazards which do not r Other hazards not contributing to the	result in classification : Epidemiological studies of workers America and Western Europe show	v no significant advers	pigment producing industries of North se health effect due to occupational
GHS US labeling No labeling applicable 2.3. Other hazards which do not r Other hazards not contributing to the	result in classification : Epidemiological studies of workers America and Western Europe show exposure to Carbon Black pigment	v no significant advers . Early studies in the f	se health effect due to occupational former USSR and Eastern Europe
 GHS US labeling No labeling applicable 2.3. Other hazards which do not r Other hazards not contributing to the 	result in classification : Epidemiological studies of workers America and Western Europe shov exposure to Carbon Black pigment report respiratory diseases among	v no significant advers . Early studies in the f workers exposed to C	se health effect due to occupational former USSR and Eastern Europe Carbon Black pigment, including
GHS US labeling No labeling applicable 2.3. Other hazards which do not r Other hazards not contributing to the	result in classification : Epidemiological studies of workers America and Western Europe shov exposure to Carbon Black pigment report respiratory diseases among	v no significant advers . Early studies in the f workers exposed to C a, and rhinitis. Such st	se health effect due to occupational former USSR and Eastern Europe Carbon Black pigment, including tudies are of questionable validity, due
GHS US labeling No labeling applicable 2.3. Other hazards which do not r Other hazards not contributing to the	result in classification : Epidemiological studies of workers America and Western Europe show exposure to Carbon Black pigment report respiratory diseases among bronchitis, pneumonia, emphysema to inadequate study design and me smoking, and other confounding fa	v no significant advers . Early studies in the f workers exposed to C a, and rhinitis. Such si ethodology, lack of app ctors such as concurr	se health effect due to occupational former USSR and Eastern Europe Carbon Black pigment, including tudies are of questionable validity, due propriate controls for cigarette rent exposures to carbon monoxide,
GHS US labeling No labeling applicable 2.3. Other hazards which do not r Other hazards not contributing to the	result in classification : Epidemiological studies of workers America and Western Europe show exposure to Carbon Black pigment report respiratory diseases among bronchitis, pneumonia, emphysema to inadequate study design and me smoking, and other confounding fa coal oil and petroleum vapors. Mor	v no significant advers . Early studies in the f workers exposed to C a, and rhinitis. Such si ethodology, lack of app ctors such as concurr eover, review of these	se health effect due to occupational former USSR and Eastern Europe Carbon Black pigment, including tudies are of questionable validity, due propriate controls for cigarette rent exposures to carbon monoxide, e studies indicates that concentrations
GHS US labeling No labeling applicable 2.3. Other hazards which do not r Other hazards not contributing to the	result in classification : Epidemiological studies of workers America and Western Europe show exposure to Carbon Black pigment report respiratory diseases among bronchitis, pneumonia, emphysema to inadequate study design and me smoking, and other confounding fa coal oil and petroleum vapors. Mor of Carbon Black pigment are greate Monograph 65, issued in April 1996	v no significant advers . Early studies in the f workers exposed to C a, and rhinitis. Such si ethodology, lack of ap ctors such as concurr eover, review of these er that current occupa 6, The International Ag	se health effect due to occupational former USSR and Eastern Europe Carbon Black pigment, including tudies are of questionable validity, due propriate controls for cigarette rent exposures to carbon monoxide, e studies indicates that concentrations ational exposure standards. In gency for Research on Cancer (IARC)
 GHS US labeling No labeling applicable 2.3. Other hazards which do not r Other hazards not contributing to the 	result in classification : Epidemiological studies of workers America and Western Europe show exposure to Carbon Black pigment report respiratory diseases among bronchitis, pneumonia, emphysema to inadequate study design and me smoking, and other confounding fa coal oil and petroleum vapors. Mor of Carbon Black pigment are greatt Monograph 65, issued in April 1996 re-evaluated Carbon Black pigmen	v no significant advers . Early studies in the f workers exposed to C a, and rhinitis. Such si ethodology, lack of ap ctors such as concurr eover, review of these er that current occupa 6, The International Ag t and concluded that:	se health effect due to occupational former USSR and Eastern Europe Carbon Black pigment, including tudies are of questionable validity, due propriate controls for cigarette rent exposures to carbon monoxide, e studies indicates that concentrations ational exposure standards. In gency for Research on Cancer (IARC) "Although one cohort study on the
GHS US labeling No labeling applicable 2.3. Other hazards which do not r Other hazards not contributing to the	result in classification : Epidemiological studies of workers America and Western Europe show exposure to Carbon Black pigment report respiratory diseases among bronchitis, pneumonia, emphysema to inadequate study design and me smoking, and other confounding fa coal oil and petroleum vapors. Mor of Carbon Black pigment are greatt Monograph 65, issued in April 1996 re-evaluated Carbon Black pigmen Carbon Black pigment production i	v no significant advers . Early studies in the f workers exposed to C a, and rhinitis. Such si ethodology, lack of ap ctors such as concurr eover, review of these er that current occupa 6, The International Ac t and concluded that: ndustry showed slight	se health effect due to occupational former USSR and Eastern Europe Carbon Black pigment, including tudies are of questionable validity, due propriate controls for cigarette rent exposures to carbon monoxide, e studies indicates that concentrations ational exposure standards. In gency for Research on Cancer (IARC) "Although one cohort study on the t excesses of cancer, the totality of the
GHS US labeling No labeling applicable 2.3. Other hazards which do not r Dther hazards not contributing to the	result in classification : Epidemiological studies of workers America and Western Europe show exposure to Carbon Black pigment report respiratory diseases among bronchitis, pneumonia, emphysema to inadequate study design and me smoking, and other confounding fa coal oil and petroleum vapors. Mor of Carbon Black pigment are greatt Monograph 65, issued in April 1996 re-evaluated Carbon Black pigmen Carbon Black pigment production i	v no significant advers . Early studies in the f workers exposed to C a, and rhinitis. Such si ethodology, lack of ap ctors such as concurr eover, review of these er that current occupa 6, The International Ag t and concluded that: ndustry showed slight Carbon Black pigment	se health effect due to occupational former USSR and Eastern Europe Carbon Black pigment, including tudies are of questionable validity, due propriate controls for cigarette rent exposures to carbon monoxide, e studies indicates that concentrations ational exposure standards. In gency for Research on Cancer (IARC) "Although one cohort study on the t excesses of cancer, the totality of the industry and in some user industries,
GHS US labeling No labeling applicable 2.3. Other hazards which do not r Dther hazards not contributing to the classification	result in classification : Epidemiological studies of workers America and Western Europe show exposure to Carbon Black pigment report respiratory diseases among bronchitis, pneumonia, emphysema to inadequate study design and me smoking, and other confounding fa coal oil and petroleum vapors. Mor of Carbon Black pigment are greatt Monograph 65, issued in April 1996 re-evaluated Carbon Black pigmen Carbon Black pigment production in epidemiology studies, both in the C suggested that there is inadequate pigment.	v no significant advers . Early studies in the f workers exposed to C a, and rhinitis. Such si ethodology, lack of ap ctors such as concurr eover, review of these er that current occupa 6, The International Ag t and concluded that: ndustry showed slight Carbon Black pigment	se health effect due to occupational former USSR and Eastern Europe Carbon Black pigment, including tudies are of questionable validity, due propriate controls for cigarette rent exposures to carbon monoxide, e studies indicates that concentrations ational exposure standards. In gency for Research on Cancer (IARC) "Although one cohort study on the t excesses of cancer, the totality of the industry and in some user industries,
GHS US labeling No labeling applicable 2.3. Other hazards which do not r Dther hazards not contributing to the classification 2.4. Unknown acute toxicity (GHS)	result in classification : Epidemiological studies of workers America and Western Europe show exposure to Carbon Black pigment report respiratory diseases among bronchitis, pneumonia, emphysema to inadequate study design and me smoking, and other confounding fa coal oil and petroleum vapors. Mor of Carbon Black pigment are greatt Monograph 65, issued in April 1996 re-evaluated Carbon Black pigmen Carbon Black pigment production in epidemiology studies, both in the C suggested that there is inadequate pigment.	v no significant advers . Early studies in the f workers exposed to C a, and rhinitis. Such si ethodology, lack of ap ctors such as concurr eover, review of these er that current occupa 6, The International Ag t and concluded that: ndustry showed slight Carbon Black pigment	se health effect due to occupational former USSR and Eastern Europe Carbon Black pigment, including tudies are of questionable validity, due propriate controls for cigarette rent exposures to carbon monoxide, e studies indicates that concentrations ational exposure standards. In gency for Research on Cancer (IARC) "Although one cohort study on the t excesses of cancer, the totality of the industry and in some user industries,
GHS US labeling No labeling applicable 2.3. Other hazards which do not r Dther hazards not contributing to the classification 2.4. Unknown acute toxicity (GHS)	result in classification : Epidemiological studies of workers America and Western Europe show exposure to Carbon Black pigment report respiratory diseases among bronchitis, pneumonia, emphysema to inadequate study design and me smoking, and other confounding fa coal oil and petroleum vapors. Mor of Carbon Black pigment are greatt Monograph 65, issued in April 1990 re-evaluated Carbon Black pigmen Carbon Black pigment production in epidemiology studies, both in the C suggested that there is inadequate pigment.	v no significant advers . Early studies in the f workers exposed to C a, and rhinitis. Such si ethodology, lack of ap ctors such as concurr eover, review of these er that current occupa 6, The International Ag t and concluded that: ndustry showed slight Carbon Black pigment	se health effect due to occupational former USSR and Eastern Europe Carbon Black pigment, including tudies are of questionable validity, due propriate controls for cigarette rent exposures to carbon monoxide, e studies indicates that concentrations ational exposure standards. In gency for Research on Cancer (IARC) "Although one cohort study on the t excesses of cancer, the totality of the industry and in some user industries,
GHS US labeling No labeling applicable 2.3. Other hazards which do not r Other hazards not contributing to the classification 2.4. Unknown acute toxicity (GHS Not applicable	result in classification : Epidemiological studies of workers America and Western Europe show exposure to Carbon Black pigment report respiratory diseases among bronchitis, pneumonia, emphysema to inadequate study design and me smoking, and other confounding fa coal oil and petroleum vapors. Mor of Carbon Black pigment are greate Monograph 65, issued in April 1996 re-evaluated Carbon Black pigmen Carbon Black pigment production il epidemiology studies, both in the C suggested that there is inadequate pigment.	v no significant advers . Early studies in the f workers exposed to C a, and rhinitis. Such si ethodology, lack of ap ctors such as concurr eover, review of these er that current occupa 6, The International Ag t and concluded that: ndustry showed slight Carbon Black pigment	se health effect due to occupational former USSR and Eastern Europe Carbon Black pigment, including tudies are of questionable validity, due propriate controls for cigarette rent exposures to carbon monoxide, e studies indicates that concentrations ational exposure standards. In gency for Research on Cancer (IARC) "Although one cohort study on the t excesses of cancer, the totality of the industry and in some user industries,
GHS US labeling No labeling applicable 2.3. Other hazards which do not r Dther hazards not contributing to the classification 2.4. Unknown acute toxicity (GHS Not applicable SECTION 3: Composition/Infor	result in classification : Epidemiological studies of workers America and Western Europe show exposure to Carbon Black pigment report respiratory diseases among bronchitis, pneumonia, emphysema to inadequate study design and me smoking, and other confounding fa coal oil and petroleum vapors. Mor of Carbon Black pigment are greate Monograph 65, issued in April 1996 re-evaluated Carbon Black pigmen Carbon Black pigment production il epidemiology studies, both in the C suggested that there is inadequate pigment.	v no significant advers . Early studies in the f workers exposed to C a, and rhinitis. Such si ethodology, lack of ap ctors such as concurr eover, review of these er that current occupa 6, The International Ag t and concluded that: ndustry showed slight Carbon Black pigment	se health effect due to occupational former USSR and Eastern Europe Carbon Black pigment, including tudies are of questionable validity, due propriate controls for cigarette rent exposures to carbon monoxide, e studies indicates that concentrations ational exposure standards. In gency for Research on Cancer (IARC) "Although one cohort study on the t excesses of cancer, the totality of the industry and in some user industries,
GHS US labeling No labeling applicable 2.3. Other hazards which do not r Dther hazards not contributing to the classification 2.4. Unknown acute toxicity (GHS Not applicable SECTION 3: Composition/Infor 3.1. Substances	result in classification : Epidemiological studies of workers America and Western Europe show exposure to Carbon Black pigment report respiratory diseases among bronchitis, pneumonia, emphysema to inadequate study design and me smoking, and other confounding fa coal oil and petroleum vapors. Mor of Carbon Black pigment are greate Monograph 65, issued in April 1996 re-evaluated Carbon Black pigmen Carbon Black pigment production il epidemiology studies, both in the C suggested that there is inadequate pigment.	v no significant advers . Early studies in the f workers exposed to C a, and rhinitis. Such si ethodology, lack of ap ctors such as concurr eover, review of these er that current occupa 6, The International Ag t and concluded that: ndustry showed slight Carbon Black pigment	se health effect due to occupational former USSR and Eastern Europe Carbon Black pigment, including tudies are of questionable validity, due propriate controls for cigarette rent exposures to carbon monoxide, e studies indicates that concentrations ational exposure standards. In gency for Research on Cancer (IARC) "Although one cohort study on the t excesses of cancer, the totality of the industry and in some user industries,
GHS US labeling No labeling applicable 2.3. Other hazards which do not reprint the provided of the provided	result in classification : Epidemiological studies of workers America and Western Europe show exposure to Carbon Black pigment report respiratory diseases among bronchitis, pneumonia, emphysema to inadequate study design and me smoking, and other confounding fa coal oil and petroleum vapors. Mor of Carbon Black pigment are greate Monograph 65, issued in April 1996 re-evaluated Carbon Black pigmen Carbon Black pigment production il epidemiology studies, both in the C suggested that there is inadequate pigment.	v no significant advers . Early studies in the f workers exposed to C a, and rhinitis. Such si ethodology, lack of ap ctors such as concurr eover, review of these er that current occupa 6, The International Ag t and concluded that: ndustry showed slight Carbon Black pigment	se health effect due to occupational former USSR and Eastern Europe Carbon Black pigment, including tudies are of questionable validity, due propriate controls for cigarette rent exposures to carbon monoxide, e studies indicates that concentrations ational exposure standards. In gency for Research on Cancer (IARC) "Although one cohort study on the t excesses of cancer, the totality of the industry and in some user industries,
GHS US labeling No labeling applicable 2.3. Other hazards which do not reprint the provided of the provided	result in classification : Epidemiological studies of workers America and Western Europe show exposure to Carbon Black pigment report respiratory diseases among bronchitis, pneumonia, emphysema to inadequate study design and me smoking, and other confounding fa coal oil and petroleum vapors. Mor of Carbon Black pigment are greate Monograph 65, issued in April 1996 re-evaluated Carbon Black pigmen Carbon Black pigment production il epidemiology studies, both in the C suggested that there is inadequate pigment.	v no significant advers . Early studies in the f workers exposed to C a, and rhinitis. Such si ethodology, lack of ap ctors such as concurr eover, review of these er that current occupa 6, The International Ag t and concluded that: ndustry showed slight Carbon Black pigment	se health effect due to occupational former USSR and Eastern Europe Carbon Black pigment, including tudies are of questionable validity, due propriate controls for cigarette rent exposures to carbon monoxide, e studies indicates that concentrations ational exposure standards. In gency for Research on Cancer (IARC) "Although one cohort study on the t excesses of cancer, the totality of the industry and in some user industries,
GHS US labeling No labeling applicable 2.3. Other hazards which do not r Other hazards not contributing to the classification 2.4. Unknown acute toxicity (GHS Not applicable SECTION 3: Composition/Infor 3.1. Substances Not applicable 3.2. Mixtures	result in classification : Epidemiological studies of workers America and Western Europe show exposure to Carbon Black pigment report respiratory diseases among bronchitis, pneumonia, emphysema to inadequate study design and me smoking, and other confounding fa coal oil and petroleum vapors. Mor of Carbon Black pigment are greate Monograph 65, issued in April 1996 re-evaluated Carbon Black pigmenn Carbon Black pigment production in epidemiology studies, both in the C suggested that there is inadequate pigment. SUS)	v no significant advers . Early studies in the f workers exposed to C a, and rhinitis. Such si ethodology, lack of ap ctors such as concurr eover, review of these er that current occupa 6, The International Ag t and concluded that: ndustry showed slight carbon Black pigment evidence for the carc	se health effect due to occupational former USSR and Eastern Europe Carbon Black pigment, including tudies are of questionable validity, due propriate controls for cigarette rent exposures to carbon monoxide, e studies indicates that concentrations ational exposure standards. In gency for Research on Cancer (IARC) "Although one cohort study on the t excesses of cancer, the totality of the industry and in some user industries, sinogenicity in humans of Black
GHS US labeling No labeling applicable 2.3. Other hazards which do not r Other hazards not contributing to the classification 2.4. Unknown acute toxicity (GHS Not applicable SECTION 3: Composition/Infor 3.1. Substances Not applicable 3.2. Mixtures Name	result in classification : Epidemiological studies of workers America and Western Europe show exposure to Carbon Black pigment report respiratory diseases among bronchitis, pneumonia, emphysema to inadequate study design and me smoking, and other confounding fa coal oil and petroleum vapors. Mor of Carbon Black pigment are great Monograph 65, issued in April 1996 re-evaluated Carbon Black pigmen Carbon Black pigment production in epidemiology studies, both in the C suggested that there is inadequate pigment. S US) Product identifier	v no significant advers . Early studies in the f workers exposed to C a, and rhinitis. Such si ethodology, lack of app ctors such as concurr eover, review of these er that current occupa 6, The International Aq t and concluded that: ndustry showed slight carbon Black pigment evidence for the carc	Se health effect due to occupational former USSR and Eastern Europe Carbon Black pigment, including tudies are of questionable validity, due propriate controls for cigarette rent exposures to carbon monoxide, e studies indicates that concentrations ational exposure standards. In gency for Research on Cancer (IARC) "Although one cohort study on the t excesses of cancer, the totality of the industry and in some user industries, cinogenicity in humans of Black GHS US classification
GHS US labeling No labeling applicable 2.3. Other hazards which do not r Other hazards not contributing to the classification 2.4. Unknown acute toxicity (GHS Not applicable SECTION 3: Composition/Infor 3.1. Substances Not applicable 3.2. Mixtures Name carbon black	result in classification : Epidemiological studies of workers America and Western Europe show exposure to Carbon Black pigment report respiratory diseases among bronchitis, pneumonia, emphysema to inadequate study design and me smoking, and other confounding fa coal oil and petroleum vapors. Mor of Carbon Black pigment are greate Monograph 65, issued in April 1996 re-evaluated Carbon Black pigmen Carbon Black pigment production in epidemiology studies, both in the C suggested that there is inadequate pigment. SUS) Mathematical Structure (CAS-No.) 1333-86-4	v no significant advers . Early studies in the f workers exposed to C a, and rhinitis. Such si ethodology, lack of app ctors such as concurn eover, review of these er that current occupa 6, The International Ag t and concluded that: ndustry showed slight Carbon Black pigment evidence for the carc % 75	se health effect due to occupational former USSR and Eastern Europe Carbon Black pigment, including tudies are of questionable validity, due propriate controls for cigarette rent exposures to carbon monoxide, e studies indicates that concentrations ational exposure standards. In gency for Research on Cancer (IARC) "Although one cohort study on the t excesses of cancer, the totality of the industry and in some user industries, cinogenicity in humans of Black GHS US classification Not classified

02/16/2021

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects	(acute and delayed)
Potential Adverse human health effects and symptoms	Based on available data, the classification criteria are not met.
Symptoms/effects :	Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Immediate medical attention and spec	ial treatment, if necessary
No additional information available	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishin	g media
Suitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media :	Do not use a heavy water stream.
5.2. Specific hazards arising from the cher	nical
Reactivity in case of fire	No reactivity hazard other than the effects described in sub-sections below.
5.3. Special protective equipment and pre-	cautions for fire-fighters
	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measu	ires
6.1. Personal precautions, protective equi	pment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures :	Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment :	Equip cleanup crew with proper protection.
Emergency procedures	Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify a	
6.3. Methods and material for containment	On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away
Methods for cleaning up	from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal pr	otection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
7.2. Conditions for safe storage, including	· · ·
Storage conditions :	Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
	Keep only in the original container in a cool, well ventilated place away from : Keep container

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Incompatible materials

: Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

SB201L HI-FI Latent Print Powder, Silver/Black		
No additional information available		
carbon black (1333-86-4)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (mg/m³)	3 mg/m ³ (Inhalable fraction)	
USA - OSHA - Occupational Exposure Limits		
OSHA PEL (TWA) (mg/m³)	3.5 mg/m ³	
Lycopodium (8023-70-9)		
No additional information available		
aluminium,powder,coated,dangerous (7429-90-5)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (mg/m ³)	1 mg/m ³ (Respirable fraction)	
stearic acid (57-11-4)		
No additional information available		

8.2. Appropriate engineering controls

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Solid	
Appearance	: Powders.	
Color	: Black	
Odor	: odorless	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: Non flammable.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTIO	DN 10: Stability and reactivity
10.1.	Reactivity
No reacti	vity hazard other than the effects described in sub-sections below.
10.2.	Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3.	Possibility of hazardous reactions	
Not esta	ablished.	
10.4.	Conditions to avoid	
Direct s	unlight. Extremely high or low temperature	2S.
10.5.	Incompatible materials	
	acids. Strong bases.	
10.6.	Hazardous decomposition products	
	arbon monoxide. Carbon dioxide.	
iume. C	arbon monoxide. Carbon dioxide.	
SECT	ION 11: Toxicological information	on
11.1.	Information on toxicological effects	
Acute to	oxicity (oral)	: Not classified
Acute to	oxicity (dermal)	: Not classified
Acute to	exicity (inhalation)	: Not classified
carbo	n black (1333-86-4)	
	oral rat	> 10000 malka (Equivalent or similar to OECD 401. Bot Male / famale. Experimental value
LD50	Uldi Idi	> 10000 mg/kg (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value,

	LD50 oral rat	> 10000 mg/kg (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 28 day(s))
	LC50 Inhalation - Rat	> 4.6 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Experimental value, Inhalation (dust))
	Skin corrosion/irritation	: Not classified
;	Serious eye damage/irritation	: Not classified
I	Respiratory or skin sensitization	: Not classified
(Germ cell mutagenicity	: Not classified
(Carcinogenicity	: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SB201L HI-FI Latent Print Powder, Silver/Black		
Additional information	This product contains less than 0.1% of absorbed PAHs (polynuclear aromatic hydrocarbons). In non-absorbed form, some PAHs have been found to be carcinogens in animal studies. No correlating carcinogenic effect, however, has been observed in humans due to exposure to Carbon Black pigment. Chronic inflammation, lung fibrosis, and lung tumors have been observed in some rats experimentally exposed, for long periods of time, to very high concentrations. Researchers conducting rat inhalation studies believe that these effects most likely result from massive accumulation of small dust particles in the lung which overwhelm the natural lung clearance mechanism, known as "lung overload" phenomenon, rather than from a specific chemical effect of the dust particles in the lung.	
Reproductive toxicity	: Not classified	
Specific target organ toxicity – single exposure	: Not classified	
Specific target organ toxicity – repeated exposure	: Not classified	
Aspiration hazard Viscosity, kinematic	: Not classified : No data available	
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.	

SECTION 12: Ecological information			
12.1. Toxicity			
-			
carbon black (1333-86-4)			
LC50 fish 1	> 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, Lethal)		
EC50 Daphnia 1	> 5600 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 24 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)		
ErC50 (algae)	> 10000 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)		

12.2. Persistence and degradability

SB201L HI-FI Latent Print Powder, Silver/Black		
Persistence and degradability	Not established.	
carbon black (1333-86-4)		
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
aluminium,powder,coated,dangerous (7429-90-5)		
Persistence and degradability	Biodegradability in soil: not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
stearic acid (57-11-4)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	4 – 27 g O ₂ /g substance	
BOD (% of ThOD)	0.49	

12.3. Bioaccumulative potential		
SB201L HI-FI Latent Print Powder, Silver/Black		
Bioaccumulative potential	Not established.	
carbon black (1333-86-4)		
Bioaccumulative potential	Not bioaccumulative.	
22/12/2221		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

aluminium,powder,coated,dangerous (7429-90-5)		
Bioaccumulative potential	No test data of component(s) available.	
stearic acid (57-11-4)		
Partition coefficient n-octanol/water (Log Pow)	8.23 (Experimental value)	
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).	
2.4. Mobility in soil		
carbon black (1333-86-4)		
Surface tension	Not applicable (solid)	
Ecology - soil	No (test)data on mobility of the substance available. Not toxic to plants. Not toxic to animals.	
aluminium,powder,coated,dangerous (7429-9	0-5)	
Ecology - soil	Contains component(s) that adsorb(s) into the soil.	
stearic acid (57-11-4)		
Surface tension	0.029 N/m (70 °C)	
Partition coefficient n-octanol/water (Log Koc)	4.71 (log Koc, Calculated value)	
	Low potential for mobility in soil.	

Other information	: Avoid release to the environment.	
SECTION 13: Disposal considerations		
13.1.Disposal methodsProduct/Packaging disposal recommendationsEcology - waste materials	Dispose in a safe manner in accordance with local/national regulations.Avoid release to the environment.	
SECTION 14: Transport information		
Department of Transportation (DOT) In accordance with DOT		
Proper Shipping Name (DOT)	: Aluminum powder, coated	
Other information	: No supplementary information available.	
Transportation of Dangerous Goods		
Transport by sea		
Proper Shipping Name (IMDG)	: ALUMINIUM POWDER, COATED	
Air transport		
Proper Shipping Name (IATA)	: Aluminium powder, coated	
SECTION 15: Regulatory information		
15.1. US Federal regulations		
SB201L HI-FI Latent Print Powder, Silver/Black		
Subject to reporting requirements of United States SARA Section 313		

Subject to reporting requirements of United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

SB201L HI-FI Latent Print Powder, Silver/Black

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

National regulations		
SB201L HI-FI Latent Print Powder, Silver/Black		
Listed on IARC (International Agency for Research on Cancer)		
15.3. US State regulations		
SB201L HI-FI Latent Print Powder, Silver/Black		
U.S California - Proposition 65 - Carcinogens List	Yes	
U.S California - Proposition 65 - Developmental Toxicity	No	
U.S California - Proposition 65 - Reproductive Toxicity - Female	No	
U.S California - Proposition 65 - Reproductive Toxicity - Male	No	

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Training advice	Normal use of this product shall imply use in accordance with the instructions on the packaging. Keep in tightly closed container. Keep cool and dry. Avoid all ignition sources - heat, open flame, sparks. Avoid incompatible materials. Avoid dust creation and accumulation. Avoid inhalation and ingestion. Avoid contact with eyes. Wash thoroughly after handling.
Other information	: This Safety Data Sheet has been established in accordance with the applicable European Union legislation.
Full text of H-phrases:	
H228	Flammable solid
NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 1 - Materials that must be preheated before ignition can occur.
NFPA reactivity	: 1 - Materials that in themselves are normally stable but can become unstable at elevated temperatures and pressures.
Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.
Personal protection	: E
	E - Safety glasses, Gloves, Dust respirator

SDS US (GHS HazCom 2012)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.