

SPR400UV Small Particle Reagent- Fluorescent Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification				
1.1. Identification				
Product form	: Mixt	ure		
Product name	: SPR	400UV Small Particle Reagent- F	luorescent	
Product code	: SPR	8400UV; SPR400UV1		
1.2. Recommended use and restriction	ns on use			
Use of the substance/mixture	: Late	ent fingerprint developer		
1.3. Supplier				
SIRCHIE 100 Hunter Place Youngsville, NC 27596 - USA T 919-554-2244; 800-356-7311 - F 919-554-22 http://www.sirchie.com	266; 800-8	99-8181		
1.4. Emergency telephone number				
Emergency number		0.424.9300 (USA) +1-703-527-38 EMTREC: 1.800.424.9300	387 (INTL)	
SECTION 2: Hazard(s) identification	n			
2.1. Classification of the substance or	mixture			
GHS US classification				
Not classified				
2.2. GHS Label elements, including pro	ecautiona	ry statements		
GHS US labeling		·		
No labeling applicable				
2.3. Other hazards which do not result	in classi	fication		
Other hazards not contributing to the classification	: Non	e under normal conditions.		
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/Informati	ion on ii	ngredients		
3.1. Substances				
Not applicable				
3.2. Mixtures				
Name		Product identifier	%	GHS US classification
AQUA		(CAS-No.) 7732-18-5	98.5	Not classified
sodium tetradecyl sulfate		(CAS-No.) 139-88-8	< 1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314
Invisible Green		(CAS-No.) Propietary	1	Not classified
diethyleneglycolmonoethyl ether		(CAS-No.) 111-90-0	< 1	Not classified
Full text of hazard classes and H-statements :	see sectio	n 16		
SECTION 4: First-aid measures		-		
4.1. Description of first aid measures				
First-aid measures general		er give anything by mouth to an u ce (show the label where possible		erson. If you feel unwell, seek medical
First-aid measures after inhalation		w affected person to breathe fresh		e victim to rest.
First-aid measures after skin contact	: Rem			in area with mild soap and water, followed
First-aid measures after eye contact	•	e immediately with plenty of wate	r. Obtain med	lical attention if pain, blinking or redness
F i i i i			01/	

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

First-aid measures after ingestion

04/22/2020

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and effe	cts (acute and delayed)
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Immediate medical attention and sp	pecial treatment, if necessary
No additional information available	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguis	hing media
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Specific hazards arising from the c	hemical
Reactivity	: No data available.
5.3. Special protective equipment and p	precautions for fire-fighters
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any
Protection during firefighting	chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release mea	sures
6.1. Personal precautions, protective ed	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notif	y authorities if liquid enters sewers or public waters.
6.3. Methods and material for containm	ent and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal	I protection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
7.2. Conditions for safe storage, includ	
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
SECTION 8: Exposure controls/pers	sonal protection
8.1. Control parameters	
sodium tetradecyl sulfate (139-88-8)	
Not applicable	
diethyleneglycolmonoethyl ether (111-90-0)	
Not applicable	
AQUA (7732-18-5)	
Not applicable	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Invisible Green (Propietary) Not applicable

8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Gas mask. Gloves. Safety glasses.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

Wear appropriate mask

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Appearance	: Liquid.
Color	: Yellow
Odor	: odorless
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Poorly soluble in water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Oxidizing properties	: No data available	
9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivity		
10.1. Reactivity		
No data available.		
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions		
Not established.		
10.4. Conditions to avoid		
Direct sunlight. Extremely high or low temperature	35.	
10.5. Incompatible materials		
Strong acids. Strong bases.		
10.6. Hazardous decomposition products		
fume. Carbon monoxide. Carbon dioxide.		
SECTION 11: Toxicological information	on	
5		
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
sodium tetradecyl sulfate (139-88-8)		
LD50 oral rat	1250 mg/kg (Rat, Oral)	
LD50 dermal rabbit	3180 mg/kg (Rabbit, Dermal)	
ATE US (oral)	1250 mg/kg body weight	
ATE US (dermal)	3180 mg/kg body weight	
diethyleneglycolmonoethyl ether (111-90-0)		
LD50 dermal rabbit	9143 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male, Experimental value, Dermal, 14 day(s))	
ATE US (dermal)	9143 mg/kg body weight	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Carcinogenicity		
Deproductive toxicity	. Not allocation	
Reproductive toxicity	: Not classified : Not classified	
STOT-single exposure		
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Viscosity, kinematic	: No data available	
Potential Adverse human health effects and	: Based on available data, the classification criteria are not met.	
symptoms	. Not expected to present a significant beyond under anticipated conditions of permatures	
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.	

SECTION 12: Ecological information Toxicity

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

diethyleneglycolmonoethyl ether (111-90-0)	
LC50 fish 1	6010 mg/l (Equivalent or similar to OECD 203, 96 h, Ictalurus punctatus, Flow-through system, Fresh water, Experimental value, Lethal)
ErC50 (algae)	14861 mg/l (Equivalent or similar to OECD 201, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)

12.2. Persistence and degradability		
SPR400UV Small Particle Reagent- Fluorescent		
Persistence and degradability	Not established.	
sodium tetradecyl sulfate (139-88-8)		
Persistence and degradability	Biodegradability in soil: no data available.	
diethyleneglycolmonoethyl ether (111-90-0)		
Persistence and degradability	Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.2 g O ₂ /g substance	
Chemical oxygen demand (COD)	1.85 g O ₂ /g substance	
ThOD	1.9078849 g O ₂ /g substance	
BOD (% of ThOD)	0.11 (Calculated value)	

12.3. Bioaccumulative potential

SPR400UV Small Particle Reagent- Fluorescent		
Bioaccumulative potential	Not established.	
sodium tetradecyl sulfate (139-88-8)		
Bioaccumulative potential	No bioaccumulation data available.	
diethyleneglycolmonoethyl ether (111-90-0)		
Log Pow	-0.54 (Literature, 20 °C)	
Bioaccumulative potential	Not bioaccumulative.	

12.4. Mobility in soil

sodium tetradecyl sulfate (139-88-8)		
Surface tension	0.56 N/m (25 °C)	
diethyleneglycolmonoethyl ether (111-90-0)		
Surface tension	52 mN/m (25 °C)	
Ecology - soil	Highly mobile in soil.	

12.5. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Product/Packaging disposal recommendations Ecology - waste materials	Dispose in a safe manner in accordance with local/national regulations.Avoid release to the environment.	
SECTION 14: Transport information		

Department of Transportation (DOT)

In accordance with DOT

Other information

: No supplementary information available.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transportation of Dangerous Goods

Transport by sea

Air transport

SECTION 15: Regulatory information

15.1. US Federal regulations

No additional information available

15.2. International regulations

CANADA No additional information available

EU-Regulations No additional information available

National regulations

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information	on
according to Federal Register / Vol. 77, No.	58 / Monday, March 26, 2012 / Rules and Regulations
Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: This Safety Data Sheet has been established in accordance with the applicable European Union legislation.
Full text of H-phrases:	
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
NFPA health hazard	: 1 - Materials that, under emergency conditions, can cause significant irritation.
NFPA fire hazard	: 1 - Materials that must be preheated before ignition can occur.
NFPA reactivity	: 1 - Materials that in themselves are normally stable but can become unstable at elevated temperatures and pressures.
Hazard Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.
Personal protection	: G
	G - Safety glasses, Gloves, Vapor respirator
04/22/2020	EN (English US) 6/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS US (GHS HazCom 2012)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.