

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1.1. Product identifier Product form	: Mixture
Product name	: 102LD Hi-Fi Volcano Latent Print Powder, Silk Grey, Disposable
Product code	: 102LD
	ubstance or mixture and uses advised against
Use of the substance/mixture	: Latent fingerprint powder
1.3. Details of the supplier of the safe	ety data sheet
SIRCHIE Finger Print Laboratories 100 Hunter Place Youngsville, NC 27596 - USA T 919-554-2244; 800-356-7311 - F 919-554-2 <u>http://www.sirchie.com</u>	2266; 800-899-8181
1.4. Emergency telephone number	
Emergency number	: 1.800.424.9300
SECTION 2: Hazards identification	n
2.1. Classification of the substance of	
Classification (GHS-US)	
Flam. Sol. 1 H228	
Carc. 2 H351	
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	
Signal word (CHS LIS)	GHS02 GHS08
Signal word (GHS-US) Hazard statements (GHS-US)	: Danger : H228 - Flammable solid
1 azaru statements (0115-03)	H351 - Suspected of causing cancer
Precautionary statements (GHS-US)	<ul> <li>P201 - Obtain special instructions before use</li> <li>P202 - Do not handle until all safety precautions have been read and understood</li> <li>P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking</li> <li>P240 - Ground/bond container and receiving equipment</li> <li>P241 - Use explosion-proof electrical/ventilating/lighting/ equipment</li> <li>P280 - Wear eye protection, protective gloves</li> <li>P308+P313 - If exposed or concerned: Get medical advice/attention</li> <li>P370+P378 - In case of fire: Use to extinguish</li> <li>P405 - Store locked up</li> <li>P501 - Dispose of contents/container to local/regional/national/international regulations</li> </ul>
2.3. Other hazards	
	: None under normal conditions.
Other hazards not contributing to the	
classification	5)
Other hazards not contributing to the classification 2.4. Unknown acute toxicity (GHS-US Not applicable	3)

08/25/2015

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixture			
Name	Product identifier	%	Classification (GHS-US)
titanium(IV) oxide	(CAS No) 13463-67-7	40 - 49	Carc. 2, H351
Lycopodium	(CAS No) 8023-70-9	35	Flam. Sol. 1, H228
aluminium,powder,coated,dangerous	(CAS No) 7429-90-5	<= 14.55	Not classified
stearic acid	(CAS No) 57-11-4	>= 0.45	Not classified
Non-hazardous as defined in 29 CFR 1910.1200			Not classified

Full text of H-phrases: see section 16

Full text of H-phrases: see section 16	
SECTION 4: First aid measures	
4.1. Description of first aid measures	S
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and e	effects, both acute and delayed
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Indication of any immediate med	dical attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measure	S
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the	substance or mixture
Reactivity	: No reactivity hazard other than the effects described in sub-sections below.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release m	easures
6.1. Personal precautions, protective	e equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
	Notify authorities if liquid enters sewers or public waters.
6.3. Methods and material for contai	nment and cleaning up
Methods for cleaning up	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and perso	onal protection.
SECTION 7: Handling and storage	e
7.1. Precautions for safe handling	
Precautions for safe handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
08/05/0045	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2.	Conditions for safe storage, i	ncluding any incompatibilities
Storag	e conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incom	patible products	: Strong bases. Strong acids.
Incom	patible materials	: Sources of ignition. Direct sunlight.
7.3.	Specific end use(s)	
No add	ditional information available	

#### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters	· · ·		
102LD Hi-Fi Volcano Latent Print Powder, Silk Grey, Disposable			
ACGIH	Not applicable		
OSHA	Not applicable	Not applicable	
aluminium,powder,coated,	aluminium,powder,coated,dangerous (7429-90-5)		
ACGIH	ACGIH TWA (mg/m³)	1 mg/m <sup>3</sup> (Aluminium, Metal; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fraction)	
OSHA	Not applicable		
stearic acid (57-11-4)			
ACGIH	Not applicable		
OSHA	Not applicable		
Lycopodium (8023-70-9)			
ACGIH	Not applicable		
OSHA	Not applicable		
Non-hazardous as defined	Non-hazardous as defined in 29 CFR 1910.1200		
ACGIH	Not applicable		
OSHA	Not applicable		
titanium(IV) oxide (13463-6	titanium(IV) oxide (13463-67-7)		
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>	
OSHA	Not applicable		

#### 8.2. **Exposure controls**

Personal protective equipment

: Dust formation: dust mask. Gloves. Safety glasses.



- Hand protection : Wear protective gloves. Eye protection Respiratory protection Other information
  - : Chemical goggles or safety glasses.
  - : Wear appropriate mask.
  - : Do not eat, drink or smoke during use.

#### SECTION 9: Physical and chemical properties

9.1. Information on bas	ic physical and chemical properties	
Physical state	: Solid	
Appearance	: Powders.	
Color	: Gray	
Odor	: odorless	
Odor threshold	: No data available	
рН	: No data available	
08/25/2015	EN (English US)	3/1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	,	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Vapor pressure	: No data available	
Relative density	: No data available	
Relative vapor density at 20 °C	: No data available	
Solubility	<ul> <li>Insoluble in water.</li> <li>Water: Solubility in water of component(s) of the mixture :</li> <li>stearic acid: 0.0003 g/100ml</li> <li>0.15 g/100ml</li> </ul>	
Log Pow	: No data available	
Log Kow	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivity		
10.1. Reactivity		
No reactivity hazard other than the effects descri	ribed in sub-sections below.	
10.2. Chemical stability		
Stable under recommended handling and storage	re conditions (see section 7).	
10.3. Possibility of hazardous reactions	, ,	
Not established.		
10.4. Conditions to avoid		
Direct sunlight. Extremely high or low temperatu	ITES	
10.5. Incompatible materials		
Strong acids. Strong bases.		
10.6. Hazardous decomposition products		
fume. Carbon monoxide. Carbon dioxide.		
SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	

stearic acid (57-11-4)		
LD50 oral rat	> 5000 mg/kg (Rat)	
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)	
titanium(IV) oxide (13463-67-7)		
LD50 oral rat	> 10000 mg/kg (Rat; OECD 425: Acute Oral Toxicity: Up-and-Down Procedure; Experimental value; > 5000 mg/kg bodyweight; Rat; Experimental value)	
LD50 dermal rabbit	> 10000 mg/kg (Rabbit; Experimental value)	
LC50 inhalation rat (mg/l)	> 6.8 mg/l/4h (Rat; Experimental value)	
Skin corrosion/irritation	: Not classified	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Suspected of causing cancer.

symptoms

#### **SECTION 12: Ecological information**

12.1. Toxicity

stearic acid (57-11-4)	
LC50 fish 1	14 mg/l (LC50)
titanium(IV) oxide (13463-67-7)	
LC50 fish 1	> 1000 mg/l (96 h; Pimephales promelas)
EC50 Daphnia 1	< 1000 mg/l (432 h; Daphnia magna; Static system)
LC50 fish 2	> 1 g/l (96 h; Leuciscus idus)
EC50 Daphnia 2	< 500 mg/l (720 h; Daphnia magna; Static system)
Threshold limit algae 1	61 mg/l (72 h; Pseudokirchneriella subcapitata)

12.2. Persistence and degradability			
102LD Hi-Fi Volcano Latent Print Powder, Silk Grey, Disposable			
Persistence and degradability	Not established.		
aluminium,powder,coated,dangerous (7429-90-5)			
Persistence and degradability	Biodegradability in soil: not applicable. Adsorbs into the soil.		
Biochemical oxygen demand (BOD)	Not applicable		
Chemical oxygen demand (COD)	Not applicable		
ThOD	Not applicable		
stearic acid (57-11-4)	stearic acid (57-11-4)		
Persistence and degradability	Forming sediments in water. Biodegradable in the soil. Adsorbs into the soil.		
Biochemical oxygen demand (BOD)	4 - 27 g O₂/g substance		
BOD (% of ThOD)	0.49		
titanium(IV) oxide (13463-67-7)			
Persistence and degradability	Biodegradability: not applicable. Not established.		
Biochemical oxygen demand (BOD)	Not applicable		
Chemical oxygen demand (COD)	Not applicable		
ThOD	Not applicable		
BOD (% of ThOD)	Not applicable		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative potential			
102LD Hi-Fi Volcano Latent Print Powder, Silk Grey, Disposable			
Bioaccumulative potential	Not established.		
aluminium,powder,coated,dangerous (74	29-90-5)		
Bioaccumulative potential	No bioaccumulation data available.		
stearic acid (57-11-4)			
Log Pow	8.23 (Experimental value)		
Bioaccumulative potential	No bioaccumulation data available.		
•			
titanium(IV) oxide (13463-67-7)	No bissesses data susibile. Not established		
Bioaccumulative potential	No bioaccumulation data available. Not established.		
12.4. Mobility in soil			
stearic acid (57-11-4)			
Surface tension	0.029 N/m (70 °C)		
12.5. Other adverse effects			
Effect on the global warming	: No known ecological damage caused by this product.		
Other information	: Avoid release to the environment.		
SECTION 13: Disposal considerati	ons		
13.1. Waste treatment methods			
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.		
Ecology - waste materials	: Avoid release to the environment.		
SECTION 14: Transport information	n		
Department of Transportation (DOT)			
In accordance with DOT			
Not regulated for transport			
Additional information			
Other information	: No supplementary information available.		
ADR			
No additional information available			
Transport by sea			
No additional information available			
Air transport No additional information available			
SECTION 15: Regulatory informati	on		
15.1. US Federal regulations			
102LD Hi-Fi Volcano Latent Print Powder, Silk Grey, Disposable			
Listed on United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory			
15.2 International regulations			
15.2. International regulations			
CANADA			

No additional information available

#### **EU-Regulations**

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Classification according to Regulation (EC) No. 1272/2008 [CLP] No additional information available

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD] Not classified

National regulations

102LD Hi-Fi Volcano Latent Print Powder, Silk Grey, Disposable
Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations		
102LD Hi-Fi Volcano Latent Print Powder, Silk Grey, Disposable()		
U.S California - Proposition 65 - Carcinogens List	Yes	
U.S California - Proposition 65 - Developmental Toxicity	No	
U.S California - Proposition 65 - Reproductive Toxicity - Female	No	
U.S California - Proposition 65 - Reproductive Toxicity - Male	No	

SECTION 16: Other information	
Indication of changes	: Revision - See : *.
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Training advice	Normal use of this product shall imply use in accordance with the instructions on the packaging. Keep in tightly closed container. Keep cool and dry. Avoid all ignition sources - heat, open flame, sparks. Avoid incompatible materials. Avoid dust creation and accumulation. Avoid inhalation and ingestion. Avoid contact with eyes. Wash thoroughly after handling.
Other information	: This Safety Data Sheet has been established in accordance with the applicable European Union legislation.

#### Full text of H-phrases:

	Carc. 2	Carcinogenicity Category 2
	Flam. Sol. 1	Flammable solids Category 1
	H228	Flammable solid
	H351	Suspected of causing cancer
NFPA	health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA	fire hazard	: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.
NFPA	reactivity	: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.
Personal Protection	: E E - Safety glasses, Gloves, Dust respirator

SDS US (GHS HazCom 2012)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.