

Sircing to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Supersedes: 06/30/2021

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: LV620L Basic Red 14 Solution
Product code	: LV620L
1.2. Recommended use and restric	tions on use
1.3. Supplier	
SIRCHIE 100 Hunter Place Youngsville, NC 27596 - USA F 919-554-2244; 800-356-7311 - F 919-554 http://www.sirchie.com	4-2266; 800-899-8181
1.4. Emergency telephone number	
Emergency number	: 1.800.424.9300 (USA) +1-703-527-3887 (INTL) CHEMTREC: 1.800.424.9300
SECTION 2: Hazard(s) identification	tion
2.1. Classification of the substance	
GHS US classification	
Flammable liquids Category 2 H225 Hig	ibly flammable liquid and vanor
Full text of H statements : see section 16	
2.2. GHS Label elements, including	precautionary statements
GHS US labeling	
Hazard pictograms (GHS US)	
Hazard pictograms (GHS US)	
	: Danger
Signal word (GHS US)	: Danger : H225 - Highly flammable liquid and vapor
Signal word (GHS US) Hazard statements (GHS US)	 H225 - Highly flammable liquid and vapor P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed.
Signal word (GHS US) Hazard statements (GHS US)	 H225 - Highly flammable liquid and vapor P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting equipment.
Signal word (GHS US) Hazard statements (GHS US)	 H225 - Highly flammable liquid and vapor P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge.
Signal word (GHS US) Hazard statements (GHS US)	 H225 - Highly flammable liquid and vapor P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting equipment. P242 - Use only non-sparking tools.
	 H225 - Highly flammable liquid and vapor P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P280 - Wear Safety glasses, Gloves. P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P370+P378 - In case of fire: Use alcohol resistant foam, ABC-powder, dry extinguishing powder to extinguish.
Signal word (GHS US) Hazard statements (GHS US)	 H225 - Highly flammable liquid and vapor P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P280 - Wear Safety glasses, Gloves. P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P370+P378 - In case of fire: Use alcohol resistant foam, ABC-powder, dry extinguishing
Signal word (GHS US) Hazard statements (GHS US) Precautionary statements (GHS US)	 H225 - Highly flammable liquid and vapor P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P280 - Wear Safety glasses, Gloves. P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P370+P378 - In case of fire: Use alcohol resistant foam, ABC-powder, dry extinguishing powder to extinguish. P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Signal word (GHS US) Hazard statements (GHS US) Precautionary statements (GHS US)	 H225 - Highly flammable liquid and vapor P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P280 - Wear Safety glasses, Gloves. P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P370+P378 - In case of fire: Use alcohol resistant foam, ABC-powder, dry extinguishing powder to extinguish. P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Signal word (GHS US) Hazard statements (GHS US) Precautionary statements (GHS US)	 H225 - Highly flammable liquid and vapor P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P280 - Wear Safety glasses, Gloves. P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P370+P378 - In case of fire: Use alcohol resistant foam, ABC-powder, dry extinguishing powder to extinguish. P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Safety Data Sheet

SECT	ION 3: Composition/Information	on ingredients		
3.1.	Substances			
Not app	licable			
3.2.	Mixtures			
Name		Product identifier	%	GHS US classification
LV620	L Basic Red 14 Solution			Flam. Liq. 2, H225
ethanc	I	(CAS-No.) 64-17-5	99.85	Flam. Liq. 2, H225
LV 620	Basic Red 14	(CAS-No.) 12217-48-0	0.15	Eye Dam. 1, H318
Full tex	t of hazard classes and H-statements : see	section 16		
SECT	ION 4: First-aid measures			
4.1.	Description of first aid measures			
4.2.	Most important symptoms and effects	(acute and delayed)		
4.3.	Immediate medical attention and spec	ial treatment, if necessary		
	itional information available	in treatment, in neocosary		
SECT	ION 5: Fire-fighting measures			
5.1.	ION 5: Fire-fighting measures Suitable (and unsuitable) extinguishin	a modio		
5.1.	Suitable (and unsuitable) extinguishin			
5.2.	Specific bezords origing from the abo	minol		
J.Z.	Specific hazards arising from the chei	nical		
5.0	Chariel motosting eminment and me	neutione for fire firebore		
5.3.	Special protective equipment and pre- itional information available	cautions for fire-fighters		
	ION 6: Accidental release measu			
6.1.	Personal precautions, protective equi	pment and emergency procedures		
6.1.1.	For non-emergency personnel			
No add	itional information available			
6.1.2.	For emergency responders			
6.2.	Environmental precautions			
No add	itional information available			
6.3.	Methods and material for containment	t and cleaning up		
6.4.	Reference to other sections			
No add	itional information available			
SECT	ION 7: Handling and storage			
7.1.	Precautions for safe handling			
7.2.	Conditions for safe storage, including	any incompatibilities		
	ON St Expective controls/porce			
	ION 8: Exposure controls/persor	nal protection		
SECT 8.1.	Control parameters	nal protection		

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LV 620 Basic Red 14 (12217-48-0)		
No additional information available		
ethanol (64-17-5)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH STEL (ppm)	1000 ppm	

8.2. Appropriate engineering controls

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Gloves. Protective goggles.

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Color	: Mixture contains one or more component(s) which have the following colour(s): Colourless	
Odor	 There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: Alcohol odour Pleasant odour 	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: No data available	
Vapor pressure	: No data available	
Relative vapor density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: No data available	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
9.2. Other information		

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactiv	ity
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
10.3. Possibility of hazardous reaction	ns
No additional information available	
10.4. Conditions to avoid	
No additional information available	
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition produ	icts
No additional information available	
SECTION 11: Toxicological inforn	nation
11.1. Information on toxicological effe	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
ethanol (64-17-5)	
LD50 oral rat	10470 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental
LD50 dermal rabbit	value, Oral, 14 day(s)) > 15800 mg/kg body weight (Rabbit, Experimental value, Dermal)
LC50 Inhalation - Rat	125 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value,
	Inhalation (vapours), 14 day(s))
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified : Not classified
Carcinogenicity	. NUL CIASSIIIEU
ethanol (64-17-5)	
Additional information	Ethyl alcohol (200 Proof) has been shown to cause cancer in Human and Animals when ingested in volume over time. There is no link to cancer in limited exposure scenarios.
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
SECTION 12: Ecological informat	ion
12.1. Toxicity	
ethanol (64-17-5)	
LC50 fish 1	15300 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
12.2. Persistence and degradability	
ethanol (64-17-5)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.8 ± 0.957 a O_{10} a substance

Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.8 – 0.967 g O₂/g substance	
11/17/2022	EN (English US) 4/6	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ethanol (64-17-5)	
Chemical oxygen demand (COD)	1.7 g O₂/g substance
ThOD	2.1 g O₂/g substance
BOD (% of ThOD)	0.43

12.3. Bioaccumulative potential

ethanol (64-17-5)	
BCF fish 1	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)
Partition coefficient n-octanol/water (Log Pow)	-0.31 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

ethanol (64-17-5)	
Surface tension	22.31 mN/m (20 °C, 100 %)
Partition coefficient n-octanol/water (Log Koc)	0.2 (log Koc, Experimental value)
Ecology - soil	Highly mobile in soil.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

No additional information available

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information
15.1. US Federal regulations
No additional information available
15.2. International regulations
CANADA No additional information available EU-Regulations No additional information available National regulations No additional information available
15.3. US State regulations
No additional information available

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Rev	sion date	: 08/22/2022
Full text of H-phrases:		
	H225	Highly flammable liquid and vapor
	H318	Causes serious eye damage

SDS US (GHS HazCom 2012)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.