

# ASP10 EZ-FLO Super Concentrate Solution Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: ASP10 EZ-FLO Super Concentrate Solution
Product code	: ASP10 ASP10A
1.2. Recommended use and restrictions	
Use of the substance/mixture	: Latent fingerprint developer
1.3.         Supplier           SIRCHIE         100 Hunter Place           Youngsville, NC 27596 - USA         T 919-554-2244; 800-356-7311 - F 919-554-226           http://www.sirchie.com         Notes and the second seco	6; 800-899-8181
1.4. Emergency telephone number	
Emergency number	: 1.800.424.9300 (USA) +1-703-527-3887 (INTL) CHEMTREC: 1.800.424.9300
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or m	ixture
GHS US classification	
Skin corrosion/irritation H315	Causes skin irritation
Category 2 Serious eye damage/eye H318 irritation Category 1	Causes serious eye damage
Specific target organ H335 toxicity (single exposure) Category 3	May cause respiratory irritation
Full text of H statements : see section 16	
2.2. GHS Label elements, including prec	autionary statements
GHS US labeling	
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	<ul> <li>H315 - Causes skin irritation</li> <li>H318 - Causes serious eye damage</li> <li>H335 - May cause respiratory irritation</li> </ul>
Precautionary statements (GHS US)	<ul> <li>P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>P264 - Wash hands, forearms and face thoroughly after handling.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P302+P352 - If on skin: Wash with plenty of water.</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P310 - Immediately call a poison center or doctor.</li> <li>P312 - Call a poison center or doctor if you feel unwell.</li> <li>P321 - Specific treatment (see supplemental first aid instruction on this label).</li> <li>P332+P313 - If skin irritation occurs: Get medical advice/attention.</li> <li>P362+P364 - Take off contaminated clothing and wash it before reuse.</li> <li>P403+P233 - Store in a well-ventilated place. Keep container tightly closed.</li> <li>P405 - Store locked up.</li> <li>P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.</li> </ul>

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3.	Other hazards which do not result i	n classification
Other h	nazards not contributing to the cation	: None under normal conditions.
2.4.	Unknown acute toxicity (GHS US)	
Not app	blicable	

# **SECTION 3: Composition/Information on ingredients**

3.1. Substances

### Not applicable

3.2.	Mi	xtu	res

Name	Product identifier	%	GHS US classification
AQUA	(CAS-No.) 7732-18-5	50	Not classified
sodium dodecylbenzenesulfonate	(CAS-No.) 25155-30-0	15	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
sodium xylenesulfonate	(CAS-No.) 1300-72-7	5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
sec-Alcohol ethoxylate	(CAS-No.) 84133-50-6	3	Not classified
tripotassium hydrogen ethylenediaminetetraacetate	(CAS-No.) 17572-97-3	3	Not classified

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	<ul> <li>Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).</li> </ul>
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	<ul> <li>Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.</li> </ul>
First-aid measures after eye contact	<ul> <li>Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.</li> </ul>
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER or doctor/physician if you feel unwell.
4.2. Most important symptoms and effe	ects (acute and delayed)
Potential Adverse human health effects and symptoms	: Harmful if swallowed.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.
4.3. Immediate medical attention and s	pecial treatment, if necessary
No additional information available	
<b>SECTION 5: Fire-fighting measures</b>	
5.1. Suitable (and unsuitable) extinguis	shing media
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Specific hazards arising from the	chemical
Reactivity	: No reactivity hazard other than the effects described in sub-sections below.
5.3. Special protective equipment and	precautions for fire-fighters
Eirofighting instructions	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	
	chemical fire. Prevent fire-fighting water from entering environment. : Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting SECTION 6: Accidental release me	chemical fire. Prevent fire-fighting water from entering environment. : Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting SECTION 6: Accidental release me	chemical fire. Prevent fire-fighting water from entering environment. : Do not enter fire area without proper protective equipment, including respiratory protection. asures

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / vol. 77, No. 58 / Monday, N	
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify	authorities if liquid enters sewers or public waters.
6.3. Methods and material for containmer	nt and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal p	protection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling.
7.2. Conditions for safe storage, including	g any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.

# SECTION 8: Exposure controls/personal protection

8.1. Control parameters	
AQUA (7732-18-5)	
Not applicable	
sodium dodecylbenzenesulfonate (25155-30-0)	
Not applicable	
sec-Alcohol ethoxylate (84133-50-6)	
Not applicable	
sodium xylenesulfonate (1300-72-7)	
Not applicable	
tripotassium hydrogen ethylenediaminetetraacetate (17572-97-3)	
Not applicable	

### 8.2. Appropriate engineering controls

No additional information available

### 8.3. Individual protection measures/Personal protective equipment

### Personal protective equipment:

Gas mask. Gloves. Safety glasses. Avoid all unnecessary exposure.

# Hand protection:

Wear protective gloves.

### Eye protection:

Chemical goggles or safety glasses

### Respiratory protection:

Wear appropriate mask

Personal protective equipment symbol(s):

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



### Other information:

Do not eat, drink or smoke during use.

<b>SECTION 9: Physical and chemica</b>	I properties
9.1. Information on basic physical and	I chemical properties
Physical state	: Liquid
Appearance	: Clear, colorless liquid.
Color	: Colorless
Odor	: odorless
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Soluble in water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
No additional information available	

No additional information available

# SECTION 10: Stability and reactivity

### 10.1. Reactivity

No reactivity hazard other than the effects described in sub-sections below.

### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7). Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

# 10.5. Incompatible materials

Strong acids. Strong bases.

# 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological info	rmation
11.1. Information on toxicological e	iffects
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
sodium dodecylbenzenesulfonate (25	155-30-0)
LD50 oral rat	1080 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Read-across, Oral, 14 day(s))
ATE US (oral)	1080 mg/kg body weight
sodium xylenesulfonate (1300-72-7)	
LD50 oral rat	> 7000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Read-across, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Read-across, Dermal, 14 day(s))
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
sodium dodecylbenzenesulfonate (25	155-30-0)
STOT-single exposure	May cause respiratory irritation.
sodium xylenesulfonate (1300-72-7)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified

Aspiration hazard Viscosity, kinematic	Not classified     No data available
Potential Adverse human health effects and symptoms	: Harmful if swallowed.
Symptoms/effects after eye contact Symptoms/effects after ingestion	<ul><li>Causes serious eye damage.</li><li>Swallowing a small quantity of this material will result in serious health hazard.</li></ul>

# **SECTION 12: Ecological information**

# 12.1. Toxicity

sodium dodecylbenzenesulfonate (2515	5-30-0)
LC50 fish 1	3.2 - 5.6 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Recirculation, Fresh water, Experimental value, Nominal concentration)
EC50 Daphnia 1	6.3 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration)
ErC50 (algae)	65.4 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Salt water, Read-across)
sodium xylenesulfonate (1300-72-7)	
LC50 fish 1	> 1000 mg/l (EPA OTS 797.1400, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value)
EC50 Daphnia 1	> 1000 mg/l (EPA OTS 797.1300, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Inpolassium nyurogen elnyieneulanimelella	nacetate (17572-97-3)
ErC50 (algae)	> 60 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Read-across)
2.2. Persistence and degradability	
ASP10 EZ-FLO Super Concentrate Solution	
Persistence and degradability	Not established.
sodium dodecylbenzenesulfonate (25155-30	-0)
Persistence and degradability	Readily biodegradable in water.
sodium xylenesulfonate (1300-72-7)	
Persistence and degradability	Readily biodegradable in water.
tripotassium hydrogen ethylenediaminetetra	nacetate (17572-97-3)
Persistence and degradability	Inherently biodegradable.
12.3. Bioaccumulative potential	
ASP10 EZ-FLO Super Concentrate Solution	
Bioaccumulative potential	Not established.
sodium dodecylbenzenesulfonate (25155-30	-0)
	130 (Equivalent or similar to OECD 305, 3 day(s), Leuciscus idus, Semi-static system, Fresh
BCF fish 1	water, Experimental value)
Log Pow	
	water, Experimental value)
Log Pow	water, Experimental value) 1.96 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Log Pow Bioaccumulative potential	water, Experimental value) 1.96 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Log Pow Bioaccumulative potential sodium xylenesulfonate (1300-72-7)	<ul> <li>water, Experimental value)</li> <li>1.96 (Experimental value, Equivalent or similar to OECD 107, 25 °C)</li> <li>Low potential for bioaccumulation (BCF &lt; 500).</li> </ul>
Log Pow Bioaccumulative potential sodium xylenesulfonate (1300-72-7) Log Pow	water, Experimental value)         1.96 (Experimental value, Equivalent or similar to OECD 107, 25 °C)         Low potential for bioaccumulation (BCF < 500).
Log Pow Bioaccumulative potential sodium xylenesulfonate (1300-72-7) Log Pow Bioaccumulative potential	water, Experimental value)         1.96 (Experimental value, Equivalent or similar to OECD 107, 25 °C)         Low potential for bioaccumulation (BCF < 500).

sodium dodecylbenzenesulfonate (25155-30-0)	
Surface tension	29.3 - 31.8 mN/m (25 °C)
Log Koc	3.96 (log Koc, Calculated value)
Ecology - soil	Low potential for mobility in soil.
sodium xylenesulfonate (1300-72-7)	
Surface tension	71 mN/m (20 °C, 90 %, EU Method A.5: Surface tension)
Ecology - soil	No (test)data on mobility of the substance available.
tripotassium hydrogen ethylenediaminetetraacetate (17572-97-3)	
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.	
Ecology - waste materials	: Avoid release to the environment.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 14: Transport information

### **Department of Transportation (DOT)**

In accordance with DOT

Other information

: No supplementary information available.

### **Transportation of Dangerous Goods**

### Transport by sea

#### Air transport

### **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

#### ASP10 EZ-FLO Super Concentrate Solution

Subject to reporting requirements of United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

CANADA No additional information available

#### **EU-Regulations**

No additional information available

# National regulations

No additional information available

### 15.3. US State regulations

No additional information available

# **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging. Keep in tightly closed container. Keep cool and dry. Avoid all ignition sources - heat, open flame, sparks. Avoid incompatible materials. Avoid dust creation and accumulation. Avoid inhalation and ingestion. Avoid contact with eyes. Wash thoroughly after handling.
Other information	: This Safety Data Sheet has been established in accordance with the applicable European Union legislation. None.
Full text of H-phrases:	

H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 1 - Materials that, under emergency conditions, can cause significant irritation.
NFPA fire hazard	: 1 - Materials that must be preheated before ignition can occur.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	<ul> <li>1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)</li> </ul>
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal protection	: G
	G - Safety glasses, Gloves, Vapor respirator

SDS US (GHS HazCom 2012)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.