

Sirchig to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification			
1.1. Identification			
	<i>A</i> ixture		
	Bio-Shield		
	3SP4 BSP16		
.2. Recommended use and restrictions on			
	Cleansing product		
.3. Supplier			
SIRCHIE 00 Hunter Place ′oungsville, NC 27596 - USA [°] 919-554-2244; 800-356-7311 - F 919-554-2266; 80 <u>ittp://www.sirchie.com</u>	0-899-8181		
.4. Emergency telephone number			
	I.800.424.9300 (USA) +1-703-527-38 CHEMTREC: 1.800.424.9300	87 (INTL)	
SECTION 2: Hazard(s) identification			
.1. Classification of the substance or mixtu	re		
HS US classification			
lot classified			
.2. GHS Label elements, including precauti	•		
According to the corresponding national regulations to Other hazards not contributing to the : lassification	here is no labelling obligation for this p None under normal conditions.	product.	
.4. Unknown acute toxicity (GHS US)			
lot applicable			
ECTION 3: Composition/Information o	n ingredients		
1. Substances			
ot applicable			
.2. Mixtures			
Name	Product identifier	%	GHS US classification
AQUA	(CAS-No.) 7732-18-5	80	Not classified
Surfactants, cleaning solution	(CAS-No.) Proprietary	12.5	Not classified
2-propanol	(CAS-No.) 67-63-0	5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
HAMAMELIS VIRGINIANA BARK/LEAF EXTRACT	(CAS-No.) 84696-19-5	2.125	Not classified
ethanol	(CAS-No.) 64-17-5	0.375	Flam. Liq. 2, H225
Full text of hazard classes and H-statements : see se	ction 16		

4.1.	Description of first aid measures

No additional information available

No additional information available

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	/ Monday, March 26, 2012 / Rules and Regulations	
SECTION 5: Fire-fighting mea	sures	
5.1. Suitable (and unsuitable) e	ktinguishing media	
Suitable extinguishing media	: ABC powder. Water.	
5.2. Specific hazards arising fro	m the chemical	
Reactivity	: No reactivity hazard other than the eff	fects described in sub-sections below.
5.3. Special protective equipme	nt and precautions for fire-fighters	
No additional information available		
SECTION 6: Accidental releas	se measures	
	ective equipment and emergency procedures	
6.1.1. For non-emergency person	nel	
No additional information available		
6.1.2. For emergency responders		
No additional information available		
6.2. Environmental precautions		
No additional information available		
6.3. Methods and material for c	ontainment and cleaning up	
No additional information available		
6.4. Reference to other sections	\$	
No additional information available		
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe handli	ng	
No additional information available		
7.2. Conditions for safe storage	, including any incompatibilities	
No additional information available		
SECTION 8: Exposure contro	s/personal protection	
8.1. Control parameters		
AQUA (7732-18-5)		
Not applicable		
HAMAMELIS VIRGINIANA BARK/LE	AF EXTRACT (84696-19-5)	
Not applicable		
ethanol (64-17-5) ACGIH ACGI	H STEL (ppm)	1000 ppm
2-propanol (67-63-0)		200 222
	H TWA (ppm)	200 ppm
ACGIH ACGI	H STEL (ppm)	400 ppm
Surfactants, cleaning solution (Pro	prietary)	
Not applicable		

8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Respiratory protection not required in normal conditions. Not required for normal conditions of use.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and chemical properties	
Physical state	: Liquid
Appearance	: Clear, colorless liquid.
Color	clear Colorless
Odor	: slight chemical odor
Odor threshold	: No data available
рН	: ≈7
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	

No additional information available

SECTION 10: Stability and reactivity	
10.1. Reactivity	
No reactivity hazard other than the effects described in sub-sections below.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
No reactivity hazard other than the effects described in sub-sections below.	
10.4. Conditions to avoid	
None under recommended storage and handling conditions (see section 7).	
10.5. Incompatible materials	
None.	
10.6. Hazardous decomposition products	
Under normal conditions of storage and use, hazardous decomposition products should not be produced.	
SECTION 11: Toxicological information	
11.1 Information on toxicological offects	

TI.I. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

ethanol (64-17-5)	
LD50 oral rat	10470 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ethanol (64-17-5)	
LD50 dermal rabbit	> 15800 mg/kg body weight (Rabbit, Experimental value, Dermal)
LC50 inhalation rat (mg/l)	125 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
2-propanol (67-63-0)	
LD50 oral rat	5840 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	16400 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 14 day(s))
LC50 inhalation rat (ppm)	> 10000 ppm (Equivalent or similar to OECD 403, 6 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
ATE US (oral)	5840 mg/kg body weight
ATE US (dermal)	16400 mg/kg body weight
Skin corrosion/irritation	: Not classified pH: ≈ 7
Serious eye damage/irritation	: Not classified pH: ≈ 7
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
ethanol (64-17-5)	
Additional information	Ethyl alcohol (200 Proof) has been shown to cause cancer in Human and Animals when ingested in volume over time. There is no link to cancer in limited exposure scenarios.
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
2-propanol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
/iscosity, kinematic	: No data available

SECTION 12: Ecological information 12.1. Toxicity

ethanol (64-17-5)	
LC50 fish 1	15300 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
2-propanol (67-63-0)	

12.2. Persistence and degradability

ethanol (64-17-5)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.8 - 0.967 g O ₂ /g substance	
Chemical oxygen demand (COD)	1.7 g O ₂ /g substance	
ThOD	2.1 g O ₂ /g substance	
BOD (% of ThOD)	0.43	
2-propanol (67-63-0)		
Persistence and degradability	Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. Readily biodegradable in water.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-propanol (67-63-0)	
Biochemical oxygen demand (BOD)	1.19 g O ₂ /g substance
Chemical oxygen demand (COD)	2.23 g O ₂ /g substance
ThOD	2.4 g O ₂ /g substance

12.3. Bioaccumulative potential

ethanol (64-17-5)	
BCF fish 1	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)
Log Pow	-0.31 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.
2-propanol (67-63-0)	
Log Pow	0.05 (Weight of evidence approach, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

12.4. Mobility in soil

ethanol (64-17-5)		
Surface tension	22.31 mN/m (20 °C, 100 %)	
Log Koc	0.2 (log Koc, Experimental value)	
Ecology - soil	Highly mobile in soil.	
2-propanol (67-63-0)		
Surface tension	0.021 N/m (25 °C)	
Log Koc	0.185 - 0.541 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Highly mobile in soil.	

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

No additional information available

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Other information

: No supplementary information available.

Transportation of Dangerous Goods

Transport by sea

Air transport

SECTION 15: Regulatory information	
15.1. US Federal regulations	

No additional information available

15.2. International regulations

CANADA

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.
Other information	: This Safety Data Sheet has been established in accordance with the applicable European Union legislation.

Full text of H-phrases:

	H225	Highly flammable liquid and vapour
	H319	Causes serious eye irritation
	H336	May cause drowsiness or dizziness
NFF	PA health hazard	: 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.
NFF	PA fire hazard	: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
NFF	PA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Haz	ard Rating	
Hea	lth	: 0 Minimal Hazard - No significant risk to health
Flar	nmability	: 0 Minimal Hazard - Materials that will not burn
Phy	sical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.