

FAC106 FACII Gold Metallic Safety Data Sheet

*** DRAFT ***

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification of the	substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: FAC106 FACII Gold Metallic
Product code	: FAC106
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Latent fingerprint powder
1.3. Details of the supplier of the sa	afety data sheet
SIRCHIE Finger Print Laboratories 100 Hunter Place Youngsville, NC 27596 - USA T 919-554-2244; 800-356-7311 - F 919-55 <u>http://www.sirchie.com</u>	4-2266; 800-899-8181
1.4. Emergency telephone number	
Emergency number	: 1.800.424.9300
SECTION 2: Hazards identificati	on
2.1. Classification of the substance	
Classification (GHS-US)	
Flam. Sol. 2 H228 Eye Irrit. 2A H319	
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	
	GHS02 GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H228 - Flammable solid H319 - Causes serious eye irritation
Precautionary statements (GHS-US)	 P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical/ventilating/lighting/ equipment P264 - Wash thoroughly after handling P269 - Wear protective gloves/protective clothing/eye protection/face protection P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

Not applicable

SECTION 3: Composition/information on ingredients				
3.1.	Substance			
Not applicable				
3.2.	Mixture			

lenses, if present and easy to do. Continue rinsing

P370+P378 - In case of fire: Use ... to extinguish

P337+P313 - If eye irritation persists: Get medical advice/attention

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



Name	Product identifier	%	Classification (GHS-US)
gum arabic	(CAS No) 9000-01-5	60	Eye Irrit. 2A, H319
copper,powder	(CAS No) 7440-50-8	28 - 38	Flam. Sol. 2, H228
zinc, powder or dust, water-reactive	(CAS No) 7440-66-6	2 - 12	Not classified

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effec	ts, both acute and delayed
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Indication of any immediate medical	attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the sub	stance or mixture
Fire hazard	: Flammable solid.
Explosion hazard	: May form flammable/explosive vapor-air mixture.
Reactivity	: No data available.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective equ	Jipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
, , ,	authorities if liquid enters sewers or public waters.
6.3. Methods and material for containme	
Methods for cleaning up	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal	protection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking.
7.2. Conditions for safe storage, includir	ng any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. Keep in fireproof place.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters				
FAC106 FACII Gold Metall	FAC106 FACII Gold Metallic			
ACGIH	ACGIH TWA (mg/m ³)	5 mg/m³		
OSHA	OSHA PEL (TWA) (mg/m ³)	5 mg/m³		
copper,powder (7440-50-8	copper,powder (7440-50-8)			
ACGIH	ACGIH TWA (mg/m ³)	0.2 mg/m³		
OSHA	Not applicable	Not applicable		
gum arabic (9000-01-5)				
ACGIH	Not applicable	Not applicable		
OSHA	OSHA PEL (TWA) (mg/m ³)	5 mg/m³		
zinc, powder or dust, water-reactive (7440-66-6)				
ACGIH	Not applicable			
OSHA	Not applicable			

8.2. Exposure controls

Personal protective equipment

: Dust formation: dust mask. Gloves. Safety glasses. Avoid all unnecessary exposure.



Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Respiratory protection	: Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1.	Information on basic physical ar	nd che	mical properties
Physical	state	:	Solid
Appeara	nce	:	Powders. Metal powder.
Color		:	No data available on colour
Odor		:	odorless
Odor thr	eshold	:	No data available
pН		:	No data available
Melting p	point	:	No data available
Freezing	l point	:	No data available
Boiling p	oint	:	No data available
Flash po	int	:	No data available
Relative	evaporation rate (butyl acetate=1)	:	No data available

*** DRAFT ***

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Solubility	: Water: Solubility in water of component(s) of the mixture : • : < 0.1 g/100ml • :
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. **Other information**

No additional information available

10.1. Reactivity

No data available.

10.2. **Chemical stability**

Stable under normal conditions. Not established. Flammable solid. May form flammable/explosive vapor-air mixture.

10.3. Possibility of hazardous reactions

No additional information available

10.4. **Conditions to avoid**

Open flame. Direct sunlight. Extremely high or low temperatures. Overheating. Heat. Sparks.

10.5. **Incompatible materials**

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

Information on toxicological effects 11.1.

Acute toxicity

: Not classified

gum arabic (9000-01-5)		
LD50 oral rat	> 15000 mg/kg (Rat)	
Skin corrosion/irritation	: Not classified	
	(Conclusive but not sufficient for classification)	
Serious eye damage/irritation	: Causes serious eye irritation.	
	(Conclusive but not sufficient for classification)	
Respiratory or skin sensitization	: Not classified	
	(Conclusive but not sufficient for classification)	
Germ cell mutagenicity	: Not classified	
	Based on available data, the classification criteria are not met	
Carcinogenicity	: Not classified	
	(Based on available data, the classification criteria are not met)	
Reproductive toxicity	: Not classified	
	Based on available data, the classification criteria are not met	
08/27/2015	EN (English US)	4/7

Safety Data Sheet

symptoms

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information			
12.1. Toxicity			
copper,powder (7440-50-8)			
LC50 fish 1	200 µg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Lethal)		
EC50 Daphnia 1	109 - 798 μg/l (48 h; Daphnia magna; Locomotor effect)		
Threshold limit algae 1	230 µg/l (72 h; Pseudokirchneriella subcapitata; Growth rate)		
zinc, powder or dust, water-reactive (7440-66-6)			
LC50 fish 1	2.61 mg/l (96 h; Pimephales promelas; Zinc ion)		
EC50 Daphnia 1	0.068 - 0.56 mg/l (48 h; Daphnia magna; Zinc ion)		
LC50 fish 2	7.3 mg/l (48 h; Cyprinus carpio; Zinc ion)		
Threshold limit algae 1	0.0509 mg/l (Algae; Zinc ion)		

12.2. Persistence and degradability

FAC106 FACII Gold Metallic		
Persistence and degradability	Not established.	
copper,powder (7440-50-8)		
Persistence and degradability	Biodegradability: not applicable. Biodegradability in soil: not applicable. Adsorbs into the soil.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
gum arabic (9000-01-5)		
Persistence and degradability	Biodegradability in water: no data available.	
zinc, powder or dust, water-reactive (7440-66-6)		
Persistence and degradability	Biodegradability in soil: not applicable. Adsorbs into the soil.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
12.3. Bioaccumulative potential		
EACIDE EACH Cold Motollia		

FAC106 FACII Gold Metallic		
Bioaccumulative potential	Not established.	
copper,powder (7440-50-8)		
Bioaccumulative potential	Bioaccumulation: not applicable.	
gum arabic (9000-01-5)		
Bioaccumulative potential	No bioaccumulation data available.	
zinc, powder or dust, water-reactive (7440-66-6)		
BCF fish 1	3000 (Pisces)	
BCF other aquatic organisms 1	15000 (Ostreidae)	
12.4. Mobility in soil		

No additional information available

*** DRAFT ***

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

*** DRAFT ***

12.5. Other adverse effects	
Effect on the global warming	: No known ecological damage caused by this product.
Other information	: Avoid release to the environment.
SECTION 13: Disposal considerati	ons
13.1. Waste treatment methods	
Waste disposal recommendations	: Avoid any discharge of the product into waste water. Use appropriate containment to avoid environmental contamination. Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Handle empty containers with care because residual vapors are flammable.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport informatio	n
Department of Transportation (DOT)	
In accordance with DOT	
Not regulated for transport	
Additional information	
Other information	: No supplementary information available.
ADR	
No additional information available	
Transport by sea	
No additional information available	
Air transport	
No additional information available	
SECTION 15: Regulatory informati	on
15.1. US Federal regulations	
No additional information available	
15.2. International regulations	
CANADA No additional information available	
EU-Regulations No additional information available	
Classification according to Regulation (EC No additional information available) No. 1272/2008 [CLP]
Classification according to Directive 67/544 F; R11 F; R15 Xi; R36 N; R51/53	8/EEC [DSD] or 1999/45/EC [DPD]
Full text of R-phrases: see section 16	
National regulations No additional information available	
15.3. US State regulations	
No additional information available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



SECTION 16: Other information	
Indication of changes	: Revision - See : *.
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.

Full text of H-phrases:

Full text of H-phrases.	
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Sol. 2	Flammable solids Category 2
H228	Flammable solid
H319	Causes serious eye irritation
NFPA health hazard	: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.
HMIS III Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal Protection	: E
	E - Safety glasses, Gloves, Dust respirator

SDS US (GHS HazCom 2012)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.