

SIRCHIE KIFP100 KlearInk Fingerprint Pads Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name Product code	: KIFP100 KlearInk Fingerprint Pads : KIFP100
1.2. Recommended use and restrictions of the substance/mixture	
	: Fingerprint Ink Pad
1.3. Supplier	
SIRCHIE 100 Hunter Place Youngsville, NC 27596 - USA T 919-554-2244; 800-356-7311 - F 919-554-2266 http://www.sirchie.com	; 800-899-8181
1.4. Emergency telephone number	
Emergency number	: 1.800.424.9300 (USA) +1-703-527-3887 (INTL) CHEMTREC: 1.800.424.9300
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mi	xture
GHS-US classification	
Flammable liquids H227	Combustible liquid
Category 4 Acute toxicity (dermal) H312	Harmful in contact with skin
Category 4	
Full text of H statements : see section 16	
2.2. GHS Label elements, including preca	utionary statements
GHS-US labeling	
Hazard pictograms (GHS-US)	
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H227 - Combustible liquid
	H312 - Harmful in contact with skin
Precautionary statements (GHS-US)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P302+P352 - If on skin: Wash with plenty of water
	P312 - Call a poison center or doctor if you feel unwell P322 - Specific treatment (see supplemental first aid instruction on this label)
	P362+P364 - Take off contaminated clothing and wash it before reuse.
	P370+P378 - In case of fire: Use media other than water to extinguish. P403+P235 - Store in a well-ventilated place. Keep cool.
	P501 - Dispose of contents/container to hazardous or special waste collection point, in
	accordance with local, regional, national and/or international regulation
2.3. Other hazards which do not result in	
Other hazards not contributing to the classification	: None under normal conditions.
2.4. Unknown acute toxicity (GHS US)	
Not applicable	
SECTION 3: Composition/Information	on ingredients
3.1. Substances	
Not applicable	
40/40/0040	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixtures			
Name	Product identifier	%	GHS-US classification
Isomeric dibenzyltoluenes	(CAS No) 164250-90-2	97	Acute Tox. 4 (Dermal), H312
1-octanol	(CAS No) 111-87-5	3	Flam. Liq. 4, H227 Eye Irrit. 2A, H319
Proprietary diaminofluorin derivative		< 1	Not classified

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effe	ects (acute and delayed)
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Immediate medical attention and s	pecial treatment, if necessary
No additional information available	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguis	shing media
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Specific hazards arising from the c	hemical
Reactivity	: No reactivity hazard other than the effects described in sub-sections below.
5.3. Special protective equipment and protecti	precautions for fire-fighters
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release mea	asures
6.1. Personal precautions, protective e	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Noti	ify authorities if liquid enters sewers or public waters.
6.3. Methods and material for containm	ient and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	

See Heading 8. Exposure controls and personal protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1.	Control parameters
1-octar	nol (111-87-5)
Not app	blicable
Isomer	ic dibenzyltoluenes (164250-90-2)
Not app	blicable
Proprie	etary diaminofluorin derivative
Not app	plicable

8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Gloves. Safety glasses.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

Wear appropriate mask

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical an	d chemical properties	
Physical state	: Liquid	
Appearance	: Clear, colorless liquid.	
Color	: Colorless	
Odor	: hydrocarbon-like odor	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
12/18/2018	EN (English US)	3/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Insoluble in water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity		
10.1. Reactivity		
No reactivity hazard other than the effects described in sub-sections below.		
10.2. Chemical stability		
Stable under recommended handling and storage	conditions (see section 7).	
10.3. Possibility of hazardous reactions		
No reactivity hazard other than the effects describe	ed in sub-sections below.	
10.4. Conditions to avoid		
Direct sunlight. Extremely high or low temperatures	s. Open flame.	
10.5. Incompatible materials		
Strong acids. Strong bases.		
10.6. Hazardous decomposition products		
fume. Carbon monoxide. Carbon dioxide.		
SECTION 11: Toxicological informatic	n	
11.1. Information on toxicological effects		
Acute toxicity (oral)	Not classified	
Acute toxicity (dermal)	: Dermal: Harmful in contact with skin.	
Acute toxicity (inhalation)	: Not classified	
ATE US (dermal)	2000 mg/kg body weight	
ATE US (dermal) 1-octanol (111-87-5)	2000 mg/kg body weight	
	2000 mg/kg body weight > 5000 mg/kg (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral)	
1-octanol (111-87-5)		
1-octanol (111-87-5) LD50 oral rat	> 5000 mg/kg (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral)	
1-octanol (111-87-5) LD50 oral rat LD50 dermal rabbit	 > 5000 mg/kg (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral) 2000 - 4000 mg/kg (Other, 24 h, Rabbit, Male/female, Experimental value, Dermal) 	
1-octanol (111-87-5) LD50 oral rat LD50 dermal rabbit ATE US (dermal)	 > 5000 mg/kg (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral) 2000 - 4000 mg/kg (Other, 24 h, Rabbit, Male/female, Experimental value, Dermal) 	
1-octanol (111-87-5)LD50 oral ratLD50 dermal rabbitATE US (dermal)Isomeric dibenzyltoluenes (164250-90-2)	 > 5000 mg/kg (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral) 2000 - 4000 mg/kg (Other, 24 h, Rabbit, Male/female, Experimental value, Dermal) 2000 mg/kg body weight 	
1-octanol (111-87-5)LD50 oral ratLD50 dermal rabbitATE US (dermal)Isomeric dibenzyltoluenes (164250-90-2)LD50 oral rat	 > 5000 mg/kg (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral) 2000 - 4000 mg/kg (Other, 24 h, Rabbit, Male/female, Experimental value, Dermal) 2000 mg/kg body weight 	
1-octanol (111-87-5) LD50 oral rat LD50 dermal rabbit ATE US (dermal) Isomeric dibenzyltoluenes (164250-90-2) LD50 oral rat LD50 dermal rat	> 5000 mg/kg (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral) 2000 - 4000 mg/kg (Other, 24 h, Rabbit, Male/female, Experimental value, Dermal) 2000 mg/kg body weight 10 g/kg 2 g/kg	

Serious eye damage/irritation

: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Isomeric dibenzyltoluenes (164250-90-2)	
IARC group	4 - Probably not carcinogenic to humans
Reproductive toxicity	: Not classified
Specific target organ toxicity - single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

SECT	ION 12: Ecological information	
12.1.	Toxicity	

1-octanol (111-87-5)	
LC50 fish 1	13.3 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Semi-static system, Fresh water, Experimental value)
EC50 Daphnia 1	20 mg/l (Equivalent or similar to OECD 202, 24 h, Daphnia magna, Static system, Fresh water, Experimental value)

12.2. Persistence and degradability

KIFP100 KlearInk Fingerprint Pads	
Persistence and degradability	Not established.
1-octanol (111-87-5)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	1.09 g O ₂ /g substance
ThOD	2.95 g O ₂ /g substance
BOD (% of ThOD)	0.38

KIFP100 KlearInk Fingerprint Pads		
Not established.		
1-octanol (111-87-5)		
2.7 (Test data, ASTM E1147)		
Low potential for bioaccumulation (Log Kow < 4).		

12.4. Mobility in soil

1-octanol (111-87-5)	
Surface tension	35.54 mN/m (25 °C, 0.36 g/l)
Ecology - soil	Highly mobile in soil.

12.5. Other adverse effects

Other information

: Avoid release to the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Product/Packaging disposal recommendations Ecology - waste materials	Dispose in a safe manner in accordance with local/national regulations.Avoid release to the environment.	
SECTION 14: Transport information		
Department of Transportation (DOT)		

In accordance with DOT

Other information

: No supplementary information available.

TDG

Transport by sea

Air transport

KIFP100 KlearInk Fingerprint Pads	SECTION 15: Regulatory information	
	15.1. US Federal regulations	
Listed on the United States TSCA /Tavis Substances Control Ast inventory	KIFP100 KlearInk Fingerprint Pads	
Listed on the Onlied States TSCA (Toxic Substances Control Act) inventory	Listed on the United States TSCA (Toxic Substances Control Act) inventory	

15.2. International regulations

CANADA No additional information available

EU-Regulations No additional information available

National regulations No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Data	sources	 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Trair	ning advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging. Keep in tightly closed container. Keep cool and dry. Avoid all ignition sources - heat, open flame, sparks. Avoid incompatible materials. Avoid dust creation and accumulation. Avoid inhalation and ingestion. Avoid contact with eyes. Wash thoroughly after handling.
Othe	er information	: This Safety Data Sheet has been established in accordance with the applicable European Union legislation.
Full	text of H-phrases:	
	L1007	Computible liquid

H227	Combustible liquid
H312	Harmful in contact with skin
H319	Causes serious eye irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 1 - Materials that, under emergency conditions, can cause significant irritation.
NFPA fire hazard	: 1 - Materials that must be preheated before ignition can occur.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
HMIS III Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal protection	: B
	B - Safety glasses, Gloves

SDS US (GHS HazCom 2012)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.