

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Date of issue: 03/13/2013 Revision date: 01/06/2015 Supersedes: 01/31/2012

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixtures
Product name. : PR VISA Ink
Product code : PR100VS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Dyestuff

1.3. Details of the supplier of the safety data sheet

SIRCHIE Finger Print Laboratories 100 Hunter Place

Youngsville, NC 27596 - USA

T 919-554-2244; 800-356-7311 - F 919-554-2266; 800-899-8181

http://www.sirchie.com

1.4. Emergency telephone number

Emergency number : 1.800.424.9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Flam. Liq. 2 H225 Acute Tox. 3 (Oral) H301 Acute Tox. 2 (Dermal) H310 Eye Irrit. 2A H319 STOT SE 1 H370 STOT SE 3 H336

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



GHS06





Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H225 - Highly flammable liquid and vapor

H301 - Toxic if swallowed H310 - Fatal in contact with skin H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness

H370 - Causes damage to organs

Precautionary statements (GHS-US) : P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical/ventilating/lighting/... equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge P260 - Do not breathe dust/fume/gas/mist/vapors/spray P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P262 - Do not get in eyes, on skin, or on clothing

P264 - Wash ... thoroughly after handling

P270 - Do no eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P304+P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for

03/17/2014 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician P312 - Call a POISON CENTER/doctor/physician if you feel unwell

P321 - Specific treatment (see ... on this label)

P330 - If swallowed, rinse mouth

P337+P313 - If eye irritation persists: Get medical advice/attention P361 - Remove/Take off immediately all contaminated clothing

P363 - Wash contaminated clothing before reuse P370+P378 - In case of fire: Use ... for extinction

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P403+P235 - Store in a cool and well-ventilated place

P405 - Store locked up

P501 - Dispose of contents/container to ...

Other hazards 2.3.

No additional information available

Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. **Substances**

Not applicable

Full text of H-phrases: see section 16

3.2. **Mixtures**

Name	Product identifier	%	Classification (GHS-US)
acetone	(CAS No) 67-64-1	50	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
methanol	(CAS No) 67-56-1	47.5	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370
Leucophor BSB Special Liquid	(CAS No) 27344-06-5	2.5	Acute Tox. 1 (Dermal), H310

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice

(show the label where possible).

First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest.

Remove affected clothing and wash all exposed skin area with mild soap and water, followed by First-aid measures after skin contact

warm water rinse.

First-aid measures after eye contact Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persist.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

Extinguishing media

suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Special hazards arising from the substance or mixture

: No reactivity hazard other than the effects described in sub-sections below. Reactivity

03/17/2014 EN (English US) 2/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Avoid (reject) fire-fighting water to enter environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and

when leaving work. Provide good ventilation in process area to prevent formation of vapor.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container

closed when not in use.

Incompatible products : Strong bases. strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

acetone (67-64-1)		
USA ACGIH	ACGIH TWA (ppm)	500 ppm
USA ACGIH	ACGIH STEL (ppm)	750 ppm
USA OSHA	OSHA PEL (TWA) (ppm)	1000 ppm

methanol (67-56-1)		
USA ACGIH	ACGIH TWA (ppm)	200 ppm
USA ACGIH	ACGIH STEL (ppm)	250 ppm

8.2. Exposure controls

Personal protective equipment : Gas mask. Gloves. Safety glasses. Avoid all unnecessary exposure.



Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.

Respiratory protection : Wear approved mask.

Other information : When using, do not eat, drink or smoke.

03/17/2014 EN (English US) 3/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Appearance Yellow liquid. Color Yellow. Odor : Alcohol odour. Odor threshold No data available рΗ : No data available Relative evaporation rate (butyl acetate=1) : No data available No data available Melting point Freezing point : No data available **Boiling point** No data available Flash point : No data available Self ignition temperature : No data available Decomposition temperature No data available Flammability (solid, gas) : No data available Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : No data available Soluble in water. Solubility Log Pow No data available No data available Log Kow : No data available Viscosity, kinematic Viscosity, dynamic : No data available Explosive properties No data available Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Explosive limits

No reactivity hazard other than the effects described in sub-sections below.

: No data available

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Open flame. Sparks.

10.5. Incompatible materials

strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Toxic if swallowed. Fatal in contact with skin.

PR VISA Ink		
ATE (oral)	100.000 mg/kg	
ATE (dermal)	50.000 mg/kg	
ATE (dust,mist)	0.500 mg/l/4h	

03/17/2014 EN (English US) 4/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

acetone (67-64-1)	
LD50 oral rat	5800 mg/kg (Rat; Experimental value,Rat; Experimental value)
LD50 dermal rabbit	20000 mg/kg (Rabbit; Experimental value, Rabbit; Experimental value)
LC50 inhalation rat (mg/l)	71 mg/l/4h (76 mg/l/4h; Rat; Rat; Experimental value; Experimental value,76 mg/l/4h; Rat; Rat; Experimental value; Experimental value)
LC50 inhalation rat (ppm)	30000 ppm/4h (Rat; Experimental value,Rat; Experimental value)

methanol (67-56-1)	
LD50 oral rat	> 5000 mg/kg (1187-2769 mg/kg bodyweight; Rat; Rat)
LD50 dermal rabbit	15800 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	85 mg/l/4h (Rat)
LC50 inhalation rat (ppm)	64000 ppm/4h (Rat)

Leucophor BSB Special Liquid (27344-06-5)		
LD50 oral rat	5000 mg/kg	
LD50 dermal rat	4 mg/kg	
ATE (oral)	5000.000 mg/kg	
ATE (dermal)	4.000 mg/kg	

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : Causes damage to organs. May cause drowsiness or dizziness.

Specific target organ toxicity (repeated

exposure)

: Not classified

Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Based on available data, the classification criteria are not met

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

acetone (67-64-1)	
LC50 fish 1	6210 mg/l (96 h; Pimephales promelas; NOMINAL CONCENTRATION)
EC50 Daphnia 1	8800 mg/l (48 h; Daphnia pulex)
LC50 fish 2	5540 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)
TLM fish 1	13000 ppm (96 h; Gambusia affinis; TURBULENT WATER)
TLM fish 2	> 1000 ppm (96 h; Pisces)
Threshold limit other aquatic organisms 1	3000 mg/l (Plankton)
Threshold limit other aquatic organisms 2	28 mg/l (Protozoa)
Threshold limit algae 1	7500 mg/l (Scenedesmus quadricauda; PH = 7)
Threshold limit algae 2	3400 mg/l (48 h; Chlorella sp.)

methanol (67-56-1)	
LC50 fish 1	15400 mg/l (96 h; Lepomis macrochirus; LETHAL)
EC50 Daphnia 1	> 10000 mg/l (48 h; Daphnia magna; LETHAL)
LC50 fish 2	10800 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)
EC50 Daphnia 2	24500 mg/l (48 h; Daphnia magna)
Threshold limit other aquatic organisms 1	6600 mg/l (16 h; Pseudomonas putida)
Threshold limit algae 1	530 mg/l (192 h; Microcystis aeruginosa)
Threshold limit algae 2	8000 mg/l (168 h; Scenedesmus quadricauda)

03/17/2014 EN (English US) 5/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability

TEIET TOTOLOGICO and dogradability	
PR VISA Ink	
Persistence and degradability	Not established.
acetone (67-64-1)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	1.43 g O ² /g substance
Chemical oyxgen demand (COD)	1.92 g O ² /g substance
ThOD	2.20 g O²/g substance
methanol (67-56-1)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil.
Biochemical oxygen demand (BOD)	0.6 - 1.12 g O ² /g substance
Chemical oyxgen demand (COD)	1.42 g O ² /g substance
ThOD	1.5 g O ² /g substance
BOD (% of ThOD)	0.40 - 0.73 % ThOD

12.3. Bioaccumulative potential

<u> </u>	
PR VISA Ink	
Bioaccumulative potential	Not established.
acetone (67-64-1)	
acetone (07-04-1)	
BCF fish 1	0.69 (Pisces)
BCF other aquatic organisms 1	3
Log Pow	-0.24 (Test data)
Bioaccumulative potential	Not bioaccumulative.
methanol (67-56-1)	
illetilation (07-30-1)	
BCF fish 1	< 10 (Leuciscus idus)
Log Pow	-0.77 (Experimental value; Other, Experimental value; Other)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

12.4. Mobility in soil

acetone (67-64-1)	
Surface tension	0.0237 N/m
methanol (67-56-1)	
memanoi (67-36-1)	

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT

UN-No.(DOT) : 1230
DOT Proper Shipping Name : Methanol

Flammable Liquid

Department of Transportation (DOT) Hazard

Classes

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

03/17/2014 EN (English US) 6/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard labels (DOT) : 3 - Flammable liquid

6.1 - Poison inhalation hazard





Packing group (DOT) : II - Medium Danger

Additional information

Other information : No supplementary information available.

ADR

Transport document description :

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

PR VISA Ink

Listed on SARA Section 313 (Specific toxic chemical listings)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC or 1999/45/EC

F; R11

T; R23/24/25

T; R39/23/24/25

Xi; R36

Full text of R-phrases: see section 16

15.2.2. National regulations

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information

Indication of changes : Revision - See : *.

03/17/2014 EN (English US) 7/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Data sources	: REGULATION (EC) № 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE
	COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and
	mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Training advice Normal use of this product shall imply use in accordance with the instructions on the packaging. Keep in tightly closed container. Keep cool and dry. Avoid all ignition sources - heat, open flame,

sparks. Avoid incompatible materials. Avoid dust creation and accumulation. Avoid inhalation and ingestion. Avoid contact with eyes. Wash thoroughly after handling.

Other information

This Safety Data Sheet has been established in accordance with the applicable European Union

legislation.

Full text of H-phrases: see section 16:

Acute Tox. 1 (Dermal) Acute Tox. 2 (Dermal) Acute Tox. 2 (Dermal) Acute Tox. 3 (Dermal) Acute Tox. 3 (Dermal) Acute Tox. 3 (Inhalation) Acute Tox. 3 (Inhalation) Acute Tox. 3 (Inhalation) Acute Tox. 3 (Oral) Acute Tox. 3 (Inhalation) Acute toxicity (inhalation) Category 3 Flam. Liq. 2 Flammable liquids Category 2 Acute Toxicity (single exposure) Acute	At of 11 philases, see section 16.		
Acute Tox. 3 (Dermal) Acute Tox. 3 (Inhalation) Acute Tox. 3 (Inhalation) Acute Tox. 3 (Inhalation) Acute Tox. 3 (Oral) Acute Tox. 3 (Oral) Acute toxicity (inhalation) Category 3 Acute toxicity (oral) Category 3 Eye Irrit. 2A Serious eye damage/eye irritation Category 2A Flam. Liq. 2 Flammable liquids Category 2 STOT SE 1 Specific target organ toxicity (single exposure) Category 1 STOT SE 3 Specific target organ toxicity (single exposure) Category 3 H225 Highly flammable liquid and vapor H301 Toxic if swallowed H310 Fatal in contact with skin	Acute Tox. 1 (Dermal)	Acute toxicity (dermal) Category 1	
Acute Tox. 3 (Inhalation) Acute toxicity (inhalation) Category 3 Acute Tox. 3 (Oral) Acute Tox. 3 (Oral) Acute toxicity (oral) Category 3 Eye Irrit. 2A Serious eye damage/eye irritation Category 2A Flam. Liq. 2 Flammable liquids Category 2 STOT SE 1 Specific target organ toxicity (single exposure) Category 1 STOT SE 3 Specific target organ toxicity (single exposure) Category 3 H225 Highly flammable liquid and vapor H301 Toxic if swallowed H310 Fatal in contact with skin	Acute Tox. 2 (Dermal)	Acute toxicity (dermal) Category 2	
Acute Tox. 3 (Oral) Eye Irrit. 2A Flam. Liq. 2 STOT SE 1 STOT SE 3 H225 H301 H310 Acute toxicity (oral) Category 3 Acute toxicity (oral) Category 3 Serious eye damage/eye irritation Category 2A Flammable liquids Category 2 Specific target organ toxicity (single exposure) Category 1 Specific target organ toxicity (single exposure) Category 3 Highly flammable liquid and vapor Toxic if swallowed Fatal in contact with skin	Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3	
Eye Irrit. 2A Flam. Liq. 2 Flammable liquids Category 2 STOT SE 1 Specific target organ toxicity (single exposure) Category 1 STOT SE 3 Specific target organ toxicity (single exposure) Category 3 H225 Highly flammable liquid and vapor H301 Toxic if swallowed H310 Fatal in contact with skin	Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3	
Flam. Liq. 2 STOT SE 1 Specific target organ toxicity (single exposure) Category 1 STOT SE 3 Specific target organ toxicity (single exposure) Category 3 H225 Highly flammable liquid and vapor H301 Toxic if swallowed H310 Fatal in contact with skin	Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3	
STOT SE 1 Specific target organ toxicity (single exposure) Category 1 STOT SE 3 Specific target organ toxicity (single exposure) Category 3 H225 Highly flammable liquid and vapor H301 Toxic if swallowed H310 Fatal in contact with skin	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
STOT SE 3 Specific target organ toxicity (single exposure) Category 3 H225 Highly flammable liquid and vapor H301 Toxic if swallowed H310 Fatal in contact with skin	Flam. Liq. 2	Flammable liquids Category 2	
H225 Highly flammable liquid and vapor H301 Toxic if swallowed H310 Fatal in contact with skin	STOT SE 1	Specific target organ toxicity (single exposure) Category 1	
H301 Toxic if swallowed H310 Fatal in contact with skin	STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H310 Fatal in contact with skin	H225	Highly flammable liquid and vapor	
	H301	Toxic if swallowed	
H311 Toxic in contact with skin	H310	Fatal in contact with skin	
	H311	Toxic in contact with skin	
H319 Causes serious eye irritation	H319	Causes serious eye irritation	
H331 Toxic if inhaled	H331	Toxic if inhaled	
H336 May cause drowsiness or dizziness	H336	May cause drowsiness or dizziness	
H370 Causes damage to organs	H370	Causes damage to organs	


NFPA health hazard : 2 - Intense or continued exposure could cause temporary

incapacitation or possible residual injury unless prompt

medical attention is given.

NFPA fire hazard : 4 - Will rapidly or completely vaporize at normal pressure and temperature, or is readily dispersed in air and will burn

readily.



HMIS III Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability 4 Severe Hazard Physical : 1 Slight Hazard

Personal Protection : G

SDS US (GHS HazCom 2012)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.

03/17/2014 EN (English US) 8/8