

SECTION 1: Identification

Identification

Product form : Mixture

Product name : SPR200 Small Particle Reagent- White

Product code SPR200, SPR2001

Recommended use and restrictions on use

Use of the substance/mixture : Detergent according to Regulation (EC) No 648/2004

Supplier

SIRCHIE

100 Hunter Place

Youngsville, NC 27596 - USA

T 919-554-2244; 800-356-7311 - F 919-554-2266; 800-899-8181

http://www.sirchie.com

Emergency telephone number

: 1.800.424.9300 (USA) +1-703-527-3887 (INTL) Emergency number

CHEMTREC: 1.800.424.9300

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

GHS US classification

Not classified

GHS Label elements, including precautionary statements

GHS US labeling

No labeling applicable

Other hazards which do not result in classification

No additional information available

2.4. **Unknown acute toxicity (GHS US)**

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. **Substances**

Not applicable

Mixtures

Name	Product identifier	%	GHS US classification
AQUA	(CAS-No.) 7732-18-5	96.5	Not classified
titanium(IV) oxide	(CAS-No.) 13463-67-7	3	Not classified
sodium tetradecyl sulfate	(CAS-No.) 139-88-8	< 1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314
diethyleneglycolmonoethyl ether	(CAS-No.) 111-90-0	< 1	Not classified

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse.

02/16/2021 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Reactivity in case of fire : No data available.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapor.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container

closed when not in use.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

SPR200 Small Particle Reagent- White

No additional information available

02/16/2021 EN (English US) 2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

sodium tetradecyl sulfate (139-88-8)		
No additional information available		
diethyleneglycolmonoethyl ether (111-90-0)		
No additional information available		
titanium(IV) oxide (13463-67-7)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (mg/m³)	10 mg/m³	
AQUA (7732-18-5)		
No additional information available		

8.2. Appropriate engineering controls

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure. Dust/aerosol mask. Gloves. Safety glasses.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

Wear appropriate mask

Personal protective equipment symbol(s):







Other information:

Do not eat, drink or smoke during use.

Relative evaporation rate (butyl acetate=1)

Flammability (solid, gas)

Relative vapor density at 20 °C

Vapor pressure

SECTION 9: Physical and chemical properties

9.1. Information on basic	physical and chemical properties
Physical state	: Liquid
Appearance	: Liquid.
Color	: White
Odor	: odorless
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available

: No data available

: No data available: No data available

: Non flammable.

Relative density : No data available Solubility : Poorly soluble in water.

02/16/2021 EN (English US) 3/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosion limits** : No data available Explosive properties : No data available Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not established.

IARC group

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

sodium tetradecyl sulfate (139-88-8)		
LD50 oral rat	1250 mg/kg (Rat, Oral)	
LD50 dermal rabbit	3180 mg/kg (Rabbit, Dermal)	
diethyleneglycolmonoethyl ether (111	-90-0)	
LD50 dermal rabbit	9143 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male, Experimental value, Dermal, 14 day(s))	
titanium(IV) oxide (13463-67-7)		
LD50 oral rat	> 5000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s))	
LC50 Inhalation - Rat	> 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
SPR200 Small Particle Reagent- White		
Additional information	No significant exposure to primary particles of titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials. This product's physical	

02/16/2021 EN (English US) 4/7

2B - Possibly carcinogenic to humans

format eliminates dust exposuire to the end user.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive toxicity : Not classified

Specific target organ toxicity – single exposure : Not classified

Specific target organ toxicity – repeated

exposure

: Not classified

Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 12: Ecological information

12.1. Toxicity

diethyleneglycolmonoethyl ether (111-90-0)			
LC50 fish 1	6010 mg/l (Equivalent or similar to OECD 203, 96 h, Ictalurus punctatus, Flow-through system, Fresh water, Experimental value, Lethal)		
ErC50 (algae) 14861 mg/l (Equivalent or similar to OECD 201, 72 h, Pseudokirchneriella subcapitata, Sta system, Fresh water, Experimental value, Nominal concentration)			
titanium(IV) oxide (13463-67-7)			
LC50 fish 1	> 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration)		
ErC50 (algae)	61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)		

12.2. Persistence and degradability

· · · · · · · · · · · · · · · · · · ·		
SPR200 Small Particle Reagent- White		
Persistence and degradability	Not established.	
sodium tetradecyl sulfate (139-88-8)		
Persistence and degradability	Biodegradability in soil: no data available.	
diethyleneglycolmonoethyl ether (111-90-0)		
Persistence and degradability	Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.2 g O ₂ /g substance	
Chemical oxygen demand (COD)	1.85 g O ₂ /g substance	
ThOD	1.9078849 g O ₂ /g substance	
BOD (% of ThOD)	0.11 (Calculated value)	
titanium(IV) oxide (13463-67-7)		
Persistence and degradability	Biodegradability: not applicable. Not established.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	

12.3. Bioaccumulative potential

SPR200 Small Particle Reagent- White		
Bioaccumulative potential	Not established.	
sodium tetradecyl sulfate (139-88-8)		
Bioaccumulative potential	No bioaccumulation data available.	
diethyleneglycolmonoethyl ether (111-90-0)		
Partition coefficient n-octanol/water (Log Pow)	-0.54 (Literature, 20 °C)	
Bioaccumulative potential	Not bioaccumulative.	
titanium(IV) oxide (13463-67-7)		
Bioaccumulative potential	No bioaccumulation data available. Not established.	

12.4. Mobility in soil

02/16/2021 EN (English US) 5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

sodium tetradecyl sulfate (139-88-8)		
Surface tension	0.56 N/m (25 °C)	
diethyleneglycolmonoethyl ether (111-90-0)		
Surface tension	52 mN/m (25 °C)	
Ecology - soil	Highly mobile in soil.	
titanium(IV) oxide (13463-67-7)		
Ecology - soil	Low potential for mobility in soil.	

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Other information : No supplementary information available.

Transportation of Dangerous Goods

Transport by sea

Air transport

SECTION 15: Regulatory information

15.1. US Federal regulations

SPR200 Small Particle Reagent- White

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

SPR200 Small Particle Reagent- White		
U.S California - Proposition 65 - Carcinogens List	Yes	
U.S California - Proposition 65 - Developmental Toxicity	No	
U.S California - Proposition 65 - Reproductive Toxicity - Female	No	
U.S California - Proposition 65 - Reproductive Toxicity - Male	No	

SECTION 16: Other information

02/16/2021 EN (English US) 6/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE Data sources

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Training advice Normal use of this product shall imply use in accordance with the instructions on the packaging.

Other information None.

Full text of H-phrases:

	H302	Harmful if swallowed
	H314	Causes severe skin burns and eye damage
NFPA health hazard		: 1 - Materials that, under emergency conditions, can cause significant irritation.
NFF	PA fire hazard	: 1 - Materials that must be preheated before ignition can occur.
NFF	PA reactivity	: 0 - Material that in themselves are normally stable, even



Health : 1 Slight Hazard - Irritation or minor reversible injury possible

under fire conditions.

1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, Flammability

solids and semi solids having a flash point above 200 F. (Class IIIB)

Physical 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection

G - Safety glasses, Gloves, Vapor respirator

SDS US (GHS HazCom 2012)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.

02/16/2021 EN (English US) 7/7