



Voting Ink Solution

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 01/05/2015

Supersedes:02/02/2011

Version:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name. : Voting Ink Solution
Product code : VIS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation : Dye stuff

1.3. Details of the supplier of the safety data sheet

SIRCHIE Finger Print Laboratories
100 Hunter Place
27596 Youngsville, NC - USA
T 919-554-2244; 800-356-7311 - F 919-554-2266; 800-899-8181
<http://www.sirchie.com>

1.4. Emergency telephone number

Emergency number : 1.800.424.9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture


Classification (GHS-US)

| | |
|---------------|------|
| Flam. Liq. 2 | H225 |
| Skin Corr. 1B | H314 |
| STOT SE 3 | H336 |

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

H225 - Highly flammable liquid and vapor
H314 - Causes severe skin burns and eye damage
H336 - May cause drowsiness or dizziness

Precautionary statements (GHS-US) :

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P233 - Keep container tightly closed
P240 - Ground/bond container and receiving equipment
P241 - Use explosion-proof electrical/ventilating/lighting/... equipment.
P242 - Use only non-sparking tools
P243 - Take precautionary measures against static discharge
P260 - Do not breathe dust/fume/gas/mist/vapors/spray.
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 - Wash ... thoroughly after handling.
P271 - Use only outdoors or in a well-ventilated area
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER/doctor/.../if you feel unwell
P312 - Call a POISON CENTER/doctor/.../if you feel unwell
P321 - Specific treatment (see ... on this label)
P363 - Wash contaminated clothing before reuse
P370+P378 - In case of fire: Use ... for extinction.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed
P403+P235 - Store in a well-ventilated place. Keep cool
P405 - Store locked up
P501 - Dispose of contents/container to

Voting Ink Solution

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards

Other hazards not contributing to the classification : None under normal conditions.

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification (GHS-US) |
|-------------------------|--------------------|------|--|
| acetone | (CAS No.)67-64-1 | < 80 | Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336 |
| silver nitrate | (CAS No.)7761-88-8 | < 15 | Ox. Sol. 2, H272 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 |
| Proprietary Formulation | | 10 | Not classified |

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Reactivity : No reactivity hazard other than the effects described in sub-sections below.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

Voting Ink Solution

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.

Incompatible products : Strong bases. strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| acetone (67-64-1) | | |
|-------------------|----------------------|----------|
| USA ACGIH | ACGIH TWA (ppm) | 500 ppm |
| USA ACGIH | ACGIH STEL (ppm) | 750 ppm |
| USA OSHA | OSHA PEL (TWA) (ppm) | 1000 ppm |

| silver nitrate (7761-88-8) | | |
|----------------------------|-------------------------------------|------------------------|
| USA ACGIH | ACGIH TWA (mg/m ³) | 0.01 mg/m ³ |
| USA OSHA | OSHA PEL (TWA) (mg/m ³) | 0.01 mg/m ³ |

8.2. Exposure controls

Personal protective equipment : Gas mask. Gloves. Safety glasses.



Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.

Respiratory protection : Wear approved mask.

Other information : When using, do not eat, drink or smoke.

Voting Ink Solution

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|----------------------------|
| Physical state | : Liquid |
| Appearance | : Clear, colorless liquid. |
| Color | : Colorless. |
| Odor | : Mildly aromatic. |
| Odor threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Self ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapor pressure | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Relative density | : No data available |
| Solubility | : Miscible with water. |
| Log Pow | : No data available |
| Log Kow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No reactivity hazard other than the effects described in sub-sections below.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

No reactivity hazard other than the effects described in sub-sections below.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Sparks.

10.5. Incompatible materials

strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| acetone (67-64-1) | |
|----------------------------|--|
| LD50 oral rat | 5800 mg/kg (Rat; Experimental value,Rat; Experimental value) |
| LD50 dermal rabbit | 20000 mg/kg (Rabbit; Experimental value,Rabbit; Experimental value) |
| LC50 inhalation rat (mg/l) | 71 mg/l/4h (76 mg/l/4h; Rat; Rat; Experimental value; Experimental value,76 mg/l/4h; Rat; Rat; Experimental value; Experimental value) |
| LC50 inhalation rat (ppm) | 30000 ppm/4h (Rat; Experimental value,Rat; Experimental value) |

silver nitrate (7761-88-8)

Voting Ink Solution

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|---|--|
| LD50 oral rat | 1173 mg/kg (Rat) |
| Skin corrosion/irritation | : Causes severe skin burns and eye damage. |
| Serious eye damage/irritation | : Not classified |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classifiedBased on available data, the classification criteria are not met |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classifiedBased on available data, the classification criteria are not met |
| Specific target organ toxicity (single exposure) | : May cause drowsiness or dizziness. |
| Specific target organ toxicity (repeated exposure) | : Not classifiedBased on available data, the classification criteria are not met |
| Aspiration hazard | : Not classifiedBased on available data, the classification criteria are not met |
| Potential Adverse human health effects and symptoms | : Based on available data, the classification criteria are not met. |

SECTION 12: Ecological information

12.1. Toxicity

| acetone (67-64-1) | |
|---|--|
| LC50 fish 1 | 6210 mg/l (96 h; Pimephales promelas; NOMINAL CONCENTRATION) |
| EC50 Daphnia 1 | 8800 mg/l (48 h; Daphnia pulex) |
| LC50 fish 2 | 5540 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss) |
| TLM fish 1 | 13000 ppm (96 h; Gambusia affinis; TURBULENT WATER) |
| TLM fish 2 | > 1000 ppm (96 h; Pisces) |
| Threshold limit other aquatic organisms 1 | 3000 mg/l (Plankton) |
| Threshold limit other aquatic organisms 2 | 28 mg/l (Protozoa) |
| Threshold limit algae 1 | 7500 mg/l (Scenedesmus quadricauda; PH = 7) |
| Threshold limit algae 2 | 3400 mg/l (48 h; Chlorella sp.) |

| silver nitrate (7761-88-8) | |
|---|--|
| LC50 fish 1 | 0.0039 mg/l (96 h; Pimephales promelas; Flow-through system) |
| EC50 Daphnia 1 | 0.0006 mg/l (48 h; Daphnia magna; LOCOMOTOR EFFECT) |
| LC50 fish 2 | 0.006 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss) |
| EC50 Daphnia 2 | 0.006 mg/l (48 h; Crangon sp.) |
| Threshold limit other aquatic organisms 1 | 0.006 mg/l (Pseudomonas putida; TOXICITY TEST) |
| Threshold limit algae 1 | 0.0007 mg/l (Microcystis aeruginosa; TOXICITY TEST) |
| Threshold limit algae 2 | 0.0095 mg/l (Scenedesmus quadricauda; TOXICITY TEST) |

12.2. Persistence and degradability

| Voting Ink Solution | |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |

| acetone (67-64-1) | |
|---------------------------------|--|
| Persistence and degradability | Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test)data on mobility of the substance available. |
| Biochemical oxygen demand (BOD) | 1.43 g O ₂ /g substance |
| Chemical oxygen demand (COD) | 1.92 g O ₂ /g substance |
| ThOD | 2.20 g O ₂ /g substance |

| silver nitrate (7761-88-8) | |
|-----------------------------------|-----------------------------------|
| Persistence and degradability | Biodegradability: not applicable. |
| Biochemical oxygen demand (BOD) | Not applicable |
| Chemical oxygen demand (COD) | Not applicable |
| ThOD | Not applicable |
| BOD (% of ThOD) | Not applicable |

12.3. Bioaccumulative potential

| Voting Ink Solution | |
|----------------------------|------------------|
| Bioaccumulative potential | Not established. |

| acetone (67-64-1) | |
|-------------------------------|-------------------|
| BCF fish 1 | 0.69 (Pisces) |
| BCF other aquatic organisms 1 | 3 |
| Log Pow | -0.24 (Test data) |

Voting Ink Solution

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| acetone (67-64-1) | |
|---------------------------|----------------------|
| Bioaccumulative potential | Not bioaccumulative. |

| silver nitrate (7761-88-8) | |
|-----------------------------------|--|
| BCF fish 1 | 11 - 19 (Micropterus salmoides; CHRONIC) |
| BCF fish 2 | 15 - 150 (Lepomis macrochirus; CHRONIC) |
| Log Pow | 0.19 (Estimated value) |
| Bioaccumulative potential | Low potential for bioaccumulation (BCF < 500). |

12.4. Mobility in soil

| acetone (67-64-1) | |
|--------------------------|------------|
| Surface tension | 0.0237 N/m |

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

14.1. UN number

UN-No.(DOT) : 1090

14.2. UN proper shipping name

DOT Proper Shipping Name : Acetone
Flammable Liquid

Department of Transportation (DOT) Hazard Classes : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Packing group (DOT) : II - Medium Danger

14.3. Additional information

Other information : No supplementary information available.

Overland transport

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

| Voting Ink Solution |
|--|
| Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on SARA Section 313 (Specific toxic chemical listings) |

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

Voting Ink Solution

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2.2. National regulations

No additional information available

15.3. US State regulations

No additional information available


SECTION 16: Other information

- Indication of changes : Revision - See : *
- Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
- Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging. Keep in tightly closed container. Keep cool and dry. Avoid all ignition sources - heat, open flame, sparks. Avoid incompatible materials. Avoid dust creation and accumulation. Avoid inhalation and ingestion. Avoid contact with eyes. Wash thoroughly after handling.
- Other information : This Safety Data Sheet has been established in accordance with the applicable European Union legislation.

Full text of H-phrases: see section 16:

| | |
|---------------------|---|
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4 |
| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| Flam. Liq. 2 | Flammable liquids Category 2 |
| Ox. Sol. 2 | Oxidizing solids Category 2 |
| Skin Corr. 1B | skin corrosion/irritation Category 1B |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| H225 | Highly flammable liquid and vapor |
| H272 | May intensify fire; oxidizer |
| H302 | Harmful if swallowed |
| H314 | Causes severe skin burns and eye damage |
| H319 | Causes serious eye irritation |
| H336 | May cause drowsiness or dizziness |

- NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
- NFPA fire hazard : 4 - Will rapidly or completely vaporize at normal pressure and temperature, or is readily dispersed in air and will burn readily.
- NFPA reactivity : 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.



HMIS III Rating

- Health : 2 Moderate Hazard - Temporary or minor injury may occur
- Flammability : 4 Severe Hazard
- Physical : 1 Slight Hazard
- Personal Protection : G

SDS US (GHS HazCom 2012)

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.