Revision date:03/14/2013

Supersedes:02/02/2011

Version:

Rev	rision date:03/14/2013	Supersedes:02/02/2011	Version:
SECTION 1: Identification of the	substance/mixture and c	of the company/undertaking	
1.1. Product identifier			
Product form	: Mixture		
Product name.	: Voting Integrity System		
Product code	: VISA-1		
1.2. Relevant identified uses of the	substance or mixture and uses	advised against	
Use of the substance/preparation	: Dyestuff		
1.3. Details of the supplier of the sa	fety data sheet		
1.4. Emergency telephone number			
No additional information available			
SECTION 2: Hazards identification	on		
2.1. Classification of the substance			
Classification (GHS-US)			
Flam. Liq. 2	H22	-	
Acute Tox. 3 (Oral) Acute Tox. 3 (Dermal)	H30 H31		
Eye Irrit. 2A	H31		
STOT SE 1	H37	0	
2.2. Label elements			
GHS-US labeling Hazard pictograms (GHS-US)			
Signal word (GHS-US) Hazard statements (GHS-US)	GHS02 GH : Danger : H225 - Highly flammable H301 - Toxic if swallowe H311 - Toxic in contact H319 - Causes serious	ed é skin	
Precautionary statements (GHS-US)	P233 - Keep container t P240 - Ground/bond con P241 - Use explosion-pi P242 - Use only non-spi P243 - Take precautiona P260 - Do not breathe fr P264 - Wash all expose P270 - Do no eat, drink P280 - Wear eye protec P301+P310 - IF SWALL P302+P352 - IF ON SKI P303+P361+P353 - IF O clothing. Rinse skin with P305+P351+P338 - If in lenses, if present and ea P312 - Call a POISON (P321 - Specific treatmen P330 - If swallowed, rins P337+P313 - If eye irrita P361 - Remove/Take of P363 - Wash contamina P370+P378 - In case of P403+P235 - Store in a P405 - Store locked up	heat, hot surfaces, open flames, sparks No smoking. ightly closed ntainer and receiving equipment roof electrical, lighting, ventilating equipment. arking tools ary measures against static discharge ume, vapors. d skin thoroughly after handling. or smoke when using this product tion, protective gloves. .OWED: Immediately call a POISON CENTER or doctor IN: Wash with plenty of soap and water DN SKIN (or hair): Remove/Take off immediately all cont u water/shower eyees: Rinse cautiously with water for several minutes. F asy to do. Continue rinsing. CENTER/doctor//if you feel unwell nt (see information on this label)	taminated Remove contact nction.
2.3. Other hazards Other hazards not contributing to the	: None under normal con	ditions	
Other nazarus not contributing to the	. INVITE UNDER HORMAL CON		

Other hazards not contributing to the classification

Voting Integrity System

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. **Mixtures**

Name	Product identifier	%	Classification (GHS-US)
methanol	(CAS No.)67-56-1	97.5	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370
C.I. Basic Violet 10	(CAS No.)81-88-9	2.5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	: Assure fresh air breathing. Allow the victim to rest.	
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.	
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.	
4.2. Most important symptoms and effect	cts, both acute and delayed	
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.	
4.3. Indication of any immediate medica	l attention and special treatment needed	
No additional information available		
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.	
Unsuitable extinguishing media	: Do not use a heavy water stream.	
5.2. Special hazards arising from the su	bstance or mixture	
Reactivity	: No reactivity hazard other than the effects described in sub-sections below.	
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	
SECTION 6: Accidental release meas	sures	
6.1. Personal precautions, protective eq	uipment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	: Equip cleanup crew with proper protection.	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		
Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.		
6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect	
	spillage. Store away from other materials.	

6.4. **Reference to other sections**

See Heading 8. Exposure controls and personal protection.

Voting Integrity System

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage		
7.1. Precautions for safe handling	ng	
Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eat, drink or smoke when leaving work. Provide good ventilation in process area to prevent formation of vapor.		
7.2. Conditions for safe storage	, including any incompatibilities	
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.	
Incompatible products	: Strong bases. strong acids.	
Incompatible materials	: Sources of ignition. Direct sunlight.	
7.3. Specific end use(s)		

No additional information available

SECTION 8: Exposure controls/personal protection			
8.1. Control parameters			
methanol (67-56-1)			
USA ACGIH	ACGIH TWA (ppm)	200 ppm	
USA ACGIH	ACGIH STEL (ppm)	250 ppm	

8.2. **Exposure controls**

Personal protective equipment

: Gas mask. Gloves. Safety glasses. Avoid all unnecessary exposure.



Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Respiratory protection	: Wear approved mask.
Other information	: When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	d chemical properties
Physical state	: Liquid
Appearance	: Liquid.
Color	: purple.
Odor	: Alcohol odour.
Odor threshold	: No data available
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Soluble in water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

9.2.	Other information
No additi	onal information available
SECTIO	ON 10: Stability and reactivity
10.1.	Reactivity
No reacti	vity hazard other than the effects described in sub-sections below.
10.2.	Chemical stability
Stable ur	nder recommended handling and storage conditions (see section 7).
10.3.	Possibility of hazardous reactions
No reacti	vity hazard other than the effects described in sub-sections below.
10.4.	Conditions to avoid
Direct su	nlight. Extremely high or low temperatures. Open flame. Sparks.
10.5.	Incompatible materials
strong ac	ids. Strong bases.
10.6.	Hazardous decomposition products
fume. Ca	rbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

Information on toxicological effects 11.1.

Acute toxicity

: Toxic if swallowed. Toxic in contact with skin.

C.I. Basic Violet 10 (81-88-9)		
LD50 oral rat	500 mg/kg (Rat)	
methanol (67-56-1)		
LD50 oral rat	> 5000 mg/kg (1187-2769 mg/kg bodyweight; Rat; Rat)	
LD50 dermal rabbit	15800 mg/kg (Rabbit)	
LC50 inhalation rat (mg/l)	85 mg/l/4h (Rat)	
LC50 inhalation rat (ppm)	64000 ppm/4h (Rat)	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classifiedBased on available data, the classification criteria are not met	
Carcinogenicity	: Not classified	
C.I. Basic Violet 10 (81-88-9)		
IARC group	3	
Reproductive toxicity	: Not classifiedBased on available data, the classification criteria are not met	
Specific target organ toxicity (single exposure)	: Causes damage to organs.	
Specific target organ toxicity (repeated exposure)	: Not classifiedBased on available data, the classification criteria are not met	

Aspiration hazard	: Not classifiedBased on available data, the classification criteria are not met
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

C.I. Basic Violet 10 (81-88-9)		
LC50 fish 1	10 - 100 mg/l (96 h; Leuciscus idus)	
EC50 Daphnia 1	22 mg/l (24 h; Daphnia magna)	
LC50 fish 2	217 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)	
EC50 Daphnia 2	22.9 mg/l (48 h; Daphnia magna)	
methanol (67-56-1)		
LC50 fish 1	15400 mg/l (96 h; Lepomis macrochirus; LETHAL)	
EC50 Daphnia 1	> 10000 mg/l (48 h; Daphnia magna; LETHAL)	
LC50 fish 2	10800 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)	
EC50 Daphnia 2	24500 mg/l (48 h; Daphnia magna)	

ccording to Federal Register / Vol. 77, No. 58 / Monday	
methanol (67-56-1) Threshold limit other aquatic organisms 1	6600 mg/l (16 h; Pseudomonas putida)
•	
Threshold limit algae 1 Threshold limit algae 2	530 mg/l (192 h; Microcystis aeruginosa) 8000 mg/l (168 h; Scenedesmus quadricauda)
5	outo mgn (100 h, Scenedesmus quadhcauda)
12.2. Persistence and degradability	
Voting Integrity System	Netestablished
Persistence and degradability	Not established.
C.I. Basic Violet 10 (81-88-9)	
Persistence and degradability	Not readily biodegradable in water.
methanol (67-56-1)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil.
Biochemical oxygen demand (BOD)	0.6 - 1.12 g O ² /g substance
Chemical oxygen demand (COD)	1.42 g O ² /g substance
	1.5 g O ² /g substance 0.40 - 0.73 % ThOD
BOD (% of ThOD)	0.40 - 0.73 % INOD
12.3. Bioaccumulative potential	
Voting Integrity System	
Bioaccumulative potential	Not established.
C.I. Basic Violet 10 (81-88-9)	
BCF fish 1	< 1.7 (Cyprinus carpio; TEST DURATION: 6 WEEKS)
Log Pow	1.95 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
methanol (67-56-1)	
BCF fish 1	< 10 (Leuciscus idus)
Log Pow	-0.77 (Experimental value; Other, Experimental value; Other)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
12.4. Mobility in soil	
methanol (67-56-1)	
Surface tension	0.023 N/m (20 °C)
12.5. Other adverse effects	
Other information	: Avoid release to the environment.
SECTION 13: Disposal consideratio	ns
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
In accordance with ADR / RID / ADNR / IMDG /	ICAO / IATA
14.1. UN number	
UN-No.(DOT)	: 1987
	. 1001
14.2. UN proper shipping name	
DOT Proper Shipping Name	: Alcohols, N.O.S. Flammable liquid
Department of Transportation (DOT) Hazard	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Classes	
Hazard labels (DOT)	: 3 - Flammable liquid
Packing group (DOT)	: II - Medium Danger
14.3. Additional information	
Other information	: No supplementary information available.
14/03/2013	EN /English LIS) 5/7

Voting Integrity System

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Overland transport

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

Voting Integrity System

Listed on SARA Section 313 (Specific toxic chemical listings) Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC or 1999/45/EC Not classified

15.2.2. National regulations

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information	n	
Indication of changes	: Revision - See : *.	
Data sources	 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Normal use of this product shall imply use in accordance with the instructions on the packagin Keep in tightly closed container. Keep cool and dry. Avoid all ignition sources - heat, open flame, sparks. Avoid incompatible materials. Avoid dust creation and accumulation. Avoid inhalation and ingestion. Avoid contact with eyes. Wash thoroughly after handling. 	
Training advice		
Other information	: This Safety Data Sheet has been established in accordance with the applicable European Union legislation.	
Full text of H-phrases: see section 16:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Eye Dam. 1	Serious eye damage/eye irritation Category 1	
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
Flam. Liq. 2	Flammable liquids Category 2	
STOT SE 1	Specific target organ toxicity (single exposure) Category 1	
H225	Highly flammable liquid and vapor	
H301	Toxic if swallowed	
H302	Harmful if swallowed	
H311	Toxic in contact with skin	
H318	Causes serious eye damage	
H319	Causes serious eye irritation	
H331	Toxic if inhaled	
H370	Causes damage to organs	
NFPA health hazard	2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.	
NFPA fire hazard	: 4 - Will rapidly or completely vaporize at normal pressure and temperature, or is readily dispersed in air and will burn readily.	
NFPA reactivity	: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.	
HMIS III Rating		
Health	: 2 Moderate Hazard - Temporary or minor injury may occur	

Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 4 Severe Hazard
Physical	: 1 Slight Hazard
Personal Protection	: G

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.